

SNYDER

Equipment, Inc.

Storing, Rolling, Lifting since 1947



PRODUCT INFORMATION

DUTRO HAND TRUCKS

2946 Larimer St. Denver, CO 80205

303-295-1100 / 800-373-7693

FAX 303-295-2464

Email info@snyderequipment.com

www.snyderequipment.com

5" Frame

- 8PMP
- 8PBP
- 8PNP
- 8PSP
- 8PMP-DLX
- 8PBP-DLX
- 8PMP-HD
- 8PMDL
- 8PBDL
- 8PNDL
- 8PSDL
- 8PML
- 8PBL
- 8PNL
- 8PSL
- 10PBDL
- 10PNDL
- 10PSDL
- 10PBP
- 10PNP
- 10PSP

8" Frame

- 8PMP-HD
- 8PMP
- 8PBP
- 8PNP
- 8PSP

58PMP



Single Pin

- 58PMP**
8" x 1 5/8" x 5/8"
Capacity: 800 lbs
0-33246-40026-6
Part # M81.6
- 58PBP**
8" x 2 1/2" x 5/8"
Capacity: 800 lbs
0-33246-40025-9
Part # B82.25-A
- 58PNP**
8" x 2 1/2" x 5/8"
Capacity: 530 lbs
0-33246-40027-3
Part # N8
- 58PSP**
8" x 2 1/2" x 5/8"
Capacity: 700 lbs
0-33246-40028-0
Part # S82.5

specifications

58PMP	
Capacity	800 lbs
Weight	32 1/2 lbs
Dimensions	55" x 17 1/2"
UPC	0-33246-40026-6

New Product

58PBP-DLX



Single Pin Deluxe



- 58PMP-DLX**
8" x 1 5/8" x 5/8"
Capacity: 800 lbs
0-33246-40187-4
Part # M81.6
- 58PBP-DLX**
8" x 2 1/2" x 5/8"
Capacity: 800 lbs
0-33246-40188-1
Part # B82.25-A

specifications

58PBP-DLX	
Capacity	800 lbs
Weight	42 lbs
Dimensions	55" x 17 1/2"
UPC	0-33246-40187-4

An 8" x 2" x 5/8" mold-on rubber wheel can be substituted for the standard 8" x 1 5/8" x 5/8" mold-on rubber wheel.
The 8" balloon wheel is available in a non-marking version.

- 58PMDL**
8" x 1 5/8" x 5/8"
Capacity: 800 lbs
0-33246-40022-8
Part # M81.6
- 58PBDL**
8" x 2 1/4" x 5/8"
Capacity: 800 lbs
0-33246-40021-1
Part # B82.25-A
- 58PNDL**
8" x 2 1/2" x 5/8"
Capacity: 530 lbs
0-33246-40023-5
Part # N8
- 58PSDL**
8" x 2 1/2" x 5/8"
Capacity: 700 lbs
0-33246-40024-2
Part # S82.5

58PMDL



Double Loop

specifications

58PMDL	
Capacity	800 lbs
Weight	33 1/2 lbs
Dimensions	55" x 17 1/2"
UPC	0-33246-40022-8

48PMP-HD & 58PMP-HD



Heavy Duty Single Pin



specifications

48PMP-HD	
Capacity	900 lbs
Weight	36 1/2 lbs
Dimensions	46" x 17 1/2"
UPC	0-33246-40189-8

specifications

58PMP-HD	
Capacity	900 lbs
Weight	44 1/2 lbs
Dimensions	55" x 17 1/2"
UPC	0-33246-40029-7

Heavy Duty Trucks Feature

- 8" x 2" x 3/4" Mold-on Rubber Wheel
- 3/4" Pipe Frame, Skid Stiffeners
- 3/4" Axle

Standard Toe Plate Size

7" x 13" 1/4"

Special Features for Steel Delivery Trucks

- Folding Nose • Heavy Duty Model • Keg Hook • Skid Stiffeners • Wheel Guards

58PNL

Single Loop



- 58PML**
8" x 1 5/8" x 5/8"
Capacity: 800 lbs
0-33246-40031-0
Part # M81.6
- 58PBL**
8" x 2 1/4" x 5/8"
Capacity: 800 lbs
0-33246-40030-3
Part # B82.25-A
- 58PNL**
8" x 2 1/2" x 5/8"
Capacity: 530 lbs
0-33246-40032-7
Part # N8
- 58PSL**
8" x 2 1/2" x 5/8"
Capacity: 700 lbs
0-33246-40033-4
Part # S82.5

specifications

58PNL	
Capacity	530 lbs
Weight	35 lbs
Dimensions	55" x 17 1/2"
UPC	0-33246-40032-7

48PMP

Single Pin



- 48PMP**
8" x 1 5/8" x 5/8"
Capacity: 800 lbs
0-33246-40018-1
Part # M81.6
- 48PBP**
8" x 2 1/4" x 5/8"
Capacity: 800 lbs
0-33246-40017-4
Part # S82.25-A
- 48PNP**
8" x 2 1/2" x 5/8"
Capacity: 530 lbs
0-33246-40019-8
Part # N8
- 48PSP**
8" x 2 1/2" x 5/8"
Capacity: 700 lbs
0-33246-40020-4
Part # S82.5

specifications

48PMP	
Capacity	800 lbs
Weight	29 1/2 lbs
Dimensions	46" x 17 1/2"
UPC	0-33246-40018-1

All handtrucks in this section are available with an R Nose toe plate.



510PSDL

Double Loop with 10" Wheels



- 510PBDL**
10" x 2" x 5/8"
Capacity: 800 lbs
0-33246-40190-4
Part # B10-A
- 510PNDL**
10" x 3 1/2" x 5/8"
Capacity: 540 lbs
0-33246-40034-1
Part # N10
- 510PSDL**
10" x 2 3/4" x 5/8"
Capacity: 700 lbs
0-33246-40035-8
Part # S102.75

specifications

510PSDL	
Capacity	700 lbs
Weight	44 lbs
Dimensions	57" x 18 1/2"
UPC	0-33246-40035-8

510PNP

Single Pin with 10" Wheels



- 510PBP**
10" x 2" x 5/8"
Capacity: 800 lbs
0-33246-40191-1
Part # B10-A
- 510PNP**
10" x 3 1/2" x 5/8"
Capacity: 540 lbs
0-33246-40036-5
Part # N10
- 510PSP**
10" x 2 3/4" x 5/8"
Capacity: 700 lbs
0-33246-40037-2
Part # S102.75

specifications

510PNP	
Capacity	540 lbs
Weight	39 lbs
Dimensions	56" x 18 1/2"
UPC	0-33246-40036-5

teel:
Way
20M
20N
20S

Way
22M
22N
22S

luminum:
UB

Way
UB40
UB50

120

3 Way Convertible



Capacity 600 lbs



Capacity 800 lbs





specifications

120M	
Capacity	800 lbs
Weight	62 lbs
Dimensions	50" x 19"
UPC	0-33246-40007-5



1. Handtruck.
2. Tilt Truck.
Rotate locking mechanism, lean handle backwards, and lower the deck and rear casters to snap into 45° position.
3. Platform.
Release spring loaded pin to shift into platform position.

Maximum load can be carried in any one of the three positions.

Standard Wheels:

-  Mold-on Rubber BB (M81.6)
8" x 1 5/8" x 5/8"
-  4" Double Race BB Swivel (C4SP)

The Following Wheel Styles are Available:

- 120N**
 N (Pneumatic BB) (N8)
8" x 2 1/2" x 5/8"
0-33246-40008-2
- 120S**
 S (Solid Rubber BB) (S82.5)
8" x 2 1/2" x 5/8"
0-33246-40192-8

An 8" x 2" x 5/8" mold-on rubber wheel can be substituted for the standard 8" x 1 5/8" x 5/8" mold-on rubber wheel.
Standard Toe Plate for 120 & 122 - 9" x 14" 1/4" Gauge.

122

2 Way Convertible



Capacity 600 lbs





specifications

122M	
Capacity	600 lbs
Weight	56 lbs
Dimensions	44" x 19"
UPC	0-33246-40009-9



1. Handtruck.
2. Platform.
Rotate locking mechanism, lean handle backwards and lower the deck and casters to the horizontal position.

Maximum load can be carried in any one of the two positions.

Standard Wheels:

-  Mold-on Rubber BB (M81.6)
8" x 1 5/8" x 5/8"
-  4" Double Race BB Swivel (C4SP)

The Following Wheel Styles are Available:

- 122N**
 N (Pneumatic BB) (N8)
8" x 2 1/2" x 5/8"
0-33246-40010-5
- 122S**
 S (Solid Rubber BB) (S82.5)
8" x 2 1/2" x 5/8"
0-33246-40193-5

These products are patented or patent-pending under one or more of the following numbers:
US D449,144S, US D 462,821S

New Product

warehouse & delivery
steel & aluminum convertible trucks

New Product

AUB

Aluminum Unibody (Shown with Optional Wheel Guards)



Patented Handle
(Keeps Wrist Straight)

Folding Nose Catch
(Folding Nose is Optional)

Large Toe Plate
(12 1/2" x 11")

Dutro's new Aluminum Unibody handtrucks raise the bar in versatility and capacity. Built to hold heavy loads these trucks feature:

- **100% Replaceable Parts**
- 8" or 10" Wheels
- Built-in Stair Climbers
- New Patented Handle Design
- True Platform
- 5" Colson Proforma Cushion Caster


- Optional:
- Large Toe Plate
 - Wheel Guards
 - Folding Nose

Wheel guards standard on 2 way trucks.

specifications

AUB	
Capacity	600 lbs
Weight	27 lbs
Dimensions	53 1/2" x 20 1/2"
UPC	0-33246-40202-4

- AUB8M - 0-33246-40194-2
- AUB8B - 0-33246-40195-9
- AUB8N - 0-33246-40196-6
- AUB8S - 0-33246-40197-3
- AUB10N - 0-33246-40199-7
- AUB10B - 0-33246-40200-0
- AUB10S - 0-33246-40201-7
- AUB10P - 0-33246-40202-4



New Product

AUB40

2 Way 40" Platform Aluminum



specifications

AUB40P	
Capacity	600 lbs (Vertical) 1200 lbs (Horizontal)
Weight	36 1/2 lbs
Dimensions	51" x 20 1/2"
UPC	0-33246-40206-2

- AUB4010N
0-33246-40203-1
- AUB4010B
0-33246-40204-8
- AUB4010S
0-33246-40205-5
- AUB4010P
0-33246-40206-2

New Product

AUB50

2 Way 50" Platform Aluminum



specifications

AUB50P	
Capacity	600 lbs (Vertical) 1200 lbs (Horizontal)
Weight	40 1/2 lbs
Dimensions	61" x 20 1/2"
UPC	0-33246-40210-9

- AUB5010N
0-33246-40207-9
- AUB5010B
0-33246-40208-6
- AUB5010S
0-33246-40209-3
- AUB5010P
0-33246-40210-9

Deluxe EZE-OFF handtrucks come with wheel guards, skid stiffeners and 17 1/2" toe plate. Available in 55" or 60" frame. An 8" x 2" x 5/8" mold-on rubber wheel can be substituted for the standard 8" x 1 5/8" x 5/8" mold-on rubber wheel.

100, 100-DLX55 & 100-DLX60



Spot and level the load



Step down on EZE-OFF bar



Truck slides out from underneath the load

specifications

100
Capacity 800 lbs
Weight 34 lbs
Dimensions 55" x 17 1/2"
UPC 0-33246-40000-6

specifications

100-DLX55
Capacity 800 lbs
Weight 41 lbs
Dimensions 55" x 17 1/2"
UPC 0-33246-40005-1

specifications

100-DLX60
Capacity 800 lbs
Weight 43 lbs
Dimensions 60" x 17 1/2"
UPC 0-33246-40006-8

The Following Wheel Styles are Available:



B (Ballon)
8" x 2 1/4" x 5/8" (B82.25-A)



Mold-on Rubber (M81.6)
8" x 1 5/8" x 5/8"

EZE-OFF

- 00
- 00-DLX-55
- 00-DLX-60

Shovel Nose

- 08M
- 08B
- 08S
- 20B
- 20S
- 28M
- 28B
- 28S
- 10B
- 10S

average

- EV58M
- EV58B
- EV58N
- EV58S
- EV64M
- EV64B
- EV64N
- EV64S
- EV58M-CL
- EV58B-CL
- EV58N-CL
- EV58S-CL

R24X26

warehouse & delivery
EZE-OFF, Shovel Nose & Beverage - steel trucks

808M
8" x 2" x 3/4"
Capacity: 900 lbs
0-33246-40172-0
Part # M82

808B
8" x 2 1/2" x 3/4"
Capacity: 900 lbs
0-33246-40169-0
Part # B82.25-A

808S
8" x 2 1/2" x 3/4"
Capacity: 700 lbs
0-33246-40170-6
Part # S82.5

810B
10" x 2" x 3/4"
Capacity: 1000 lbs
0-33246-40211-6
Part # B10-A

810S
10" x 2 3/4" x 3/4"
Capacity: 700 lbs
0-33246-40173-7
Part # S102.75



specifications

808B
Capacity 900 lbs
Weight 55 lbs
Dimensions 49 1/2" x 19"
UPC 0-33246-40169-0

Shovel Nose with Continuous Handle

828M
8" x 2" x 3/4"
Capacity: 900 lbs
0-33246-40212-3
Part # M82

828B
8" x 2 1/2" x 3/4"
Capacity: 900 lbs
0-33246-40213-0
Part # B82.25-A

828S
8" x 2 1/2" x 3/4"
Capacity: 700 lbs
0-33246-40214-7
Part # S82.5

820B
10" x 2" x 3/4"
Capacity: 1000 lbs
0-33246-40215-4
Part # B10-A

820S
10" x 2 3/4" x 3/4"
Capacity: 700 lbs
0-33246-402016-1
Part # S102.75



specifications

828B
Capacity 900 lbs
Weight 55 lbs
Dimensions 61 3/4" x 19"
UPC 0-33246-40213-0

Shovel Nose with Extended Handle


Shovel Nose Features

- 3/4" Pipe Frame • 3/4" Pipe and Continuous Handle
- Shovel Nose Toe Plate Allows for Larger Loads - 17 1/2" - 14" x 14"
- Taller Frame Gives More Leverage Over Heavy Loads

New Product

BEV58B

58" Beverage Truck



- BEV58M**
8" x 1 5/8" x 3/4"
Capacity: 800 lbs
0-33246-40012-9
Part # M81.6
- BEV58B**
8" x 2 1/4" x 3/4"
Capacity: 700 lbs
0-33246-40011-2
Part # B82.25-A
- BEV58S**
8" x 2 1/2" x 3/4"
Capacity: 700 lbs
0-33246-40013-6
Part # S82.5


specifications

BEV58B	
Capacity	700 lbs
Weight	46 lbs
Dimensions	58 3/4" x 15 1/2"
UPC	0-33246-40011-2

New Product

BEV64B

64" Beverage Truck



- BEV64M**
8" x 1 5/8" x 3/4"
Capacity: 800 lbs
0-33246-40015-0
Part # M81.6
- BEV64B**
8" x 2 1/4" x 3/4"
Capacity: 700 lbs
0-33246-40014-3
Part # B82.25-A
- BEV64S**
8" x 2 1/2" x 3/4"
Capacity: 700 lbs
0-33246-40016-7
Part # S82.5


specifications

BEV64B	
Capacity	700 lbs
Weight	47 lbs
Dimensions	64 3/4" x 15 1/2"
UPC	0-33246-40014-3

New Product

BEV58B-CL

Beverage Truck with Center Line



- BEV58M-CL**
8" x 1 5/8" x 3/4"
Capacity: 800 lbs
0-33246-40219-2
Part # M81.6
- BEV58B-CL**
8" x 2 1/4" x 3/4"
Capacity: 800 lbs
0-33246-40220-8
Part # B82.25-A
- BEV58S-CL**
8" x 2 1/2" x 3/4"
Capacity: 700 lbs
0-33246-40222-2
Part # S82.5

Center line style also available in 64" frame.

specifications

BEV58B-CL	
Capacity	700 lbs
Weight	50 lbs
Dimensions	58 3/4" x 15 1/2"
UPC	0-33246-40220-8


All beverage trucks are available with the 8" Marathon wheel.

New Product

CURB RAMP



Curb ramp made from treadbrite aluminum.



specifications

CR24X26	
Capacity	800 lbs
Weight	17 lbs
Dimensions	24" x 26"
UPC	0-33246-40251-2

5" Frame

- 58PMP
- 58PBP
- 58PNP
- 58PSP
- 58PMDL
- 58PBDL
- 58PNDL
- 58PSDL
- 58RMP
- 58RBP
- 58RNP
- 58RSP
- 510PBP
- 510PNP
- 510PSP
- 510PBDL
- 510PNDL
- 510PSDL
- 510RBDL
- 510RNDL
- 510RSDL

A58PMP



Single Pin

- A58PMP**
8" x 1 5/8" x 5/8"
Capacity: 500 lbs
0-33246-40140-9
Part # M81.6
- A58PBP**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40139-3
Part # B82.25-A
- A58PNP**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40141-6
Part # N8
- A58PSP**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40142-3
Part # S82.5

specifications

A58PMP	
Capacity	500 lbs
Weight	21 1/2 lbs
Dimensions	55" x 17 1/2"
UPC	0-33246-40140-9

A58PNDL



Double Loop

- A58PMDL**
8" x 1 5/8" x 5/8"
Capacity: 500 lbs
0-33246-40136-2
Part # M81.6
- A58PBDL**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40135-5
Part # B82.25-A
- A58PNDL**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40137-9
Part # N8
- A58PSDL**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40138-6
Part # S82.5

specifications

A58PNDL	
Capacity	500 lbs
Weight	25 lbs
Dimensions	55" x 17 1/2"
UPC	0-33246-40137-9


8" Frame

- 48PMP
- 48PBP
- 48PNP
- 48PSP
- 48RMP
- 48RBP
- 48RNP
- 48RSP

An 8" x 2" x 5/8" mold-on rubber wheel can be substituted for the standard 8" x 1 5/8" x 5/8" mold-on rubber wheel.
All trucks in this section are available with 8" and 10" wheels.

warehouse & delivery
aluminum trucks

A48PSP



Single Pin

- A48PMP**
8" x 1 5/8" x 5/8"
Capacity: 500 lbs
0-33246-40129-4
Part # M81.6
- A48PBP**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40128-7
Part # B82.25-A
- A48PNP**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40130-0
Part # N8
- A48PSP**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40131-7
Part # S82.5

specifications

A48PSP	
Capacity	500 lbs
Weight	23 lbs
Dimensions	48" x 17 1/2"
UPC	0-33246-40131-7

A510PSP



Single Pin with 10" Wheels

- A510PBP**
10" x 2" x 5/8"
Capacity: 500 lbs
0-33246-40224-6
- A510PNP**
10" x 3 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40153-9
- A510PSP**
10" x 2 3/4" x 5/8"
Capacity: 500 lbs
0-33246-40154-6

specifications

A510PSP	
Capacity	500 lbs
Weight	31 lbs
Dimensions	57" x 18 1/2"
UPC	0-33246-40154-6

A510PSDL



Double Loop with 10" Wheels

- A510PBDL**
10" x 2" x 5/8"
Capacity: 500 lbs
0-33246-40266-6
Part # B10-A
- A510PNDL**
10" x 3 1/2" x 5/8"
Capacity: 500 lbs
0-33246-400151-5
Part # N10
- A510PSDL**
10" x 2 3/4" x 5/8"
Capacity: 500 lbs
0-33246-40152-2
Part # S102.75

A58RMP



Single Pin with R-Toe Plate

- A58RMP**
8" x 1 5/8" x 5/8"
Capacity: 500 lbs
0-33246-40148-5
Part # M81.6
- A58RBP**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40147-8
Part # B82.25-A
- A58RNP**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40149-2
Part # N8
- A58RSP**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40150-8
Part # S82.5

specifications

A510PSDL	
Capacity	500 lbs
Weight	32 lbs
Dimensions	57" x 18 1/2"
UPC	0-33246-40152-2

specifications

A58RMP	
Capacity	500 lbs
Weight	22 lbs
Dimensions	57" x 17 1/2"
UPC	0-33246-40148-5

An 8" x 2" x 5/8" mold-on rubber wheel can be substituted for the standard 8" x 1 5/8" x 5/8" mold-on rubber wheel.
All trucks in this section are available with 8" and 10" wheels.

A48RSP



Single Pin with R-Toe Plate

- A48RMP**
8" x 1 5/8" x 5/8"
Capacity: 500 lbs
0-33246-40132-4
Part # M81.6
- A48RBP**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40225-3
B82.25-A
- A48RNP**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40133-1
Part # N8
- A48RSP**
8" x 2 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40134-8
Part # S82.5

specifications

A48RSP	
Capacity	500 lbs
Weight	22 lbs
Dimensions	48" x 17 1/2"
UPC	0-33246-40134-8

A510RNDL



Double Loop with 10" Wheels and R-Toe Plate

- A510RBDL**
10" x 2" x 5/8"
Capacity: 500 lbs
0-33246-40226-0
Part # B10-A
- A510RNDL**
10" x 3 1/2" x 5/8"
Capacity: 500 lbs
0-33246-40155-3
Part # N10
- A510RSDL**
10" x 2 3/4" x 5/8"
Capacity: 500 lbs
0-33246-40156-0
Part # S102.75

specifications

A510RNDL	
Capacity	500 lbs
Weight	31 lbs
Dimensions	44" x 18 1/2"
UPC	0-33246-40155-3

18X30LD



Service Cart

specifications

18X30LD	
Capacity	600 lbs
Weight	49 lbs
Dimensions	18" x 30" x 32"
UPC	0-33246-40091-4

18X30HD	
Capacity	1200 lbs
Weight	59 lbs
Dimensions	18" x 30" x 34"
UPC	0-33246-40096-9

specifications

16X30LD	
Capacity	600 lbs
Weight	47 lbs
Dimensions	16" x 30" x 32"
UPC	0-33246-40088-4

16X30HD	
Capacity	1200 lbs
Weight	57 lbs
Dimensions	16" x 30" x 34"
UPC	0-33246-40094-5

24X36HD




Heavy Duty Service cart

specifications


24X36HD	
Capacity	1200 lbs
Weight	87 lbs
Dimensions	24" x 36" x 34"
UPC	0-33246-40098-3

specifications

24X48HD	
Capacity	1200 lbs
Weight	100 lbs
Dimensions	24" x 48" x 34"
UPC	0-33246-40102-7



5" Grey Non-marking BB Swivel (C5S)



5" Grey Non-marking BB Rigid (C5R)


24X36HD-3SHELF




3 Shelf Service Cart

specifications

24X36 3 SHELF	
Capacity	1200 lbs
Weight	105 lbs
Dimensions	24" x 36"
UPC	0-33246-40099-0



5" Grey Non-marking BB Swivel (C5S)



5" Grey Non-marking BB Rigid (C5R)

Specialty Service Carts

We offer a wide variety of specialty service carts. We can modify an existing design by adding shelves, inverting pans, or by changing the dimensions of the cart.

Drawers are available on all service carts. See page 29 for example.

In addition, we can work with you to build a customized cart that fits your specific need.

Available Options for Service Carts

- Brakes
- Drawers (see page 29 for example)
- Writing Shelf (see page 29 for example)

Light Duty Service Carts

All welded, heavy duty construction made with 14 gauge steel pans 1 1/2" deep with 3 1/2" swivel casters.

Heavy Duty Service Carts

All welded, heavy duty construction made with 14 gauge steel pans 3" deep with two 5" rigid and two 5" swivel casters. Push handle is standard on all heavy duty carts.

Pans may be reversed on request and extra pans are available. Specify lips up or down when ordering.

Platform Trucks

Rugged and durable, our standard platform trucks feature rounded corners to protect merchandise, personnel and buildings. Constructed of 12 gauge material with 2" x 2 3/16" angle cross braces for caster mounting.

All dimensions for service carts, platform trucks and stocking carts are measured W x L x H

Service Carts

- 6X30LD
- 6X30HD
- 8X30LD
- 8X30HD
- 4X36HD
- 4X48HD
- 4X36HD-SHELF

Platform Trucks

- 4X48-6
- 4X48-8
- 7X54-6
- 7X54-8
- 0X60-6
- 0X60-8
- 6X72-8
- 6X72-8X2
- 4X36PT
- 4X48PT

6" Wheel Platform Truck



24X48

8" Wheel Platform Truck



30X60

specifications

24X48-6
Capacity | 1500 lbs
Weight | 101 lbs
Dimensions | 24" x 48" x 9 1/4"
UPC | 0-33246-40106-5

specifications

24X48-8
Capacity | 1500 lbs
Weight | 107 lbs
Dimensions | 24" x 48" x 11 1/2"
UPC | 0-33246-40107-2

specifications

30X60-6
Capacity | 1500 lbs
Weight | 130 lbs
Dimensions | 30" x 60" x 9 1/4"
UPC | 0-33246-40111-9

specifications

30X60-8
Capacity | 1500 lbs
Weight | 136 lbs
Dimensions | 30" x 60" x 11 1/2"
UPC | 0-33246-40112-6

27X54-6
Capacity | 1500 lbs
Weight | 116 lbs
Dimensions | 27" x 54" x 9 1/4"
UPC | 0-33246-40109-6

27X54-8
Capacity | 1500 lbs
Weight | 122 lbs
Dimensions | 27" x 54" x 11 1/4"
UPC | 0-33246-40110-2

36X72-8
Capacity | 1500 lbs
Weight | 130 lbs
Dimensions | 36" x 72" x 11 1/2"
UPC | 0-33246-40113-3

36X72-8X2
Capacity | 2200 lbs
Weight | 130 lbs
Dimensions | 36" x 72" x 11 1/2"
UPC | 0-33246-40114-0

New Product

Fixed Handle



24X48PT

specifications

24X36PT
Capacity | 800 lbs
Weight | 48 lbs
Dimensions | 24" x 36"
UPC | 0-33246-40227-7

specifications

24X48PT
Capacity | 800 lbs
Weight | 52 lbs
Dimensions | 24" x 48"
UPC | 0-33246-40108-9



Platform Trucks

24X36PT	24X48-6	27X54-6	30X60-6	36X72-8
24X48PT	24X48-8	27X54-8	30X60-8	36X72-8X2

Standard platform trucks feature rounded corners and recessed handle sockets on all four corners to protect merchandise, personnel and buildings. Constructed of 12 gauge material with 2" x 2" x 3/16" angle cross braces for caster mounting.

Any size deck can be furnished on request. In addition, heavy duty casters and wheels can be added to increase load capacity.

Special Options

- Deck Only (no casters) - Deck Capacity 3600 lbs
- Extra Handle • Pipe Stakes
- Other Sizes (special order)
- High Capacity
- Full Bumpers
- Corner Bumpers

Bolt-on casters

Standard on all Platform trucks and all 6 wheel stocking carts. The ability to replace casters and choose the wheels to best suit your need is an option few in the industry provide. This will add years to the longevity of your material handling products, quality is always our number one focus!



Mold-on Rubber BB (M81.6)
8" x 1 5/8" x 5/8"



Mold-on Rubber BB (M62)
6" x 2" x 5/8"

For the Very Best - Look to the Blue!

locking
arts

5B
5B

tubular

6" Platform

5B
5B

9" Platform

M5B
M58B

1" Platform

M22-41

3" Platform

M18-53

5" Platform

M18-75

SM18-53

53" Stocking Cart



specifications

SM18-53
Capacity | 1400 lbs
Weight | 69 lbs
Dimensions | 18" x 53" x 40"
UPC | 0-33246-40163-8



5" Grey Non-marking
BB Swivel (c5SP)



Mold-on Rubber BB (M81.6)
8" x 1 5/8" x 5/8"

SM22-41

41" Stocking Cart



specifications

SM22-41
Capacity | 1400 lbs
Weight | 67 lbs
Dimensions | 22" x 41" x 36"
UPC | 0-33246-40164-5



5" Grey Non-marking
BB Swivel (c5SP)



Mold-on Rubber BB (M81.6)
8" x 1 5/8" x 5/8"

New Product

SM18-75

75" Stocking Cart



specifications

SM18-75
Capacity | 1400 lbs
Weight | 75 lbs
Dimensions | 18" x 75" x 40"
UPC | 0-33246-40228-4



5" Grey Non-marking
BB Swivel (c5SP)



Mold-on Rubber BB (M81.6)
8" x 1 5/8" x 5/8"

L5B-SP

Service Cart with Shelf



specifications

L5B-SP
Capacity | 800 lbs
Weight | 40 lbs
Dimensions | 16" x 36" x 37"
UPC | 0-33246-40256-7



5" Grey Non-marking
BB Swivel (c5S)



5" Grey Non-marking
BB Rigid (c5R)



Dutro Company uses only the best in components, all of our tubular stocking trucks use Colson casters adding extra quality where our competitors skimp. Our new CNC tube benders assure the quality of the frame. Our experienced welding staff prevents the problems associated with robot welding on round tubing.

For the Very Best - Look to the Blue!



SM5B

4 Wheel Stocking Cart



specifications

SM5B
Capacity | 800 lbs
Weight | 43 lbs
Dimensions | 16" x 39" x 37"
UPC | 0-33246-40165-2

-  5" Grey Non-marking BB Swivel (C5S)
-  5" Grey Non-marking BB Rigid (C5R)



SM58B

6 Wheel Stocking Cart



specifications

SM58B
Capacity | 1200 lbs
Weight | 54 lbs
Dimensions | 16" x 39" x 37"
UPC | 0-33246-40166-9

-  5" Grey Non-marking BB Swivel (C5SP)
-  Mold-on Rubber BB (M81.6)
8" x 1 5/8" x 5/8"

L5B, H5B, T5B, LT5B




specifications

L5B
Capacity | 800 lbs
Weight | 40 lbs
Dimensions | 16" x 36" x 37"
UPC | 0-33246-40160-7

-  5" Grey Non-marking BB Swivel (C5S)
-  5" Grey Non-marking BB Rigid (C5R)


specifications

H5B
Capacity | 800 lbs
Weight | 49 lbs
Dimensions | 16" x 36" x 37"
UPC | 0-33246-40159-1

-  5" Grey Non-marking BB Swivel (C5S)
-  5" Grey Non-marking BB Rigid (C5R)


specifications

T5B
Capacity | 800 lbs
Weight | 44 lbs
Dimensions | 16" x 30" x 25 3/4"
UPC | 0-33246-40162-1

-  5" Grey Non-marking BB Swivel (C5SP)

specifications

LT5B
Capacity | 800 lbs
Weight | 53 lbs
Dimensions | 18" x 36" x 29 1/4"
UPC | 0-33246-40161-4

-  5" Grey Non-marking BB Swivel (C5SP)

ght Duty

- 01
- 02 ding Nose

eaavy Duty

- 03
- 04 ding Nose
- 08M
- 08N

tility

- 010B
- 010N
- 010S
- 110B
- 110N
- 110S
- 210B
- 210N
- 210S



Light Duty


902

specifications

902	
Capacity	200 lbs
Weight	21 lbs
Dimensions	42" x 16 1/4" x 15" (Handle & Folding Nose Open)
UPC	0-33246-40045-7



901

	All Rubber PB (R51.5) 5" x 1 1/2" x 5/8" Capacity: 200 lbs
---	---

specifications

901	
Capacity	200 lbs
Weight	17 lbs
Dimensions	42" x 16 1/4" (Open)
UPC	0-33246-40044-0



Heavy Duty


904

specifications

904	
Capacity	500 lbs
Weight	26 lbs
Dimensions	41" x 17" x 15" (Handle & Folding Nose Open)
UPC	0-33246-40047-1




903


	Mold-on Rubber BB (M52) 5" x 2" x 5/8" Capacity: 700 lbs
---	---

specifications

903	
Capacity	500 lbs
Weight	22 lbs
Dimensions	41" x 17" (Open)
UPC	0-33246-40046-4



	908M 8" x 1 5/8" x 5/8" Capacity: 500 lbs 0-33246-40048-8 Part # M81.6
---	---

	908N 8" x 2 1/2" x 5/8" Capacity: 500 lbs 0-33246-40049-5 Part # N8
---	--



908N

Heavy Duty with Pneumatic Wheels

specifications

908M	
Capacity	500 lbs
Weight	28 lbs
Dimensions	42" x 17" x 15" (Handle & Folding Nose Open)
UPC	0-33246-40048-8



Salesman Trucks

Dutro's salesman trucks are made out of the 14 Gauge material our industrial line uses making these trucks the ultimate in durability. The collapsible handles are zinc plated for a presentable look when making an important presentation. The lack of hinges and joints exhibits Dutro's motto of simple is better.

For the Very Best - Look to the Blue!



5010S

Continuous

- 5010B**
10" x 2" x 5/8"
Capacity: 700 lbs
0-33246-40229-1
Part # B10-A
- 5010N**
10" x 3 1/2" x 5/8"
Capacity: 540 lbs
0-33246-40038-9
Part # N10
- 5010S**
10" x 2 3/4" x 5/8"
Capacity: 700 lbs
0-33246-40039-6
Part # S102.75

specifications

5010S	
Capacity	700 lbs
Weight	32 lbs
Dimensions	50" x 21"
UPC	0-33246-40039-6



5110N

Single Loop

- 5110B**
10" x 2" x 5/8"
Capacity: 700 lbs
0-33246-40230-7
Part # B10-A
- 5110N**
10" x 3 1/2" x 5/8"
Capacity: 540 lbs
0-33246-40040-2
Part # N10
- 5110S**
10" x 2 3/4" x 5/8"
Capacity: 700 lbs
0-33246-40041-9
Part # S102.75

specifications

5110	
Capacity	700 lbs
Weight	32 lbs
Dimensions	50" x 21"
UPC	0-33246-40040-2



5210S

Double Pin

- 5210B**
10" x 2" x 5/8"
Capacity: 700 lbs
0-33246-40231-4
Part # B10-A
- 5210N**
10" x 3 1/2" x 5/8"
Capacity: 540 lbs
0-33246-40042-6
Part # N10
- 5210S**
10" x 2 3/4" x 5/8"
Capacity: 700 lbs
0-33246-40043-3
Part # S102.75

specifications

5210S	
Capacity	700 lbs
Weight	30 lbs
Dimensions	50" x 21"
UPC	0-33246-40043-3



Utility Trucks

Frames are made from 1" x 14 gauge tubing, the toe plate is 1/4" plate and the skids are 1 1/4" x 1/2" bar channel.

All come with a 5/8" axle.

Open backed nose for irregular and cylindrical loads.

All utility trucks are fitted with 10" wheels as standard. 8" wheels are available upon request.

For the Very Best - Look to the Blue!

ano
ollies
360
354
355
350

ental
720
900N
900P
R24X26
377
378
380


1360

Low Profile



specifications

1360
Capacity | 900 lbs
Weight | 19 lbs
Dimensions | 5 1/2" x 18" x 29"
UPC | 0-33246-40077-8

 3" Hard Rubber Caster Single Race PB Swivel


1354

4 Wheel Swivel



specifications

1354
Capacity | 1200 lbs
Weight | 25 lbs
Dimensions | 5 1/2" x 18" x 29"
UPC | 0-33246-40075-4

 5" Grey Non-marking BB Swivel (C5S)

1355

Self Steering



specifications

1355
Capacity | 1300 lbs
Weight | 23 lbs
Dimensions | 8 1/2" x 18" x 25"
UPC | 0-33246-40076-1

 Mold-on Rubber BB (M52) 5" x 2" x 5/8"
 5" Grey Non-marking BB Swivel (C5S)


1350

Piano Dolly



specifications

1350
Capacity | 1400 lbs
Weight | 23 lbs
Dimensions | 8 1/2" x 18" x 25"
UPC | 0-33246-40074-7

 Mold-on Rubber BB (M52) 5" x 2" x 5/8"



1720

Offset Handle



Solid Rubber
BB (\$8.52.5)
8 1/2" x 2 1/2" x 5/8"
Capacity: 700 lbs

specifications

Capacity 700 lbs
Weight 57 lbs
Dimensions 59" x 23"
UPC 0-33246-40061-7



1900N

1900N
12" x 3 1/2" x 3/4"
Capacity: 700 lbs
0-33246-40062-4
Part # N12

1900P
12" x 4" x 5/8"
Capacity: 700 lbs
0-33246-40232-1
Part # (W-SP12)

specifications


1900
Capacity 700 lbs
Weight 57 lbs
Dimensions 60" x 25 1/2"
UPC 0-33246-40062-4



CURB RAMP




Curb ramp made from treadbrite aluminum.



specifications

CR24X26
Capacity 800 lbs
Weight 17 lbs
Dimensions 24" x 26"
UPC 0-33246-40251-2

WALK BOARD



specifications

1377
Capacity 700 lbs
Weight 79 lbs
Dimensions 7' 6" x 36"
UPC 0-33246-40257-4

specifications

1378
Capacity 600 lbs
Weight 85 lbs
Dimensions 8' 8" x 36"
UPC 0-33246-40259-8

Model 3000 with a floating axle is designed to handle steel and fiber drums. Model 3002, also with a floating axle, is designed specifically for plastic or irregular shaped drums. The chain secures drums of different diameter and top configurations to the truck.

3000, 3002



2 Wheel Drum Dolly

All-purpose Drum Dolly

specifications

3000	
Capacity	1000 lbs
Weight	65 lbs
Dimensions	61" x 24"
UPC	0-33246-40083-9

specifications

3002	
Capacity	1000 lbs
Weight	65 lbs
Dimensions	61" x 24"
UPC	0-33246-40084-6

3004



4 Wheel Drum Dolly

specifications

3004	
Capacity	1000 lbs
Weight	75 lbs
Dimensions	56 1/2" x 21 1/2"
UPC	0-33246-40085-3

3034W



Drum Cradle

specifications

3034W	
Capacity	700 lbs
Weight	29 lbs
Dimensions	43" x 16 1/4"
UPC	0-33246-40087-7

3023



Roll-in Drum Dolly

specifications

3023	
Capacity	700 lbs
Weight	15 3/4 lbs
Dimensions	24 1/4"
UPC	0-33246-40233-8

Triangle design allows for easy loading and unloading of drums.



3000, 3002
Mold-on Rubber BB (M10)
10" x 2 1/2" x 1"



3004
Mold-on Rubber BB (M10)
10" x 2 1/2" x 1"



Mold-on Rubber BB (M62)
6" x 2" x 5/8"

3034W
3" Solid Aluminum Wheels
(W-31A)



3023
3" Polyolefin Swivel Pin
(WC3SP)



3024

specifications

3024
Capacity | 700 lbs
Weight | 17 lbs
Dimensions | 23 3/4"
UPC | 0-33246-40086-0

specifications

3019
Capacity | 700 lbs
Weight | 13 1/2 lbs
Dimensions | 19 3/4"
UPC | 0-33246-40234-5

3" Polyolefin Swivel Pin (WC3SP)



960

5 Gallon Pail Truck

specifications

960
Capacity | 800 lbs
Weight | 31 lbs
Dimensions | 52" x 17"
UPC | 0-33246-40051-8

Mold-on Rubber BB (M81.6)
8" x 1 5/8" x 5/8"
Capacity: 500 lbs

New Product

SBSO-M



Single Bottle Swing Out

Mold-on Rubber BB (M81.6)
8" x 1 5/8" x 5/8"
Capacity: 500 lbs

specifications
SBSO-M
Capacity | 500 lbs
Weight | 40 lbs
Dimensions | 49 1/2" x 13 1/2"
UPC | 0-33246-40252-9



950

2 Wheel Cylinder Truck

Mold-on Rubber BB (M81.6)
8" x 1 5/8" x 5/8"
Capacity: 500 lbs

Redesigned with wider body to accommodate more cylinder sizes.

specifications
950
Capacity | 500 lbs
Weight | 32 lbs
Dimensions | 48" x 15 1/2"
UPC | 0-33246-40050-1



andtrucks

ET50N
ET50S

ET51N
ET51S

NI-N
NI-S

38
37

Way Truck

32D
32E

Appliance Truck

HT-8S

retail trucks
steel trucks

RET50N

Continuous Loop Handle



RET50N
10" x 3 1/2" x 5/8"
Capacity: 530 lbs
0-33246-40120-1
Part # N10



RET50S
10" x 2 3/4" x 5/8"
Capacity: 700 lbs
0-33246-40121-8
Part # S102.75

specifications

RET50N
Capacity 530 lbs
Weight 30 lbs
Dimensions 50" x 21"
UPC 0-33246-40120-1

RET51N

Single Loop Handle



RET51N
10" x 3 1/2" x 5/8"
Capacity: 530 lbs
0-33246-4022-5
Part # N10



RET51S
10" x 2 3/4" x 5/8"
Capacity: 700 lbs
0-33246-40123-2
Part # S102.75

specifications

RET51N
Capacity 700 lbs
Weight 31 lbs
Dimensions 50" x 21"
UPC 0-33246-40122-5

UNI-S

Unibody



This product is patented or patent-pending under one or more of the following numbers: US D449, 144S



UNI-N
10" x 3 1/2" x 5/8"
Capacity: 530 lbs
0-33246-40235-2
Part # N10



UNI-S
10" x 2 3/4" x 5/8"
Capacity: 700 lbs
0-33246-40236-9
Part # S102.75

specifications

UNI-S
Capacity 800 lbs
Weight 33 lbs
Dimensions 45 1/4" x 18 1/4"
UPC 0-33246-40236-9

Offset Handle



Solid Rubber BB (S82.5)
8" x 2 1/2" x 5/8"
Capacity: 600 lbs

AHT-8S

Appliance Truck



specifications

AHT-8S
Capacity 600 lbs
Weight 49 lbs
Dimensions 59" x 23"
UPC 0-33246-20593-9

New Product

138

Light Duty Truck with Folding Nose



Solid Rubber
PB (\$81.75)
8" x 1 3/4" x 5/8"
Capacity: 400 lbs

specifications

138
Capacity 400 lbs
Weight 31 lbs
Dimensions 45 1/4" x 18 1/4"
UPC 0-33246-40177-5

137

Light Duty Truck



Solid Rubber
PB (\$81.75)
8" x 1 3/4" x 5/8"
Capacity: 400 lbs

specifications

137
Capacity 400 lbs
Weight 25 lbs
Dimensions 45 1/4" x 18 1/4"
UPC 0-33246-40238-3

New Product

132D

2 Way Truck



132E
10" x 3 1/2" x 5/8"
Part # N10
4" Swivel
Capacity: 600 lbs
0-33246-40176-8

132D
10" x 3 1/2" x 5/8"
Part # N10
4" Double Race
BB Swivel
Capacity: 700 lbs
0-33246-40175-1

specifications

132D
Capacity 700 lbs
Weight 39 lbs
Dimensions 45 1/4" x 21 1/4"
UPC 0-33246-40175-1



Dutro has taken their experience in quality industrial trucks and applied that knowledge to retail handtrucks. Realizing most consumers are not happy with the quality of the little red import trucks we have developed a line of long lasting yet economical handtrucks. Stop buying the disposable imports and buy a handtruck that will be ready for use for the rest of your life!

For the Very Best - Look to the Blue!

**pecialty
teel)**

WC2X4
UM-8X2
UM-6
C18X33
C29X45

**pecialty
inc)**

C29X45Z

oppers

4 cu yd
cu yd
1/2 cu yd
cu yd
cu yd

anlifts

P2

**rder
cking Pallet**

PP40X48

**New
Product**




DWC2X4

Dry Wall Truck



specifications

DWC2X4	
Frame Capacity	3200 lbs
Weight	78 lbs
Dimensions	46 1/4" x 24"
UPC	0-33246-40240-6

-  Mold-on Rubber BB (M82)
8" x 2" x 5/8"
-  Mold-on Rubber BB (M62)
6" x 2" x 5/8"
-  B (Balloon)
8" x 2 1/4" x 5/8" (B82.25-A)

DWC2X4-6
0-33246-40265-9
DWC2X4-8B
0-33246-40267-3

**New
Product**



LUM8X2

Lumber Cart



specifications

LUM8X2	
Capacity	2500 lbs
Weight	200 lbs
Dimensions	30" x 60"
UPC	0-33246-40241-3

-  Mold-on Rubber BB (M82)
8" x 2" x 5/8"
-  Mold-on Rubber BB (M62)
6" x 2" x 5/8"

specifications

LUM-6	
Capacity	2000 lbs
Weight	200 lbs
Dimensions	30" x 60"
UPC	0-33246-40242-0

**New
Product**


BC18X33

Book Cart (Shown with Optional Bumpers)



specifications

BC18X33	
Capacity	800 lbs
Weight	73 1/2 lbs
Dimensions	33" x 18"
UPC	0-33246-40243-7

-  5" Grey Non-marking
BB Swivel (C5S)

Two and three shelf options also available.
Corner bumpers available upon request.

**New
Product**



PC29X45Z

Produce Cart with Removable Galv. Pan



specifications

PC29X45Z	
Capacity	600 lbs
Weight	102 1/2 lbs
Dimensions	30" x 52"
UPC	0-33246-40244-4

-  5" Grey Non-marking
BB Swivel (C5S)
-  5" Grey Non-marking
BB Rigid (C5R)

PC29X45Z features bright
zinc plated components.
Bottom pan available upon
request.

specifications

PC29X45	
Capacity	600 lbs
Weight	102 1/2 lbs
Dimensions	30" x 52"
UPC	0-33246-40255-0

Hopper



Each hopper has a safety latch to prevent accidental dumping and a chain to secure the hopper to the forklift when dumping.

Available Options

- Heavy Duty
- Lids
- Casters
- Drain Plugs



specifications


MDH3
Capacity 4000 lbs / 3 cu yd
Weight 750 lbs
Dimensions 44" x 71" x 84"
UPC 0-33246-40182-9

specifications

MDH2
Capacity 4000 lbs / 2 cu yd
Weight 630 lbs
Dimensions 44" x 71" x 57"
UPC 0-33246-40181-2

specifications

MDH11/2
Capacity 4000 lbs / 1 1/2 cu yd
Weight 590 lbs
Dimensions 40" x 67" x 56"
UPC 0-33246-40180-5



specifications

MDH34
Capacity 4000 lbs / 3/4 cu yd
Weight 380 lbs
Dimensions 33 1/2" x 56" x 39 1/2"
UPC 0-33246-40178-2

specifications

MDH1
Capacity 4000 lbs / 1 cu yd
Weight 525 lbs
Dimensions 40" x 67" x 39"
UPC 0-33246-40179-9

Includes Safety Chain to Secure to Forklift



MP2

Maintenance Platform

Available Options

- Casters
- Shelves
- Diamond-plate (Standard)
- Replaceable Pallet Grabber Board
- Tool Tray

specifications

MP2
Capacity 1000 lbs
Weight 250 lbs
Dimensions 36" x 48"
UPC 0-33246-40239-0

2" x 2" x 3/16" Fork Pocket Supports
6" x 3" Fork Pockets



Dutro has long been a leader in specialty material handling products. Not only can we modify a stock item to better suit your application, we will build a specialty product that fits your custom design requirements.

The Dutro products seen here represent only a small sample of our manufacturing capabilities. We have engineers on staff to help with problems, design and drawings; and a customer service staff knowledge in fabrication and consulting.

For the Very Best - Look to the Blue!

OPP40X48

Order Picking Pallet



specifications

OPP40X48
Capacity 1500 lbs
Weight 155 lbs
Dimensions 40" x 48"
UPC 0-33246-40263-5

allet
argo Racks
CR-92

ervice Cart
ptions
rawers
riting Shelf
8X30KD


atress
arts
040
041-PT

ocking
arts
016-UBT6
018-UBT6

nitorial
arts
001

PCR92

! New Product



specifications

PCR92	
Capacity	5000 lbs
Weight	(Dependent on Specification)
Dimensions	46" x 92" x 54" (Bottom Clearance)
UPC	(Dependent on Specification)

! New Product



Available Options

- Steel or Wooden Top
- Side configurations - Diamond or V
- Sheet or Tubing Corner Gussets
- Non-skid Paint
- Serial Numbering
- All Colors Available
- Stenciling

DRAWER OPTION



! New Product

18X30HD with Drawer Option



specifications

Tool Cart	
Capacity	1200 lbs
	50 lbs (Drawer Capacity Each)
Weight	59 lbs
Drawer Dimensions	20" x 17 1/2" x 3 1/2"
UPC	(Dependent on Specification)

-  5" Grey Non-marking BB Swivel (C5S)
-  5" Grey Non-marking BB Rigid (C5R)


WRITING SHELF OPTION

24X48HD with Writing Shelf Option



specifications

Writing Shelf	
Capacity	1200 lbs
Weight	100 lbs
Dimensions	24" x 48" x 38"
UPC	(Dependent on Specification)



-  5" Grey Non-marking BB Swivel (C5S)
-  5" Grey Non-marking BB Rigid (C5R)

2040
Mattress Cart



2040

specifications



2040	Standard Mattress Cart		4" Grey Non-marking BB Swivel (C4S)
Capacity	300 lbs		
Weight	64 lbs		
Dimensions	55" x 23 1/2"		4" Grey Non-marking BB Rigid (C4R)
UPC	0-33246-40081-5		

2041
Mattress Cart



2041

specifications

2041-PT	Pillow Top Mattress Cart		4" Grey Non-marking BB Swivel (C4S)
Capacity	300 lbs		
Weight	66 lbs		
Dimensions	55" x 29"		4" Grey Non-marking BB Rigid (C4R)
UPC	0-33246-40264-2		

 **New Product**


6016-UBT6
Narrow Stocking Cart




6016-UBT6

specifications

6016-UBT6		6018-UBT6	
Capacity	1500 lbs	Capacity	1500 lbs
Weight	95 1/2 lbs	Weight	100 lbs
Dimensions	60" x 16"	Dimensions	60" x 18"
UPC	0-33246-40246-8	UPC	0-33246-40261-1

 5" Grey Non-marking
BB Swivel (C5S)

 Mold-on Rubber BB (M62)
6" x 2" x 5/8"

- Available Options**
- Bumper
 - Shelves
 - Non-marking Wheels
 - Garment Bar
 - Heavy-duty


2001
Janitorial Cart




2001

specifications

2001 w/bag	
Capacity	400 lbs
Weight	87 lbs
Dimensions	50" x 24"
UPC	0-33246-40078-5

 5" Grey Non-marking
BB Swivel (C5S)

 5" Grey Non-marking
BB Rigid (C5R)