



SNYDER



Equipment, Inc.

Storing, Rolling, Lifting since 1947

PRODUCT INFORMATION

LYON SHELF CARTS

2946 Larimer St. Denver, CO 80205

303-295-1100 / 800-373-7693

FAX 303-295-2464

Email info@snyderequipment.com

www.snyderequipment.com

All-Welded Carts



Carts noted as **In Stock** will be shipped within 48 hours.

Other carts are special order and will be shipped within 15 days of receipt of your order.



Service Cart (2 Shelves)

- Rugged carts for transporting UPS boxes, parts and more.
- They're constructed with durable 12 gauge steel shelves, $\frac{3}{16}$ " thick angle corners and 12 gauge caster mounts.
- Tubular handle has a smooth radius bend for comfort.
- Shelf lips are 1½" high with 25" of clearance between shelves.
- Two of the bolt-on 5" urethane casters swivel and two are rigid for superior tracking.
- 1200 lb capacity.

No. DD35211U5

24"w x 36"l x 35"h; Wt. 100 lbs. **In Stock**

Reinforced Service Cart (2 Shelves)

- Shelf lips are 1½" down on top shelf and up on the bottom shelf with 25" of clearance between shelves.
- Two of the bolt-on 6" urethane casters swivel and two are rigid for superior tracking. 2000 lb capacity.

No. DD35212U6

24"w x 36"l x 36"h; Wt. 132 lbs. **In Stock**

Service Cart (3 Shelves)

- A durable general use cart with 12 gauge steel shelves, $\frac{3}{16}$ " thick angle corners and 12 gauge caster mounts.
- Tubular handle has a smooth radius bend for comfort.
- Shelf lips are 1½" up on all shelves with 12" of clearance between shelves.
- Two of the bolt-on 5" urethane casters swivel and two are rigid for superior tracking.
- 1200 lb capacity.

No. DD35213U5

24"w x 36"l x 35"h; Wt. 132 lbs. **In Stock**

Reinforced Service Cart (3 Shelves)

- Shelf lips are 1½" down on top shelf and up on the middle and bottom shelves with 12" of clearance between shelves.
- Two of the bolt-on 6" urethane casters swivel, two are rigid.
- 2000 lb capacity.

No. DD35214U6

24"w x 36"l x 36"h; Wt. 166 lbs. **In Stock**



Stock Cart (3 Shelves)

- A versatile, heavy-duty cart with 12 gauge steel shelves, $\frac{3}{16}$ " thick angle corners and 12 gauge caster mounts.
- Tubular handle has a smooth radius bend for comfort.
- Shelf lips are 1½" high and up on all shelves, with 17" of clearance between shelves.
- Two of the 6" bolt-on phenolic casters swivel and two are rigid for superior tracking.
- 2000 lb capacity.

No. DD35203PH6

24"w x 48"l x 48"h; Wt. 186 lbs. **In Stock**



Stock Cart (4 Shelves)

- All welded construction (except casters).
- Durable 12 gauge steel shelves, $\frac{3}{16}$ " thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle has a smooth radius bend for comfort.
- Shelf lips are 1½" high and up on all shelves.
- Two of the bolt-on rubber casters swivel and two are rigid for superior tracking.
- Clearance between shelves - 15".
- 2000 lb. capacity.

No. DD35235R6

24"w x 48"l x 60"h; Wt. 234 lbs. **In Stock**

No. DD35236U6

- Polyurethane casters; Wt. 234 lbs.
 - 3000 lb. capacity.
- 24"w x 48"l x 60"h;



Stock Cart (5 Shelves)

- A versatile, heavy-duty cart with 12 gauge steel shelves, $\frac{3}{16}$ " thick angle corners and 12 gauge caster mounts.
- Tubular handle has a smooth radius bend for comfort.
- Shelf lips are 1½" high and up on all shelves with 13" of clearance between shelves.
- Two of the bolt-on phenolic casters swivel and two are rigid for superior tracking.
- 2000 lb capacity.

No. DD35204PH6

24"w x 48"l x 68"h; Wt. 282 lbs. **In Stock**

No. DD35205PH6

24"w x 60"l x 68"h; Wt. 330 lbs.

All-Welded Carts



Order Picking Cart (2 Shelves)

- A rugged, general use cart with a 12" h x 24" w angled writing stand.
- 12 gauge steel shelves, 3/16" thick angle corners and 12 gauge caster mounts.

* Tubular handle has a smooth radius bend for comfort.

- Shelf lips are 1 1/2" high and up on both shelves with 25" of clearance between shelves.
- Two of the bolt-on casters swivel and two are rigid for superior tracking.
- 1200 lb capacity.

Order Picking Cart (3 Shelves)

- 17" of clearance between shelves.
- 2000 lb capacity.

No. DD35202U6

24" w x 36" l x 48" h;

Wt. 166 lbs. **In Stock**

No. DD35200U6

24" w x 48" l x 48" h;

Wt. 196 lbs. **In Stock**

Order Picking Cart (4 Shelves)

- 15" of clearance between shelves.
- 2000 lb capacity.

No. DD35231R6

24" w x 36" l x 60" h;

Wt. 206 lbs. **In Stock**

No. DD35232U6

• Polyurethane casters.

• 3000 lb capacity.

Order Picking Cart (5 Shelves)

- 13" of clearance between shelves.
- 2000 lb capacity.

No. DD35233R6

24" w x 36" l x 68" h;

Wt. 244 lbs. **In Stock**

No. DD35234U6

• Polyurethane casters.

• 3000 lb capacity.

No. DD35201U5

24" w x 36" l x 35" h; Wt. 114 lbs. **In Stock**

No. DD35206U5

24" w x 48" l x 35" h; Wt. 134 lbs.

COLOR INFORMATION

"DD" in the product numbers indicate a Dove Gray baked enamel finish.

All carts are 12 Gauge Construction



Low Profile Cart (Offset Handle)

1,200 lb. capacity

- A rugged cart with a low 27" high top shelf for a shorter lift of heavier items.
- Durable 12 gauge steel shelves, 3/16" thick angle corners and 12 gauge caste mounts.
- Offset handle is raised 10" above the top shelf.
- Shelf lips are 1 1/2" and down on the top shelf, up on the bottom, with 17" of clearance between shelves.
- Two of the bolt-on casters swivel and two are rigid for superior tracking.
- 5" urethane casters.

No. DD35221U5

24" w x 36" l x 37" h; Wt. 102 lbs. **In Stock**

2,000 lb. capacity

- A super heavy-duty cart with a low 28" high top shelf for a shorter lift of heavy parts and dies.
- 6" rubber casters.

No. DD35222R6

24" w x 36" l x 38" h; Wt. 140 lbs. **In Stock**

4,000 lb. capacity

- An extra super heavy-duty cart with a low 30" high top shelf.
- 8" phenolic casters.

No. DD35223PH8

24" w x 36" l x 40" h; Wt. 162 lbs. **In Stock**



Super strong bolt-on casters handle heavy weights.

Casters bolt to full width caster mounts which are welded to entire width of bottom shelf of each cart.



Deep Lipped Service Carts (2 shelves)

- All welded construction (except casters) with durable 12 gauge steel shelves.
- 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle has a smooth radius bend for comfort.
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement and superior cart tracking
- Clearance between shelves (cart with 3" shelf lips has 22" clearance, cart with 6" shelf lips has 16" clearance.)
- Over all height - 35".
- 1200 lb. capacity.

No. DD35219U5

• 3" shelf lips up for retention.

24" w x 36" l x 35" h; Wt. 115 lbs. **In Stock**

No. DD35220U5

• 6" shelf lips up for retention.

24" w x 36" l x 35" h; Wt. 130 lbs. **In Stock**

All-Welded Carts

COLOR INFORMATION

"DD" in the product numbers indicate a Dove Gray baked enamel finish.



Mobile Plastic Bin Cabinet

- Durable 12 gauge steel construction.
- 12 gauge caster mounts, 1½" shelf lips facing up with tubular handle.
- Two 5" replaceable bolt-on urethane casters swivel and two are rigid for superior tracking.
- 1200 lb capacity.

No. DD35251U5 24"w x 42"l x 35"h;
24 8¼"w x 11"d x 7"h bins; Wt. 164 lbs.

In Stock

No. DD35151U5 24"w x 42"l x 35"h;
without bins; Wt. 140 lbs. **In Stock**

No. DD35252U5 24"w x 42"l x 35"h;
48 5½"w x 11"d x 5"h bins; Wt. 180 lbs.

In Stock

No. DD35253U5 18"w x 42"l x 35"h;
96 4⅞"w x 7½"d x 3"h bins; Wt. 140 lbs.

In Stock

No. DD35153U5 18"w x 42"l x 35"h;
without bins; Wt. 127 lbs. **In Stock**



Open Metal Bin Cabinet (80 Bins)

- Our open bin cart keeps your small parts visible for quick access.
- 80 durable 4"w x 8¾"d x 4"h metal bins with double-sided access.
- Durable 12 gauge steel shelves, ⅜" thick angle corners and 12 gauge caster mounts.
- The 1½" top shelf lip faces up.
- The tubular handle has a smooth radius bend for comfort.
- Two bolt-on rubber casters swivel and two are rigid for superior tracking.
- 1200 lb capacity.

No. DD35241R5

18"w x 36"l x 35"h; Wt. 170 lbs. **In Stock**



Louvered Panel Removable Bin Cart (112 Bins)

- Our 112 plastic bin cart features a double-sided access louvered panel frame.
- 16 Large 8¾"w x 11"d x 7"h bins.
- 48 Medium 5½"w x 11"d x 5"h bins.
- 48 Small 4⅞"w x 7½"d x 3"h bins.
- This cabinet also incorporates a durable 12 gauge steel shelf and 12 gauge caster mounts. The 1½" bottom shelf lip faces up.
- Tubular handle has a smooth radius bend for comfort.
- Two bolt-on urethane casters swivel and two are rigid for superior tracking.
- 1200 lb capacity.

No. DD35254U5—30"w x 36"l x 64"h;
with 112 varied bins; Wt. 180 lbs. **In Stock**

No. DD35154U5—30"w x 36"l x 64"h;
without bins; Wt. 100 lbs. **In Stock**



Adjustable Sheet & Panel Truck

- Our extra heavy-duty transporter features a durable 12 gauge steel platform with angle underbracing and 12 gauge caster mounts.
- Six removable 1¼" tubular dividers are adjustable to fit any of 7 divider pockets at each end.
- Dividers are 12"h (2), 24"h (2), and 36"h (2).
- The 1½" shelf lip is down. Two 6" bolt-on phenolic casters swivel and two are rigid for superior tracking.
- 2000 lb capacity.

No. DD35300PH6

24"w x 36"l x 46"h; Wt. 106 lbs. **In Stock**

No. DD35301PH6

24"w x 48"l x 46"h; Wt. 124 lbs.

No. DD35302PH6

30"w x 36"l x 46"h; Wt. 114 lbs.



Mobile Tables (2 Shelves) (1200 lb. Capacity)

- Extra heavy-duty transporter.
- Features durable 12 gauge steel shelves.
- ⅜" thick angle corners.
- 12 gauge caster mounts.
- Shelf lips are 1½" down on both shelves.
- 20" clearance between shelves.
- Two of the easily replaceable bolt-on urethane casters swivel and two are rigid for superior tracking.

No. DD35226U5

24"w x 36"l x 30"h; Wt. 94 lbs.

No. DD35227U5

24"w x 48"l x 30"h; Wt. 114 lbs.

No. DD35228U5

30"w x 60"l x 30"h; Wt. 158 lbs.

Mobile Tables (2 Shelves) (2000 lb. Capacity)

No. DD35229U6

24"w x 36"l x 31"h; Wt. 126 lbs. **In Stock**

No. DD35230U6

24"w x 48"l x 31"h; Wt. 154 lbs.



14 ga. sides

Low Profile Solid Box Truck (4 Sided)

- Our "box on wheels" has four 20" high 14 gauge steel sides with a reinforced top edge.
- 12 gauge steel bottom shelf, 3/16" thick angle corners and 12 gauge caster mounts.
- Tubular handle has a smooth radius bend for comfort.
- Two of the 5" bolt-on urethane casters swivel and two are rigid for superior tracking.
- 1200 lb. capacity.

No. DD35271U5
24"w x 36"l x 27"h; Wt. 156 lbs. **In Stock**



Low Profile Mesh Box Truck (4 Sided)

- This durable truck has four 20" high, 13 gauge expanded steel mesh sides with reinforced top edges.
- 12 gauge steel shelf.
- 3/16" thick angle corners and 12 gauge caster mounts.
- Tubular handle has a smooth radius bend for comfort.
- Two of the bolt-on 5" urethane casters swivel and two are rigid for superior tracking.
- 1200 lb. capacity.

No. DD35273U5
24"w x 36"l x 27"h;
Wt. 96 lbs. **In Stock**



(1 Shelf)

(2 Shelves)

3 Sided Mesh Truck (1 Shelf)

- Heavy duty truck features 4' high, 13 gauge expanded metal mesh on three sides.
- 12 gauge steel shelf.
- 3/16" thick angle corners.
- 12 gauge caster mounts.
- Tubular handle has a smooth radius bend for comfort.
- The 1 1/2" shelf lip is up.
- Two of the easy rolling bolt-on 6" phenolic casters swivel and two are rigid for superior tracking.
- 1200 lb. capacity.

No. DD35276PH6
24"w x 48"l x 57"h; Wt. 146 lbs. **In Stock**

3 Sided Mesh Truck (2 Shelves)

- Same as above points except for features below.
- 1 1/2" shelf lips are up with 22" clearance between shelves.
- 1600 lb. capacity.

No. DD35280PH6
24"w x 48"l x 57"h; Wt. 186 lbs. **In Stock**



Instrument Transportation Cart

- Our hi-tech vibration-reducing cart features tubular frame and handle construction.
- Full top shelf with a wrap-around bumper and bottom 24" x 26" shelf, both covered with non-conductive vinyl matting.
- Clearance between shelves is 21".
- Two of the fully pneumatic bolt-on 8" casters swivel and two are rigid for superior tracking and smooth movement.
- 1000 lb capacity.

No. PP35262P8
24"w x 36"l x 34"h; Wt. 98 lbs. **In Stock**

Instrument Work Center Cart

- 6-outlet power strip with 15 amp circuit breaker and a 3-prong, 15 ft. cord with storage area.
- Lockable 5" h x 16" w x 20" d drawer with two sets of keys attached to the underside of the top shelf.
- Clearance between the drawer and lower shelf is 14".
- 1000 lb capacity.

No. PP35261P8
24"w x 36"l x 34"h; Wt. 122 lbs. **In Stock**



Angular Frame Instrument Cart

Low Profile (2 Shelves)

- This low profile vibration-reducing cart features durable 12 gauge steel shelves covered with non-conductive cushioned vinyl matting.
- 3/16" thick angle corners and 12 gauge caster mounts.
- Shelf lips are 1 1/2" down with 17" of clearance between shelves.
- The offset handle is raised 8" above the top shelf.
- Two 8" bolt-on fully pneumatic casters swivel and two are rigid for superior tracking.
- 1200 lb capacity.

No. PP35265P8
24"w x 36"l x 39"h; Wt. 132 lbs.
In Stock



Instrument Transportation Cart

Angular Frame (2 Shelves)

- This vibration-reducing cart feature durable 12 gauge steel shelves covered with non conductive cushioned vinyl matting.
- 3/16" thick angle corners and 12 gauge cast mounts.
- Shelf lips are 1 1/2" down with 20" of clearance between shelves.
- Tubular handle has a smooth radius bend for comfort.
- Two 8" bolt-on fully pneumatic casters swivel and two are rigid for superior tracking.
- 1200 lb capacity.

No. PP35263P8
24"w x 36"l x 34"h; Wt. 130 lbs.
In Stock

Ergonomic Service and Stock Carts

Ergonomic Service Cart

1200 lbs. capacity (2 shelves)



No. DD35215U5
24"w x 36"l x 35"h; Wt. 102 lbs.
In Stock

- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners and 12 gauge caster mounts.
- The tubular handle has a smooth radius bend for comfort and uniform appearance.
- Bolt-on casters, 2 swivel and two rigid, for easy replacement and superior cart tracking.
- 1 1/2" shelf lips up for retention.
- Clearance between shelves - 25".
- Top shelf height - 35".
- 5" urethane Casters.



2000 lbs. capacity (2 shelves)

- The 1/2" shelf lips down (flush) on top shelf and up on bottom shelf.
- 12 gauge steel shelves with under bracing.
- 6" urethane casters.

No. DD35216U6
24"w x 36"l x 36"h;
Wt. 134 lbs. **In Stock**



4000 lbs. capacity (2 shelves)

- The 1/2" shelf lips down (flush) on top shelf and up on bottom shelf.
- 12 gauge steel shelves with extra under bracing.
- 8" phenolic casters.

No. DD35217PH8
24"w x 36"l x 38"h;
Wt. 162 lbs. **In Stock**



Ergonomic Service Cart

1200 lbs. capacity (3 shelves)

- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners and 12 gauge caster mounts.
- Ergonomic tubular handle has a smooth radius bend for comfort and uniform appearance.
- Two bolt-on casters, 2 swivel and two rigid for easy replacement and superior cart tracking.
- 1 1/2" shelf lips up for retention.
- Clearance between shelves - 12".
- Top shelf height - 35".
- 5" Urethane casters.

No. DD35218U5
24"w x 36"l x 35"h; Wt. 132 lbs. **In Stock**



2000 lbs. capacity (3 shelves)

- Clearance between shelves 17".
- Overall height - 48".
- 6" rubber casters.

No. DD35207R6
24"w x 36"l x 48"h; Wt. 158 lbs.
In Stock



Ergonomic Stock Cart

- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners and 12 gauge caster mounts.
- Ergonomic tubular handle has a smooth radius bend for comfort and uniform appearance.
- Two bolt-on casters, 2 swivel and two are rigid for easy replacement superior cart tracking.
- The 1 1/2" shelf lips up for retention.
- Clearance between shelves - 15".
- Overall height - 60".
- 6" rubber casters.

2000 lbs. capacity (4 shelves)

No. DD35209R6
24"w x 36"l x 60"h; Wt. 102 lbs. **In Stock**

3000 lbs. capacity (4 shelves)

No. DD35210U6
24"w x 36"l x 60"h.

3000 lbs. capacity (3 shelves)

- 6" urethane casters.

No. DD35208U6
24"w x 36"l x 48"h; Wt. 158 lbs.
In Stock

**All carts are
12 Gauge
Construction**

COLOR INFORMATION

"DD" in the product numbers indicate a Dove Gray baked enamel finish.