

# SNYDER



**Equipment, Inc.**

*Storing, Rolling, Lifting since 1947*

## PRODUCT INFORMATION

# Security Mfg. Type 4C mail boxes

2946 Larimer St. Denver, CO 80205  
303-295-1100 / 800-373-7693  
FAX 303-295-2464  
Email [info@snyderequipment.com](mailto:info@snyderequipment.com)  
[www.snyderequipment.com](http://www.snyderequipment.com)

# 4C Horizontal Series



- Compliant with USPS Regulations
- Complete Flat-Mail System
- Compatible Configurations
- Comprehensive Customer Service

- SMC1-08 and SMC1-04 passed and exceeded stringent USPS security and durability tests.
- SMC 4C Single Column modules minimize horizontal space requirements, maximize freight savings, and provide two height choices.
- SMC1-08 full module has eight tenant compartments and one 15" parcel locker.
- SMC1-04 half-module provides four tenant compartments. Tenant compartments meet USPS-required dimensions of 3 $\frac{1}{4}$ " h x 12 $\frac{1}{2}$ " w. All-parcel modules and 18" parcels available soon.
- The master door features a stainless steel 5-point lock and a triple-bolt catch.
- Customer doors are 3/16" thick. Carrier access and parcel doors are 1/4" thick.
- 3/4" integral trim simplifies installation and eliminates the need for fillers to achieve a finished appearance.
- The SMC 4C Series may be installed in all weather conditions.




4C compliance backed by the most advanced engineering in the industry.



*Triple bolt catch on two-five points, stainless steel lock (Depending on size)*




*Two rain guards*



*For added security, shelves are riveted, not just snapped in place*



*Easy to read number plate*



*Full-length concealed hinge*



*Exclusive "L" extrusion on every door resists prying*



SMCF-20

Security Manufacturing, supported by American Locker's industry-leading engineering group, manufactures mailboxes that meet the highest-quality standards set by the USPS.






Security Manufacturing is your best source for high-quality mailboxes.

We take great pride in offering you personalized customer service, competitive prices, quick turn-around, and a five-year material and workmanship guarantee on every one of our products. For security, weather resistance and ease of installation, you can't beat mailboxes from Security Manufacturing.


### Installation Requirements

The installation requirements specified in the U.S. Postal Service STD-4C regulation are outlined below:

1. At least one customer compartment shall be positioned less than 48 inches from the finished floor.
2. No parcel locker compartment (interior bottom shelf) shall be positioned less than 15 inches from the finished floor.
3. No patron (tenant) lock shall be located more than 67 inches above the finished floor.
4. No customer compartment (interior bottom shelf) shall be positioned less than 28 inches from the finished floor.
5. The USPS Arrow lock shall be located between 36 and 48 inches above the finished floor.



A range of colors lets you match any design scheme.



Choose our optional multi-unit connector for easy, flush installation.

Security Manufacturing's specialized multi-unit connector kit eliminates the need for studs and allows the easy, attractive, flush installation of multiple 4C layouts in one wall opening.

