

SNYDER



Equipment, Inc.

Storing, Rolling, Lifting since 1947

PRODUCT INFORMATION


ISS WIRE SHELVING

Prices shown here do not reflect current pricing.

2946 Larimer St. Denver, CO 80205
303-295-1100 / 800-373-7693
FAX 303-295-2464
Email info@snyderequipment.com
www.snyderequipment.com



THERE ARE GOOD REASONS WHY ISS SHELVING IS YOUR BEST STORAGE VALUE . . .



STRONGER

Others may proclaim that they can support most loads, but ISS wire shelving is unequivocally the strongest in its class. Each shelf is rated to support 1,250 lbs. (565 kgs.) of uniformly loaded weight! The ISS shelving strength secret is the unique design of 4 to 6 trusses (depending on the shelf's width) running the length of the shelf. Outer vertical trusses, and intermediate end serpentine trusses work together to deliver a rigid framework to maximize strength and minimize deflection.



ASSEMBLES FASTER

No shelving system assembles easier and faster than ISS shelving. Posts are numbered on one inch (25 mm) increments to provide crystal clear guidance for level shelf installation. The ISS Sure Lock™ coupler is one-piece. The reliable hinge opens wide to view post numbers, then snaps shut to double-lock onto post grooves. The outside surface the of Sure Lock™ coupler is ribbed to deliver maximum gripping power...a strength secret ordinary shelving brands overlooked.

MORE STYLES & FINISHES

The wide range of ISS shelving styles and finishes delivers exact solutions to the broad scope of storage demands. Choose from shelves of wire, tubular steel, plastic/steel designs in stationary and mobile models.

When it comes to finishes, select from:

Gold Bond® and Grey Bond™ - Recommended for both dry and wet environments. Warranted under normal use for 10 years against corrosion. Each shelf and post is first electro-zinc plated, chromate coated and further protected with a corrosion-resistant baked polyester/epoxy polymer top coat. Now also contain an **antimicrobial agent** that protects the finishes from bacteria, mold, mildew and fungi that cause odors, stains and product degradation. This additional protection helps keep the shelving cleaner in between cleanings.*

*This product does not protect users or others against bacteria, viruses, germs or other disease organisms. It is for the protection of the product only. This antimicrobial product should always be thoroughly cleaned after each use.

Chrome Plating - Gleaming eye-appeal and maintenance-free performance in dry environments. USDA acceptable for packaged goods. Shelves and posts chrome plated over a nickel chrome base.

Stainless Steel - For ultimate performance, choose shelves and posts fabricated of Type 304 stainless steel. Never a corrosion worry!



THE STRONGEST SHELVES IN THEIR CLASS

Shelves to 60" long support up to 1,250 lbs. (565 kgs.) of uniformly loaded weight



WIRE SHELVES

ISS wire shelves and posts are the basic building blocks of an efficient storage shelving system. The vast range of shelf sizes allow the shelving system to be virtually custom built to the space available.

When ordering shelves, add the code for the finish desired to the catalog number. For example, when ordering an 18" x 48" shelf in Gold Bond, use catalog number **1848Y**.

FINISHES

Gold Bond™ - Y

The every use finish! Use in both moist and dry environments.

Grey Bond™ - E

A rugged grey epoxy finish. Use in both moist and dry environments.

Plating Plus™ - C

Sparkling eye-appeal. Recommended for dry environments.

Stainless Steel - S

Never a corrosion worry with Type 304 Stainless Steel.

Black - ESB



White - ESW



The below decorator colors for shelves and posts are also available in minimum quantities of 100 shelves and 100 posts per color. Mixed sizes acceptable. Recommended for dry environments. Contact the factory for pricing.

Red - ESR



Blue-ESBLU



Dimensions			Weight		Catalog No. Add Finish Suffix	Gold Bond™ Y	Plating Plus™ C	Grey Bond™ E	Stainless Steel S	Black ESB	White ESW
W x L (in.)	W x L (mm)		LBS.	KGS.		PRICE	PRICE	PRICE	PRICE	PRICE	PRICE
14 x 24	356 x 610		5 3/4	2.6	1424*	\$45.00	\$40.00	\$45.00	\$134.00	\$41.00	\$41.00
14 x 30	356 x 762		8	3.6	1430*	50.00	43.00	50.00	149.00	44.00	44.00
14 x 36	356 x 914		9	4.1	1436*	56.00	46.00	56.00	171.00	47.00	47.00
14 x 42	356 x 1067		10 1/2	4.8	1442*	62.00	53.00	62.00	175.00	54.00	54.00
14 x 48	356 x 1219		11 1/2	5.2	1448*	65.00	54.00	65.00	178.00	55.00	55.00
14 x 60	356 x 1524		15	6.8	1460*	73.00	64.00	73.00	228.00	65.00	65.00
14 x 72	356 x 1829		18	8.2	1472*	83.00	76.00	83.00	257.00	77.00	77.00
18 x 24	457 x 610		7 3/4	3.5	1824*	\$53.00	\$46.00	\$53.00	\$135.00	\$47.00	\$47.00
18 x 30	457 x 762		9 1/2	4.3	1830*	58.00	51.00	58.00	156.00	52.00	52.00
18 x 36	457 x 914		11	5.0	1836*	64.00	55.00	64.00	170.00	56.00	56.00
18 x 42	457 x 1067		13	5.9	1842*	71.00	60.00	71.00	194.00	61.00	61.00
18 x 48	457 x 1219		14	6.3	1848*	74.00	65.00	74.00	204.00	66.00	66.00
18 x 54	457 x 1372		16	7.2	1854*	77.00	75.00	77.00	248.00	76.00	76.00
18 x 60	457 x 1524		16 1/2	7.5	1860*	88.00	76.00	88.00	261.00	77.00	77.00
18 x 66	457 x 1676		19	8.6	1866*	89.00	82.00	89.00	284.00	83.00	83.00
18 x 72	457 x 1829		20 3/4	9.4	1872*	100.00	90.00	100.00	314.00	91.00	91.00
21 x 24	533 x 610		8 1/4	3.7	2124*	\$57.00	\$52.00	\$57.00	\$149.00	\$53.00	\$53.00
21 x 30	533 x 762		10 1/4	4.6	2130*	65.00	56.00	65.00	174.00	57.00	57.00
21 x 36	533 x 914		12	5.4	2136*	69.00	61.00	69.00	195.00	62.00	62.00
21 x 42	533 x 1067		14 1/4	6.5	2142*	75.00	66.00	75.00	218.00	68.00	68.00
21 x 48	533 x 1219		15 1/2	7.0	2148*	82.00	71.00	82.00	229.00	72.00	72.00
21 x 54	533 x 1372		17	7.7	2154*	89.00	82.00	89.00	273.00	83.00	83.00
21 x 60	533 x 1524		18 1/2	8.4	2160*	97.00	87.00	97.00	305.00	88.00	88.00
21 x 66	533 x 1676		21	9.5	2166*	100.00	93.00	100.00	320.00	94.00	94.00
21 x 72	533 x 1829		22 1/2	10.2	2172*	115.00	105.00	115.00	365.00	107.00	107.00
24 x 24	610 x 610		9	4.1	2424*	\$69.00	\$58.00	\$69.00	\$169.00	\$60.00	\$60.00
24 x 30	610 x 762		11	5.0	2430*	74.00	63.00	74.00	194.00	64.00	64.00
24 x 36	610 x 914		13	5.9	2436*	77.00	65.00	77.00	211.00	66.00	66.00
24 x 42	610 x 1067		15 1/2	7.0	2442*	88.00	74.00	88.00	243.00	75.00	75.00
24 x 48	610 x 1219		17	7.7	2448*	93.00	78.00	93.00	257.00	79.00	79.00
24 x 54	610 x 1372		19	8.6	2454*	102.00	90.00	102.00	311.00	91.00	91.00
24 x 60	610 x 1524		20 1/2	9.3	2460*	110.00	97.00	110.00	319.00	98.00	98.00
24 x 66	610 x 1676		23	10.4	2466*	118.00	107.00	118.00	363.00	108.00	108.00
24 x 72	610 x 1829		23 3/4	10.8	2472*	129.00	113.00	129.00	399.00	115.00	115.00

Four Sure-Lock™ couplers for each shelf are included in each carton. For lead time and availability, contact your ISS representative.



NUMBERED POSTS MAKE ASSEMBLY EASY

Shelves & Posts

DIGITAL POSTS® FOR STATIONARY SHELVING UNITS

Dimensions		Weight		Catalog No. *Add Finish Code	Gold Bond™ Y	Plating Plus™ C	Grey Bond™ E	Stainless Steel S	Black B	White W
H (in.)	H (mm)	LBS.	KGS.		PRICE	PRICE	PRICE	PRICE	PRICE	PRICE
8 3/4	222	3/4	0.3	P8*	\$9.60	\$8.30	\$9.60	\$16.70	-	-
14 3/4	375	1	0.5	P14*	13.20	10.80	13.20	23.00	\$10.80	\$10.80
34 3/4	883	2	0.9	P34*	18.50	14.80	18.50	38.10	14.90	14.90
54 3/4	1391	3 1/4	1.5	P54*	19.70	17.80	19.70	41.60	18.20	18.20
62 3/4	1594	3 1/2	1.6	P62*	22.00	19.70	22.00	47.40	19.90	19.90
74 3/4	1899	4 1/4	1.9	P74*	24.30	21.80	24.30	54.30	22.00	22.00
86 3/4	2203	4 3/4	2.2	P86*	28.90	26.50	28.90	63.50	26.50	26.50
96 3/4	2457	5 1/2	2.5	P96*	31.20	30.10	31.20	70.50	-	-

Posts are 1" (25 mm) in diameter. Complete with adjustable foot levelers to compensate for uneven floors. Packaged four to a carton.



STATIONARY USE



USE WITH STEM CASTERS



COUNTER SUPPORT

Note: Special height posts are available. Add \$25.00 to the price of the next higher post in the same finish. For example, for a Gold Bond® 59" high post, add the price to a P62Y post. The price then would be \$22.20 + \$25.00=\$47.20

DIGITAL POSTS® FOR USE WITH STEM CASTERS

Dimensions		Weight		Catalog No. *Add Finish Code	Gold Bond™ Y	Plating Plus™ C	Grey Bond™ E	Stainless Steel S	Black B	White W
H (in.)	H (mm)	LBS.	KGS.		PRICE	PRICE	PRICE	PRICE	PRICE	PRICE
8 3/4	222	3/4	0.3	P8N*	\$9.60	\$8.30	\$9.60	\$16.70	-	-
14 3/4	375	1	0.5	P14N*	13.20	10.80	13.20	23.00	\$10.80	\$10.80
34 3/4	883	2	0.9	P34N*	18.50	14.80	18.50	38.10	14.90	14.90
54 3/4	1391	3 1/4	1.5	P54N*	19.70	17.80	19.70	41.60	18.20	18.20
62 3/4	1594	3 1/2	1.6	P62N*	22.00	19.70	22.00	47.40	19.90	19.90
74 3/4	1899	4 1/4	1.9	P74N*	24.30	21.80	24.30	54.30	22.00	22.00
86 3/4	2203	4 3/4	2.2	P86N*	28.90	26.50	28.90	63.50	26.50	26.50
96 3/4	2457	5 1/2	2.5	P96N*	31.20	30.10	31.20	70.50	-	-

Posts are 1" (25 mm) in diameter. Packaged four to a carton.

DIGITAL POSTS® FOR USE WITH COUNTER SUPPORT

Dimensions		Weight		Catalog No. *Add Finish Code	Gold Bond™ Y	Plating Plus™ C	Grey Bond™ E	Stainless Steel S	Black B	White W
H (in.)	H (mm)	LBS.	KGS.		PRICE	PRICE	PRICE	PRICE	PRICE	PRICE
34 3/4	883	2	0.9	P34FT*	\$20.70	\$16.70	\$20.70	\$40.40	-	-

S-HOOKS

A run of shelving begins with a starter unit with four posts. Add-on units with two posts can be attached to a starter unit in length or to turn a corner at 90° by using two S-Hooks per shelf. In addition to the savings of eliminating two posts, S-Hooks are particularly efficient when used at corners because they provide free access for corner storage by eliminating the corner post barrier. Order two S-Hooks per shelf level per add-on unit.

PLATING PLUS™		GOLD BOND™		STAINLESS STEEL	
CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE
SH2C	\$1.50	SH2Y	\$1.50	SH2S	\$6.50



HOW TO USE STARTER AND ADD-ON UNITS

An efficient and economical shelving plan uses a foundation of starter and add-on units. Begin a run of shelving with a starter unit consisting of four posts and the quantity of shelves desired.

To the starter unit, attach an add-on unit which consists of two posts, the same quantity of shelves as the starter unit, and two S-Hooks per shelf. Add-on units can be attached end-to-end, turn corners at 90° or be attached anywhere on another shelving




unit. Starter units up to 60" long are rated to support 1,250 lbs. (565 kgs.) per shelf; add-on units 1,000 lbs. (455 kgs.) per shelf. Add-on units normally have more than enough capacity for the vast majority of storage applications. To simplify ordering, this page and the next list the most popular configurations and finishes of starter and add-on units. Add the finish suffix to the catalog number to order the entire unit. Order separate components for other sizes and finishes.

Add the code for the finish desired to the catalog number: **Gold Bond®=Y, Grey Bond™=E, Plating Plus™=C.** (Gold Bond® and Grey Bond™ are priced the same.) For example, to order a Gold Bond® starter unit 18" x 30" x 62 3/4" use catalog number **S3246Y.**

STARTER UNITS

	LENGTH	62 3/4" HIGH				74 3/4" HIGH				86 3/4" HIGH			
		CAT. NO.	GOLD BOND GREY BOND	PLATING PLUS	WEIGHT LBS.	CAT. NO.	GOLD BOND GREY BOND	PLATING PLUS	WEIGHT LBS.	CAT. NO.	GOLD BOND GREY BOND	PLATING PLUS	WEIGHT LBS.
18" WIDE 4 Shelves	30	S3246*	\$320.00	\$282.80	52	S3247*	\$329.20	\$291.20	55	S3248*	\$347.60	\$310.00	57
	36	S3346*	344.00	298.80	58	S3347*	353.20	307.20	61	S3348*	371.60	326.00	63
	42	S3446*	372.00	318.80	66	S3447*	381.20	327.20	69	S3448*	399.60	346.00	71
	48	S3546*	384.00	338.80	70	S3547*	393.20	347.20	73	S3548*	411.60	366.00	75
	60	S3746*	440.00	382.80	80	S3747*	449.20	391.20	83	S3748*	467.60	410.00	85
	72	S3946*	488.00	438.80	97	S3947*	497.20	447.20	100	S3948*	515.60	466.00	102
5 Shelves	30	S3256*	\$378.00	\$333.80	61 1/2	S3257*	\$387.20	\$342.20	64 1/2	S3258*	\$405.60	\$361.00	66 1/2
	36	S3356*	408.00	353.80	69	S3357*	417.20	362.20	72	S3358*	435.60	381.00	74
	42	S3456*	443.00	378.80	79	S3457*	452.20	387.20	82	S3458*	470.60	406.00	84
	48	S3556*	458.00	403.80	84	S3557*	467.20	412.20	87	S3558*	485.60	431.00	89
	60	S3756*	528.00	458.80	96 1/2	S3757*	537.20	467.20	99 1/2	S3758*	555.60	486.00	101 1/2
	72	S3956*	588.00	528.80	117 3/4	S3957*	597.20	537.20	120 3/4	S3958*	615.60	556.00	122 3/4
21" WIDE 4 Shelves	30	S4246*	\$348.00	\$302.80	55	S4247*	\$357.20	\$311.20	58	S4248*	\$375.60	\$330.00	60
	36	S4346*	364.00	322.80	62	S4347*	373.20	331.20	65	S4348*	391.60	350.00	67
	42	S4446*	388.00	342.80	71	S4447*	397.20	351.20	74	S4448*	415.60	370.00	76
	48	S4546*	416.00	362.80	76	S4547*	425.20	371.20	79	S4548*	443.60	390.00	81
	60	S4746*	476.00	426.80	88	S4747*	485.20	435.20	91	S4748*	503.60	454.00	93
	72	S4946*	548.00	498.80	104	S4947*	557.20	507.20	107	S4948*	575.60	526.00	109
5 Shelves	30	S4256*	\$413.00	\$358.80	68 1/4	S4257*	\$422.20	\$367.20	71 1/4	S4258*	\$440.60	\$386.00	73 1/4
	36	S4356*	433.00	383.80	77	S4357*	442.20	392.20	80	S4358*	460.60	411.00	82
	42	S4456*	463.00	408.80	88 1/4	S4457*	472.20	417.20	91 1/4	S4458*	490.60	436.00	93 1/4
	48	S4556*	498.00	433.80	94 1/2	S4557*	507.20	442.20	97 1/2	S4558*	525.60	461.00	99 1/2
	60	S4756*	573.00	513.80	109 1/2	S4757*	582.20	522.20	112 1/2	S4758*	600.60	541.00	114 1/2
	72	S4956*	663.00	603.80	129 1/2	S4957*	672.20	612.20	132 1/2	S4958*	690.60	631.00	134 1/2
24" WIDE 4 Shelves	30	S5246*	\$384.00	\$330.80	58	S5247*	\$393.20	\$339.20	62 1/4	S5248*	\$411.60	\$358.00	64 1/4
	36	S5346*	396.00	338.80	66	S5347*	405.20	347.20	70 1/4	S5348*	423.60	366.00	72 1/4
	42	S5446*	440.00	374.80	76	S5447*	449.20	383.20	80 1/4	S5448*	467.60	402.00	82 1/4
	48	S5546*	460.00	390.80	82	S5547*	469.20	399.20	86 1/4	S5548*	487.60	418.00	88 1/4
	60	S5746*	528.00	466.80	96	S5747*	537.20	475.20	100 1/4	S5748*	555.60	494.00	102 1/4
	72	S5946*	604.00	530.80	109	S5947*	613.20	539.20	113 1/4	S5948*	631.60	558.00	115 1/4
5 Shelves	30	S5256*	\$458.00	\$393.80	69	S5257*	\$467.20	\$402.20	73 1/4	S5258*	\$485.60	\$421.00	75 1/4
	36	S5356*	473.00	403.80	79	S5357*	482.20	412.20	83 1/4	S5358*	500.60	431.00	85 1/4
	42	S5456*	528.00	448.80	91 1/2	S5457*	537.20	457.20	95 3/4	S5458*	555.60	476.00	97 3/4
	48	S5556*	553.00	468.80	99	S5557*	562.20	477.20	103 1/4	S5558*	580.60	496.00	105 1/4
	60	S5756*	638.00	563.80	116 1/2	S5757*	647.20	572.20	120 3/4	S5758*	665.60	591.00	122 3/4
	72	S5956*	733.00	643.80	132 3/4	S5957*	742.20	652.20	137	S5958*	760.60	671.00	139

EXAMPLES OF STARTER AND ADD-ON UNIT INSTALLATIONS



Add the code for the finish desired to the catalog number: **Gold Bond®=Y, Grey Bond™=E, Plastic Plus™=C.** (Gold Bond® and Grey Bond™ are priced the same.) For example, to order a Gold Bond® add-on unit 18" x 30" x 62 3/4" use catalog number **A3246Y**.

ADD-ON UNITS

	LENGTH	62 3/4" HIGH			74 3/4" HIGH			86 3/4" HIGH					
		CAT. NO.	GOLD BOND GREY BOND	PLATING PLUS	WEIGHT LBS.	CAT. NO.	GOLD BOND GREY BOND	PLATING PLUS	WEIGHT LBS.	CAT. NO.	GOLD BOND GREY BOND	PLATING PLUS	WEIGHT LBS.
18" WIDE 4 Shelves	30	A3246*	\$288.00	\$255.40	45	A3247*	\$292.60	\$259.60	46 1/2	A3248*	\$301.80	\$269.00	47 1/2
	36	A3346*	312.00	271.40	51	A3347*	316.60	275.60	52 1/2	A3348*	325.80	285.00	53 1/2
	42	A3446*	340.00	291.40	59	A3447*	344.60	295.60	60 1/2	A3448*	353.80	305.00	61 1/2
	48	A3546*	352.00	311.40	63	A3547*	356.60	315.60	64 1/2	A3548*	365.80	325.00	65 1/2
	60	A3746*	408.00	355.40	73	A3747*	412.60	359.60	74 1/2	A3748*	421.80	369.00	75 1/2
	72	A3946*	456.00	411.40	90	A3947*	460.60	415.60	91 1/2	A3948*	469.80	425.00	92 1/2
5 Shelves	30	A3256*	\$349.00	\$309.40	54 1/2	A3257*	\$353.60	\$313.60	56	A3258*	\$362.80	\$323.00	57
	36	A3356*	379.00	329.40	62	A3357*	383.60	333.60	63 1/2	A3358*	392.80	343.00	64 1/2
	42	A3456*	414.00	354.40	72	A3457*	418.60	358.60	73 1/2	A3458*	427.80	368.00	74 1/2
	48	A3556*	429.00	379.40	77	A3557*	433.60	383.60	78 1/2	A3558*	442.80	393.00	79 1/2
	60	A3756*	499.00	434.40	89 1/2	A3757*	503.60	438.60	91	A3758*	512.80	448.00	92
	72	A3956*	559.00	504.40	110 3/4	A3957*	563.60	508.60	112 1/4	A3958*	572.80	518.00	113 1/4
21" WIDE 4 Shelves	30	A4246*	\$316.00	\$275.40	48	A4247*	\$320.60	\$279.60	49 1/2	A4248*	\$329.80	\$289.00	50 1/2
	36	A4346*	332.00	295.40	55	A4347*	336.60	299.60	56 1/2	A4348*	345.80	309.00	57 1/2
	42	A4446*	356.00	315.40	64	A4447*	360.60	319.60	65 1/2	A4448*	369.80	329.00	66 1/2
	48	A4546*	384.00	335.40	69	A4547*	388.60	339.60	70 1/2	A4548*	397.80	349.00	71 1/2
	60	A4746*	444.00	399.40	81	A4747*	448.60	403.60	82 1/2	A4748*	457.80	413.00	83 1/2
	72	A4946*	516.00	471.40	97	A4947*	520.60	475.60	98 1/2	A4948*	529.80	485.00	99 1/2
5 Shelves	30	A4256*	\$384.00	\$334.40	61 1/4	A4257*	\$388.60	\$338.60	62 3/4	A4258*	\$397.80	\$348.00	63 3/4
	36	A4356*	404.00	359.40	70	A4357*	408.60	363.60	71 1/2	A4358*	417.80	373.00	72 1/2
	42	A4456*	434.00	384.40	81 1/4	A4457*	438.60	388.60	82 3/4	A4458*	447.80	398.00	83 3/4
	48	A4556*	469.00	409.40	87 1/2	A4557*	473.60	413.60	89	A4558*	482.80	423.00	90
	60	A4756*	544.00	489.40	102 1/2	A4757*	548.60	493.60	104	A4758*	557.80	503.00	105
	72	A4956*	\$634.00	\$579.40	122 1/2	A4957*	638.60	583.60	124	A4958*	647.80	593.00	125
24" WIDE 4 Shelves	30	A5246*	\$352.00	\$303.40	51	A5247*	\$356.60	\$307.60	53 3/4	A5248*	\$365.80	\$317.00	54 3/4
	36	A5346*	364.00	311.40	59	A5347*	368.60	315.60	61 3/4	A5348*	377.80	325.00	62 3/4
	42	A5446*	408.00	347.40	69	A5447*	412.60	351.60	71 3/4	A5448*	421.80	361.00	72 3/4
	48	A5546*	428.00	363.40	75	A5547*	432.60	367.60	77 3/4	A5548*	441.80	377.00	78 3/4
	60	A5746*	496.00	439.40	89	A5747*	500.60	443.60	91 3/4	A5748*	509.80	453.00	92 3/4
	72	A5946*	572.00	503.40	102	A5947*	576.60	507.60	104 3/4	A5948*	585.80	517.00	105 3/4
5 Shelves	30	A5256*	\$429.00	\$369.40	62	A5257*	\$433.60	\$373.60	64 3/4	A5258*	\$442.80	\$383.00	65 3/4
	36	A5356*	444.00	379.40	72	A5357*	448.60	383.60	74 3/4	A5358*	457.80	393.00	75 3/4
	42	A5456*	499.00	424.40	84 1/2	A5457*	503.60	428.60	87 1/4	A5458*	512.80	438.00	88 1/4
	48	A5556*	524.00	444.40	92	A5557*	528.60	448.60	94 3/4	A5558*	537.80	458.00	95 3/4
	60	A5756*	609.00	539.40	109 1/2	A5757*	613.60	543.60	112 1/4	A5758*	622.80	553.00	113 1/4
	72	A5956*	\$704.00	\$619.40	125 3/4	A5957*	708.60	623.60	128 1/2	A5958*	717.80	633.00	129 1/2



CONVENIENCE PACKS

Here are 4 shelf units packed in one box! Each carton is packed with four shelves, and four 2-piece split posts to create a 70" high post. These packs take up minimum warehouse space, and are ideal for having shelving ready for immediate needs. Available in our most popular sizes in choice of Gold Bond® or Plating Plus™ finishes.

Dimensions			Weight		GOLD BOND®		PLATING PLUS™	
W x L (in.)	W x L (mm)		LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
18 x 36	457 x 914		49	22	1836PKY	\$410.00	1836PKC	\$345.00
18 x 48	457 x 1219		66 1/2	30	1848PKY	449.00	1848PKC	384.00
18 x 60	457 x 1524		82	37	1860PKY	505.00	1860PKC	428.00
24 x 36	610 x 914		62	28	2436PKY	\$461.00	2436PKC	384.00
24 x 48	610 x 1219		78 1/2	35	2448PKY	525.00	2448PKC	436.00
24 x 60	610 x 1524		90	41	2460PKY	592.00	2460PKC	511.00



Avoid the risk of items accidentally falling from mobile or stationary shelving by using inverted shelves. Each shelf has a built in perimeter ledge. Inverted shelves may be intermixed with other style shelves of the same size. Use with starter units only. Weight bearing capacity of each shelf: 300 lbs. (135 kgs.).

INVERTED SHELVES

Dimensions			Weight		GOLD BOND®		PLATING PLUS™	
W x L (in.)	W x L (mm)		LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
14 x 30	356 x 762		7 1/4	3.3	1430ISY	\$45.00	1430ISZ	\$44.00
14 x 36	356 x 914		8 1/4	3.7	1436ISY	50.00	1436ISZ	47.00
14 x 42	356 x 1067		9 1/2	4.3	1442ISY	53.00	1442ISZ	51.00
14 x 48	356 x 1219		11	5.0	1448ISY	58.00	1448ISZ	55.00
18 x 30	457 x 762		6	2.7	1830ISY	\$58.00	1830ISZ	\$52.00
18 x 36	457 x 914		9	4.1	1836ISY	62.00	1836ISZ	58.00
18 x 42	457 x 1067		11 1/2	5.2	1842ISY	82.00	1842ISZ	63.00
18 x 48	457 x 1219		12 1/2	5.7	1848ISY	77.00	1848ISZ	69.00
21 x 30	533 x 762		8 1/2	3.9	2130ISY	\$60.00	2130ISZ	\$57.00
21 x 36	533 x 914		9 1/2	4.3	2136ISY	64.00	2136ISZ	62.00
21 x 42	533 x 1067		11	5.0	2142ISY	71.00	2142ISZ	66.00
21 x 48	533 x 1219		13	5.9	2148ISY	76.00	2148ISZ	73.00
24 x 24	610 x 610		7 3/4	3.5	2424ISY	\$64.00	2424ISZ	\$61.00
24 x 30	610 x 762		10	4.5	2430ISY	66.00	2430ISZ	64.00
24 x 36	610 x 914		12	5.4	2436ISY	73.00	2436ISZ	69.00
24 x 42	610 x 1067		13 1/2	6.1	2442ISY	78.00	2442ISZ	74.00
24 x 48	610 x 1219		15 1/2	7.0	2448ISY	87.00	2448ISZ	82.00

For lead time and availability, contact your ISS representative.

DOUBLE WIDTH SHELVES



When storing larger items, consider using double width shelves. Available in 30" and 36" widths, double width shelves are an economic alternative to two shelving units installed back-to-back. Engineered with six trusses for strength and to minimize shelf deflection, double width shelves can be used with confidence for both stationary and mobile applications.

Dimensions			Weight		GOLD BOND®		PLATING PLUS™	
W x L (in.)	W x L (mm)		LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
30 x 36	760 x 914		15	6.8	3036Y	\$105.00	3036Z	\$87.00
30 x 42	760 x 1067		18	8.2	3042Y	115.00	3042Z	95.00
30 x 48	760 x 1219		21	9.5	3048Y	122.00	3048Z	102.00
30 x 60	760 x 1524		26 1/2	12.0	3060Y	142.00	3060Z	117.00
30 x 72	760 x 1829		31	14.0	3072Y	171.00	3072Z	140.00
36 x 36	914 x 914		18	8.2	3636Y	\$119.00	3636Z	\$99.00
36 x 42	914 x 1219		21	9.5	3642Y	131.00	3642Z	108.00
36 x 48	914 x 1219		23	10.4	3648Y	142.00	3648Z	117.00
36 x 60	914 x 1524		29	13.1	3660Y	167.00	3660Z	139.00
36 x 72	914 x 1829		34 1/2	15.6	3672Y	199.00	3672Z	164.00

For lead time and availability, contact your ISS representative.



**THE
IDEAL SOLUTION
FOR STORING
SMALL ITEMS...
WOBBLE-FREE™
SHELVES**

WOBBLE-FREE™ SHELVES

GOLD BOND® W x L (in.)	PLATING PLUS™		Dimensions				Weight	
	W	L (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
18 x 36	457	914	14	6.3	1836WFY	\$75.00	1836WFZ	\$64.00
18 x 48	457	1219	18	8.2	1848WFY	87.00	1848WFZ	76.00
18 x 60	457	1524	21 1/2	9.7	1860WFY	101.00	1860WFZ	89.00
24 x 36	610	914	17	7.7	2436WFY	\$90.00	2436WFZ	\$76.00
24 x 48	610	1219	22	10.0	2448WFY	108.00	2448WFZ	91.00
24 x 60	610	1524	26 1/2	12.0	2460WFY	129.00	2460WFZ	112.00

Now wire shelving can be used without concern for small diameter bottles and other containers tipping over. Closely spaced wires provide the surface stability needed, and at the same time deliver strength, maximize air circulation, and allow light to penetrate between shelves for highest visibility. Wobble-Free™ shelves can be intermixed with other shelf styles of the same size on the same shelving unit.



BEFORE SHELF INSERT



AFTER SHELF INSERT

**WOBBLE-FREE INSERT
SHELVES**

Planning for change and growth goes a long way in increasing storage efficiency. That's why we designed an insert Wobble Free™ shelving system to allow shelves to be added, removed or adjusted as storage needs change. All without the need for tools!

Begin the design of a shelving unit with at least one standard style wire shelf or a 3-sided frame on the top and bottom of the unit. Intermediate shelves can be either standard style or "insert" style. Then install insert end brackets between intermediate shelves for later use.


Installing insert shelves is so easy. Simply add or change insert shelves by dropping them into the end brackets. End bracket levels are easily changed without the need for tools. That's all there is to it! Shelves support up to 500 lbs. (225 kgs.) of static weight. Insert shelves are recommended for stationary storage units only.

WOBBLE-FREE™ INSERT SHELVES

Dimensions W x L (in.)	Dimensions		Weight		GOLD BOND	
	W	L (mm)	LBS.	KGS.	CAT. NO.	PRICE
18 x 34	457	864	11	5.0	1836INSWFY	\$127.00
18 x 40	457	1016	13	5.9	1842INSWFY	131.00
18 x 46	457	1168	14	6.3	1848INSWFY	137.00
24 x 34	610	864	13	5.9	2436INSWFY	\$145.00
24 x 40	610	1016	15 1/2	7.0	2442INSWFY	153.00
24 x 46	610	1168	17	7.7	2448INSWFY	161.00

Two end brackets are included with each Insert Shelf. Additional end brackets are available as:

GOLD BOND		GOLD BOND	
CAT. NO.	PRICE	CAT. NO.	PRICE
INVER3Y (18" wide)	\$23.60 ea.	INVER5Y (24" wide)	\$25.60 ea.




Solid surfaces avoid liquids from dripping to shelves below. Top quality Type 304 stainless steel delivers a lifetime of rust-free performance in even the harshest environments.

SOLID STAINLESS STEEL SHELVES

Dimensions			Weight		STAINLESS STEEL	
W x L (in.)	W x L (mm)	LBS.	KGS.	CAT. NO.	PRICE	
18 x 24	457 x 610	11	5.0	1824FSW	\$145.00	
18 x 30	457 x 762	14	6.3	1830FSW	162.00	
18 x 36	457 x 914	16	7.2	1836FSW	177.00	
18 x 42	457 x 1067	18	8.2	1842FSW	198.00	
18 x 48	457 x 1219	20	9.1	1848FSW	216.00	
18 x 60	457 x 1524	24	10.9	1860FSW	254.00	
24 x 24	610 x 610	15	6.8	2424FSW	\$170.00	
24 x 30	610 x 762	17	7.7	2430FSW	193.00	
24 x 36	610 x 914	19	8.6	2436FSW	213.00	
24 x 42	610 x 1067	21	9.5	2442FSW	238.00	
24 x 48	610 x 1219	24	10.9	2448FSW	260.00	
24 x 60	610 x 1524	31	14.0	2460FSW	307.00	

CHANNEL DUNNAGE SHELVES



Here is a shelf designed of heavy-duty "U" shaped steel channel in choice of Gold Bond® or chrome finishes. The static weight bearing capacity for shelves up to 48" long is 2,000 lbs. (905 kgs.) per shelf, and 1,200 lbs. (544 kgs.) for longer shelves. Plan an entire shelving unit with channel dunnage shelves, use one as a dunnage rack or as a bottom shelf with standard style wire shelves above. Practical and economical.

Dimensions			Weight		GOLD BOND®		PLATING PLUS™	
W x L (in.)	W x L (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	
18 x 24	457 x 610	16 1/4	7.4	CDU324Y	\$109.00	CDU324Z	\$99.00	
18 x 30	457 x 762	20 1/4	9.2	CDU330Y	110.00	CDU330Z	100.00	
18 x 36	457 x 914	24 1/4	11.0	CDU336Y	116.00	CDU336Z	107.00	
18 x 42	457 x 1067	28 1/4	12.8	CDU342Y	124.00	CDU342Z	115.00	
18 x 48	457 x 1219	32 1/4	14.6	CDU348Y	134.00	CDU348Z	121.00	
18 x 60	457 x 1524	38 1/4	17.4	CDU360Y	152.00	CDU360Z	139.00	
21 x 24	530 x 610	18 1/2	8.4	CDU424Y	\$111.00	CDU424Z	\$100.00	
21 x 30	530 x 762	23 1/4	10.6	CDU430Y	113.00	CDU430Z	104.00	
21 x 36	530 x 914	28 1/2	13.0	CDU436Y	120.00	CDU436Z	110.00	
21 x 42	530 x 1067	32 1/2	14.7	CDU442Y	129.00	CDU442Z	117.00	
21 x 48	530 x 1219	37 1/2	17.0	CDU448Y	137.00	CDU448Z	123.00	
21 x 60	530 x 1524	45 1/4	20.5	CDU460Y	167.00	CDU460Z	149.00	
24 x 24	610 x 610	21 1/4	9.6	CDU524Y	\$113.00	CDU524Z	\$104.00	
24 x 30	610 x 762	26 3/4	12.2	CDU530Y	119.00	CDU530Z	109.00	
24 x 36	610 x 914	32 1/4	14.6	CDU536Y	124.00	CDU536Z	115.00	
24 x 42	610 x 1067	37 3/4	17.2	CDU542Y	131.00	CDU542Z	120.00	
24 x 48	610 x 1219	43 1/4	19.6	CDU548Y	139.00	CDU548Z	127.00	
24 x 54	610 x 1372	47 3/4	21.7	CDU554Y	161.00	CDU554Z	148.00	
24 x 60	610 x 1524	53 1/4	23.7	CDU560Y	185.00	CDU560Z	166.00	



Further reinforced a dunnage shelf with a heavy-gauge wire grid. Ideal for kegs and other heavy loads. Use several dunnage shelves on one storage unit, or intermixed with other ISS shelving styles. Available in Gold Bond® or Plating Plus™ finishes.

DUNNAGE SHELVES WITH WIRE GRID

Dimensions			Weight		GOLD BOND®		PLATING PLUS™	
W x L (in.)	W x L (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	
18 x 36	457 x 914	21	9.8	DS336Y	\$143.00	DS336Z	\$130.00	
18 x 48	457 x 1219	28	12.7	DS348Y	184.00	DS348Z	165.00	
18 x 60	457 x 1524	34	15.6	DS360Y	216.00	DS360Z	194.00	
24 x 30	610 x 762	19	8.6	DS530Y	\$143.00	DS530Z	\$130.00	
24 x 36	610 x 914	24	11.0	DS536Y	161.00	DS536Z	145.00	
24 x 48	610 x 1219	30	13.7	DS548Y	199.00	DS548Z	178.00	
24 x 60	610 x 1524	37	17.1	DS560Y	238.00	DS560Z	215.00	

3 SIDED FRAMES

Dimensions				Weight		GOLD BOND®		PLATING PLUS™			
W	x	L (in.)	W	x	L (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
18	x	24	457	x	610	6 1/4	2.8	TF324Y	\$61.00	TF324Z	\$53.00
18	x	30	457	x	762	7	3.2	TF330Y	64.00	TF330Z	56.00
18	x	36	457	x	914	7 3/4	3.5	TF336Y	67.00	TF336Z	58.00
18	x	42	457	x	1067	8	3.9	TF342Y	69.00	TF342Z	60.00
18	x	48	457	x	1219	9 1/4	4.2	TF348Y	71.00	TF348Z	61.00
18	x	54	457	x	1372	10	4.5	TF354Y	82.00	TF354Z	71.00
18	x	60	457	x	1524	10 3/4	4.9	TF360Y	93.00	TF360Z	79.00
18	x	72	457	x	1829	11 3/4	5.3	TF372Y	115.00	TF372Z	99.00
21	x	24	530	x	610	6	2.9	TF424Y	\$65.00	TF424Z	\$56.00
21	x	30	530	x	762	7 1/4	3.3	TF430Y	67.00	TF430Z	58.00
21	x	36	530	x	914	8	3.6	TF436Y	69.00	TF436Z	61.00
21	x	42	530	x	1067	8 3/4	3.9	TF442Y	72.00	TF442Z	63.00
21	x	48	530	x	1219	9 1/2	4.3	TF448Y	74.00	TF448Z	64.00
21	x	54	530	x	1372	10 1/4	4.6	TF454Y	84.00	TF454Z	74.00
21	x	60	530	x	1524	11	5.0	TF460Y	94.00	TF460Z	80.00
21	x	72	530	x	1829	12	5.5	TF472Y	116.00	TF472Z	101.00
24	x	24	610	x	610	7 3/4	3.5	TF524Y	\$68.00	TF524Z	\$60.00
24	x	30	610	x	762	8 1/2	3.8	TF530Y	71.00	TF530Z	61.00
24	x	36	610	x	914	8 1/4	4.2	TF536Y	73.00	TF536Z	63.00
24	x	42	610	x	1067	9 3/4	4.4	TF542Y	74.00	TF542Z	65.00
24	x	48	610	x	1219	10 1/2	4.7	TF548Y	76.00	TF548Z	67.00
24	x	54	610	x	1372	10 3/4	4.9	TF554Y	86.00	TF554Z	76.00
24	x	60	610	x	1524	11	5.0	TF560Y	96.00	TF560Z	86.00
24	x	72	610	x	1829	12	5.5	TF572Y	116.00	TF572Z	105.00
30	x	36	762	x	914	10 1/2	4.7	TF636Y	\$77.00	TF636Z	\$66.00
30	x	42	762	x	1067	10 3/4	4.9	TF642Y	79.00	TF642Z	69.00
30	x	48	762	x	1219	11 1/2	5.3	TF648Y	80.00	TF648Z	72.00
30	x	54	762	x	1372	12	5.5	TF654Y	89.00	TF654Z	82.00
30	x	60	762	x	1524	13	5.9	TF660Y	104.00	TF660Z	98.00

4 SIDED FRAMES


Dimensions				Weight		GOLD BOND®		PLATING PLUS™			
W	x	L (in.)	W	x	L (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
18	x	36	457	x	914	11 1/2	5.3	FF336Y	\$94.00	FF336Z	\$85.00
18	x	48	457	x	1219	13	5.9	FF348Y	117.00	FF348Z	107.00
18	x	60	457	x	1524	16	7.2	FF360Y	133.00	FF360Z	121.00
24	x	36	610	x	914	13	5.9	FF536Y	\$104.00	FF536Z	\$95.00
24	x	48	610	x	1219	15 1/2	7.1	FF548Y	126.00	FF548Z	113.00
24	x	60	610	x	1524	18 1/2	8.4	FF560Y	145.00	FF560Z	132.00

"I" FRAMES


Dimensions				Weight		GOLD BOND®		PLATING PLUS™			
W	x	L (in.)	W	x	L (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
18	x	36	457	x	914	7 3/4	5.3	IF336Y	\$67.00	IF336Z	\$58.00
18	x	48	457	x	1219	8 1/2	5.9	IF348Y	71.00	IF348Z	61.00
18	x	60	457	x	1524	10 3/4	7.2	IF360Y	93.00	IF360Z	79.00
24	x	36	610	x	914	9 1/4	5.9	IF536Y	\$73.00	IF536Z	\$63.00
24	x	48	610	x	1219	10 1/2	7.1	IF548Y	76.00	IF548Z	67.00
24	x	60	610	x	1524	11	8.4	IF560Y	96.00	IF560Z	86.00

FRAMES


To assure the greatest stability for stationary shelving units, the bottom shelf should be installed in the lowest possible position. However, there are occasions when storage demands require that the lowest shelf be installed 24" (610 mm) or more above the floor. When needs of this kind arise, support frames are recommended. They don't allow the stability of a shelving unit to be compromised.



3 SIDED FRAMES



4 SIDED FRAMES



"I" FRAMES

A best value for strength and cleaning ease!

NEW ERA™ SHELVING SYSTEM

STEEL REINFORCED PLASTIC SHELVES

Shelves & Posts



When shelving cleanliness is particularly important, use ISS New Era™ steel-reinforced plastic shelves.


Available in solid or vented styles, the grey polypropylene plastic removable panels snap onto heavy duty epoxy coated steel frames. The sectional panels can be easily unsnapped from the frames, washed and snapped back on. No tools or hardware are required.

ISS New Era™ steel-reinforced plastic shelves can be used in all environments from 190° F. (88° C.) to -20° F. (-29° C.). Strength rated to support 1,000 lbs. (455 kgs.) per shelf, they fit onto standard ISS posts and can be intermixed with other ISS shelving styles. For example, use a solid style steel-reinforced plastic shelf to store items that might drip, and use regular wire shelves on other levels of the shelving unit.


There's never a corrosion-worry with ISS New Era™ steel-reinforced plastic shelves. Stainless steel posts are recommended with these never-rust shelves.

New Era™ shelves contain an antimicrobial agent that protects the finishes from bacteria, mold, mildew and fungi that cause odors, stains and product degradation. This additional protection helps keep the shelving cleaner in between cleanings.*

*This product does not protect users or others against bacteria, viruses, germs or other disease organisms. It is for the protection of the product only. This antimicrobial product should always be thoroughly cleaned after each use.



SOLID SHELF PANELS



VENTED SHELF PANELS

NEW ERA™ STEEL REINFORCED PLASTIC SHELVES

Dimensions			Weight		VENTED*		SOLID	
W x L (in.)	W x L (mm)		LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
18 x 24	457 x 610		7 1/2	3.4	LPS1824V	\$66.00	LPS1824S	\$69.00
18 x 30	457 x 762		10	4.5	LPS1830V	68.00	LPS1830S	71.00
18 x 36	457 x 914		12	5.4	LPS1836V	70.00	LPS1836S	73.00
18 x 42	457 x 1067		13 1/2	6.1	LPS1842V	81.00	LPS1842S	84.00
18 x 48	457 x 1219		15 1/2	7.0	LPS1848V	83.00	LPS1848S	87.00
18 x 54	457 x 1372		18	8.2	LPS1854V	96.00	LPS1854S	100.00
18 x 60	457 x 1524		19 1/2	8.8	LPS1860V	98.00	LPS1860S	102.00
21 x 24	533 x 610		8 1/4	3.7	LPS2124V	\$75.00	LPS2124S	\$79.00
21 x 30	533 x 762		11	5.0	LPS2130V	77.00	LPS2130S	80.00
21 x 36	533 x 914		13	5.9	LPS2136V	79.00	LPS2136S	82.00
21 x 42	533 x 1067		14 3/4	6.7	LPS2142V	89.00	LPS2142S	93.00
21 x 48	533 x 1219		16 3/4	7.6	LPS2148V	91.00	LPS2148S	95.00
21 x 54	533 x 1372		18 3/4	8.5	LPS2154V	106.00	LPS2154S	111.00
21 x 60	533 x 1524		21 1/4	9.6	LPS2160V	108.00	LPS2160S	113.00
24 x 24	610 x 610		9	4.1	LPS2424V	\$80.00	LPS2424S	\$83.00
24 x 30	610 x 762		12	5.4	LPS2430V	82.00	LPS2430S	87.00
24 x 36	610 x 914		14	6.3	LPS2436V	84.00	LPS2436S	88.00
24 x 42	610 x 1067		16	7.2	LPS2442V	101.00	LPS2442S	106.00
24 x 48	610 x 1219		18	8.2	LPS2448V	103.00	LPS2448S	108.00
24 x 54	610 x 1372		19 1/2	8.8	LPS2454V	118.00	LPS2454S	124.00
24 x 60	610 x 1524		23	10.4	LPS2460V	120.00	LPS2460S	126.00



Shelves & Posts

DIGITAL POSTS®

Dimensions		Weight		STAINLESS STEEL	
H (in.)	H (mm)	LBS.	KGS.	CAT. NO.	PRICE
54 3/4	1391	3 1/4	1.5	P54S	\$41.60
62 3/4	1594	3 1/2	1.6	P62S	47.40
74 3/4	1899	4 1/4	1.9	P74S	54.30
86 3/4	2203	4 3/4	2.2	P86S	63.40

Digital posts also available in Grey Bond™. See page 5.

SHELF DIVIDERS FOR STEEL REINFORCED PLASTIC SHELVES

Dimensions			Weight		GREY BOND™	
W x L (in.)	W x L (mm)	LBS.	KGS.	CAT. NO.	PRICE	
18 x 4 1/2	457 x 114	1 1/4	0.6	PPSD18P	\$13.10	
24 x 4 1/2	610 x 114	1 3/4	0.8	PPSD24P	14.20	



SHELF LEDGES FOR STEEL REINFORCED PLASTIC SHELVES

FOR SHELVES		WEIGHT		GREY BOND™	
IN.	MM	LBS.	KGS.	CAT. NO.	PRICE


SIDE LEDGES

18	457	1/2	0.2	SL18GR	\$26.50
21	533	3/4	0.3	SL21GR	26.50
24	610	3/4	0.3	SL24GR	27.50

BACK LEDGES

24	610	1	0.5	BL24GR	\$33.60
30	762	1 1/2	0.7	BL30GR	40.70
36	914	1 1/2	0.7	BL36GR	44.40
42	1067	2	0.9	BL42GR	44.80
48	1219	2	0.9	BL48GR	44.40
54	1372	2 1/4	1.0	BL54GR	49.10
60	1524	2 1/2	1.1	BL60GR	52.70
72	1829	3	1.4	BL72GR	57.40

Height: 4 1/2". Ledges can be stacked atop each other for added height.



DUNNAGE RACKS

Models to support up to 2,000 lbs. (907 kgs.) of uniformly loaded weight

Dunnage Racks



CHANNEL DUNNAGE RACK

Dunnage racks are the perfect solution for storing bulk, bagged and goods in cartons. Designed to meet the minimum height restrictions of health departments, ISS dunnage racks are engineered to support the excessive loads so often encountered with dunnage rack users. Select the models that best meet your specific needs.

CHANNEL DUNNAGE RACKS

Height: 14" (355 mm) Up to 48" long, load rated to 2,000 lbs. (907 kgs.) . 60" long, load rated to 1,200 lbs. (544 kgs.)

Dimensions			Weight		GOLD BOND*		PLATING PLUS™	
W x L (in.)	W x L (mm)		LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
18 x 36	457 x 914		28	12.7	CDR336Y	\$168.00	CDR336Z	\$150.00
18 x 48	457 x 1219		36	16.3	CDR348Y	186.00	CDR348Z	164.00
18 x 60	457 x 1524		42	19.3	CDR360Y	205.00	CDR360Z	182.00
21 x 36	530 x 914		32	14.5	CDR436Y	\$172.00	CDR436Z	\$153.00
21 x 48	530 x 1219		40 1/2	18.5	CDR448Y	189.00	CDR448Z	166.00
21 x 60	530 x 1524		49	22.3	CDR460Y	220.00	CDR460Z	192.00
24 x 36	610 x 914		36	16.3	CDR536Y	\$176.00	CDR536Z	\$158.00
24 x 48	610 x 1219		47	21.4	CDR548Y	191.00	CDR548Z	170.00
24 x 60	610 x 1524		56	25.4	CDR560Y	238.00	CDR560Z	209.00

Includes four 14" (355 mm) posts, and channel dunnage shelf.

DUNNAGE RACKS

Height: 14" (355 mm) Up to 48" long, load rated to 2,000 lbs. (907 kgs.) . 60" long, load rated to 1,200 lbs. (544 kgs.)

Dimensions			Weight		GOLD BOND*		PLATING PLUS™	
W x L (in.)	W x L (mm)		LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
18 x 36	457 x 914		34	15.6	DR336Y	\$263.00	DR336Z	\$231.00
18 x 48	457 x 1219		42	19.3	DR348Y	308.00	DR348Z	270.00
18 x 60	457 x 1524		48	22.0	DR360Y	362.00	DR360Z	316.00
24 x 30	610 x 762		37	17.1	DR530Y	\$263.00	DR530Z	\$231.00
24 x 36	610 x 914		42	19.4	DR536Y	283.00	DR536Z	249.00
24 x 48	610 x 1219		53	23.6	DR548Y	326.00	DR548Z	286.00
24 x 60	610 x 1524		62	28.0	DR560Y	384.00	DR560Z	338.00

Includes four 14" (355 mm) posts, channel dunnage shelf, 3-sided frame, and wire grid.



DUNNAGE RACK

MOBILE DUNNAGE RACKS

Dimensions			Weight		GOLD BOND*		PLATING PLUS™	
W x L (in.)	W x L (mm)		LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
18 x 36	457 x 914		42	19.3	MDR336Y	\$447.00	MDR336Z	\$416.00
18 x 48	457 x 1219		50	23.0	MDR348Y	493.00	MDR348Z	455.00
18 x 60	457 x 1524		63	28.0	MDR360Y	546.00	MDR360Z	501.00
24 x 30	610 x 762		42	19.4	MDR530Y	\$447.00	MDR530Z	\$416.00
24 x 36	610 x 914		48	22.0	MDR536Y	468.00	MDR536Z	434.00
24 x 48	610 x 1219		54	24.0	MDR548Y	511.00	MDR548Z	470.00
24 x 60	610 x 1524		60	27.0	MDR560Y	569.00	MDR560Z	523.00

Includes four 14" (355 mm) posts, channel dunnage shelf, 3-sided frame, wire grid, and four 5" (127 mm) diameter polyurethane casters (2 swivel and 2 swivel/brake).



MOBILE DUNNAGE RACK

ALUMINUM DUNNAGE RACKS WELDED ONE-PIECE

Height: 12" (305 mm) . Up to 48" long, load rated to 2,000 lbs. (907 kgs.) . 60" long, load rated to 1,200 lbs. (544 kgs.)

Dimensions				Weight		ALUMINUM			
W	x	L (in.)	W	x	L (mm)	LBS.	KGS.	CAT. NO.	PRICE
18	x	36	457	x	914	10	4.5	AAL361812	\$143.00
18	x	48	457	x	1219	12	5.4	AAL481812	165.00
18	x	60	457	x	1524	14	6.3	AAL601812	186.00
18	x	72	457	x	1829	16	7.2	AAL721812	206.00
20	x	30	508	x	762	9	4.1	AAL302012	\$137.00
20	x	36	508	x	914	10	4.5	AAL362012	143.00
20	x	42	508	x	1067	11	5.0	AAL422012	156.00
20	x	48	508	x	1219	12	5.4	AAL482012	165.00
20	x	60	508	x	1524	14	6.3	AAL602012	186.00
20	x	72	508	x	1829	16	7.2	AAL722012	206.00
24	x	24	610	x	610	9	4.1	AAL242412	\$151.00
24	x	30	610	x	762	10	4.5	AAL302412	156.00
24	x	36	610	x	914	11	5.0	AAL362412	165.00
24	x	42	610	x	1067	13	5.9	AAL422412	186.00
24	x	48	610	x	1219	14	6.3	AAL482412	194.00
24	x	60	610	x	1524	18	8.2	AAL602412	222.00
24	x	72	610	x	1829	22	10.0	AAL722412	236.00
30	x	36	760	x	914	14	6.3	AAL363012	\$194.00
30	x	48	760	x	1219	16	7.2	AAL483012	222.00
30	x	60	760	x	1524	20	9.1	AAL603012	280.00
30	x	72	760	x	1829	25	11.3	AAL723012	308.00




ALUMINUM DUNNAGE RACK

Dunnage Racks

STACKABLE WIRE DUNNAGE RACKS WELDED ONE-PIECE

Height: 10 1/2" (267 mm) Load Rated to 1,400 lbs. (634 kgs.)

Dimensions				Weight		PLATING PLUS™			
W	x	L (in.)	W	x	L (mm)	LBS.	KGS.	CAT. NO.	PRICE
18	x	36	457	x	914	19	8.6	PW1836ZP	\$119.00
18	x	48	457	x	1219	25	11.3	PW1848ZP	137.00
18	x	60	457	x	1524	30	13.6	PW1860ZP	161.00
24	x	36	610	x	914	21	9.5	PW2436ZP	\$127.00
24	x	48	610	x	1219	28	12.7	PW2448ZP	149.00
24	x	60	610	x	1524	34	15.4	PW2460ZP	171.00



STACKABLE WIRE DUNNAGE RACK

PLASTIC DUNNAGE RACKS ONE-PIECE

Height: 12" (305 mm) Load Rated to 2000 lbs. (906 kgs.)

Dimensions				Weight		PLASTIC			
W	x	L (in.)	W	x	L (mm)	LBS.	KGS.	CAT. NO.	PRICE
24	x	36	559	x	914	14	6.3	DUN2436	\$160.00
24	x	48	559	x	1219	18	8.2	DUN2448	187.00
24	x	60	559	x	1524	25	11.3	DUN2460	229.00



PLASTIC DUNNAGE RACK

MOBILITY ADDS EFFICIENCY

Choose from the wide array of stem casters to make shelving units mobile. For rough floors, select resilient casters. They're long lasting, quiet and inexpensive. For demanding environments such as extremes in temperature or the presence of solvents or organic chemicals, polyurethane casters are a must. They are non-marking and prevent undue wear on floors and carpeting. In many applications, it is practical to order two swivel casters and two swivel/brake casters. The swivel/brake are normally installed on diagonally opposite corners of the shelving unit. This allows the brake to be applied when pushing from either end of the cart.




STEM CASTERS

DIAMETER		FACE		LOAD RATING		WHEEL TYPE	TIRE TYPE	WEIGHT		SWIVEL		RIGID		SWIVEL/BRAKE	
IN.	MM	IN.	MM	LBS.	KGS.			LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE
2	51	3/4	19	75	34	None	Resilient	1/2	0.2	CM2M	\$15.50	-	-	-	-
3	76	1 1/4	32	150	68	None	Resilient	1 1/2	0.7	CM3M	18.20	-	-	CM3MB	\$20.90
4	102	1 1/4	32	200	91	None	Resilient	2	0.9	CM4M	24.80	-	-	CM4MB	30.10
4	102	1 1/4	32	200	91	Steel	Polyurethane	2	0.9	CM4P	32.90	-	-	CM4PB	37.60
5	127	1 1/4	32	200	91	None	Resilient	2 3/4	1.2	CM5M	25.30	CM5MR	\$30.10	CM5MB	31.20
5	127	1 1/4	32	300	136	Steel	Polyurethane	3	1.4	CM5P	42.70	CM5PR	45.00	CM5PB	49.70
5	127	1 1/4	32	200	91	None	Conductive	3	1.4	CM5MC	30.10	CM5MCR	34.70	CM5MCB	36.90
5	127	1 1/4	32	250	113	Plastic	Polyurethane	3	1.4	CM5PF	63.00	-	-	CM5PFB	69.00
6	152	1 1/4	32	300	136	None	Polyurethane	3	1.4	CM6PS	58.00	-	-	CM6PSB	64.00

The forks of all stem casters are plated steel except for models CM5PF and CM5PFB which are plastic, and models CM6PF and CM6PFB which are stainless steel.

DONUT BUMPERS

DIAMETER		CAT.NO.	PRICE
IN.	MM		
3 1/2	89	DB4	\$6.90
5	127	DB5	8.90



CART COVERS

DIMENSIONS						STAPH CHECK		NYLON (200 DENIER)					
W	x	L	x	H (in.)	W	x	L	x	H (mm)	CAT. NO.	PRICE	CAT. NO.	PRICE
18	x	36	x	62	457	x	914	x	1575	18366R	\$185.00	18366N	\$138.00
18	x	48	x	62	457	x	1219	x	1575	18486R	192.00	18486N	143.00
18	x	60	x	62	457	x	1524	x	1575	18606R	197.00	18606N	149.00
21	x	36	x	62	533	x	914	x	1575	21366R	\$192.00	21366N	\$155.00
21	x	48	x	62	533	x	1219	x	1575	21486R	197.00	21486N	161.00
21	x	60	x	62	533	x	1524	x	1575	21606R	204.00	21606N	178.00
24	x	36	x	62	610	x	914	x	1575	24366R	\$233.00	24366N	\$138.00
24	x	48	x	62	610	x	1219	x	1575	24486R	238.00	24486N	167.00
24	x	60	x	62	610	x	1524	x	1575	24606R	246.00	24606N	192.00
24	x	72	x	62	610	x	1829	x	1575	24726R	250.00	24726N	209.00
24	x	48	x	74	610	x	1219	x	1879	24487R	\$250.00	24487N	\$192.00
24	x	60	x	74	610	x	1524	x	1879	24607R	257.00	24607N	215.00
24	x	72	x	74	610	x	1829	x	1879	24727R	273.00	24727N	228.00



STEM CASTER CARTS

Below are our most popular shelf sizes and casters for mobile carts. These economical models are used for a vast array of mobile storage chores. To make it easy to order, we have created one catalog number to represent four shelves, four posts, four DB5 bumpers and the indicated casters. Carts in other sizes and finishes can be obtained by ordering the individual components.

Cart covers provide a popular option to keep merchandise stored on carts clean during transportation and storage. Covers are available in nylon with velcro enclosures. For healthcare and foodservice applications, covers are also available with a Staph Check coating.

STEM CASTER CARTS

DIMENSIONS		WEIGHT		4 CM5M		2 CM5M / 2 CM5MB		4 CM5P		2 CM5P / 2 CM5PB	
W	L (in.)	W	L (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE

GOLD BOND® SHELVES AND 62" POSTS

18 x 36	457 x 914	49	22.2	C336GY	\$487.20	C336HY	\$499.00	C336KY	\$557.20	C336LY	\$571.40
18 x 48	457 x 1219	58 3/4	26.2	C348GY	527.20	C348HY	539.00	C348KY	597.20	C348LY	611.40
18 x 60	457 x 1524	75 3/4	34.4	C360GY	583.20	C360HY	595.00	C360KY	653.20	C360LY	667.40
21 x 36	533 x 914	56 1/4	25.5	C436GY	\$507.20	C436HY	\$519.00	C436KY	\$577.20	C436LY	\$591.40
21 x 48	533 x 1219	68	30.8	C448GY	559.20	C448HY	571.00	C448KY	629.20	C448LY	643.40
21 x 60	533 x 1524	80	36.3	C460GY	619.20	C460HY	631.00	C460KY	689.20	C460LY	703.40
24 x 36	610 x 914	59 1/4	26.9	C536GY	\$539.20	C536HY	\$551.00	C536KY	\$609.20	C536LY	\$623.40
24 x 48	610 x 1219	71 3/4	82.5	C548GY	603.20	C548HY	615.00	C548KY	673.20	C548LY	687.40
24 x 60	610 x 1524	84 1/4	38.2	C560GY	671.20	C560HY	683.00	C560KY	741.20	C560LY	755.40

PLATING PLUS™ SHELVES AND 62" POSTS

18 x 36	457 x 914	49	22.2	C336GC	\$442.00	C336HC	\$453.80	C336KC	\$512.00	C336LC	\$526.20
18 x 48	457 x 1219	58 3/4	26.2	C348GC	482.00	C348HC	493.80	C348KC	552.00	C348LC	566.20
18 x 60	457 x 1524	75 3/4	34.4	C360GC	526.00	C360HC	537.80	C360KC	596.00	C360LC	610.20
21 x 36	533 x 914	56 1/4	25.5	C436GC	\$466.00	C436HC	\$477.80	C436KC	\$536.00	C436LC	\$550.20
21 x 48	533 x 1219	68	30.8	C448GC	506.00	C448HC	517.80	C448KC	576.00	C448LC	590.20
21 x 60	533 x 1524	80	36.3	C460GC	570.00	C460HC	581.80	C460KC	640.00	C460LC	654.20
24 x 36	610 x 914	59 1/4	26.9	C536GC	\$482.00	C536HC	\$493.80	C536KC	\$552.00	C536LC	\$566.20
24 x 48	610 x 1219	71 3/4	82.5	C548GC	534.00	C548HC	545.80	C548KC	604.00	C548LC	618.20
24 x 60	610 x 1524	84 1/4	38.2	C560GC	610.00	C560HC	621.80	C560KC	680.00	C560LC	694.20

TRAY MODULE STORAGE CARTS

W	x	L	x	H (in.)	DIMENSIONS W x L x H (mm)	TRAY CAPACITY	WEIGHT		GOLD BOND®	
							LBS.	KGS.	CAT. NO.	PRICE
24	x	36	x	79	610 x 914 x 2007	64	163	73.8	TM2436Y	\$866.00
24	x	48	x	79	610 x 1219 x 2007	96	187	84.7	TM2448Y	948.40
24	x	60	x	79	610 x 1524 x 2007	112	216	97.9	TM2460Y	1154.30
24	x	72	x	79	610 x 1829 x 2007	144	240	108.7	TM2472Y	1259.50

Tray Module Storage Carts include 4 Gold Bond® shelves, 4 ea. 74" Gold Bond® posts, 4 ea. 5" resilient stem swivel casters, and tray modules with 13/4" clearance. Tray modules with 3 3/16" clearance may be substituted at the same price. Specify "wider spacing" when ordering.




TRAY MODULES

Ideal for storing trays or insulated feeding trays. Modules snap onto shelves.
Width: 15 1/2"; Height: 8".

LENGTH IN.	MM	TRAY CLEARANCE	TRAY CAPACITY	WEIGHT		BLUE EPOXY	
				LBS.	KGS.	CAT. NO.	PRICE
16 1/2	419	1 3/4	8	4 1/4	1.9	TM181PG	\$41.00
22 1/2	572	1 9/16	12	5 1/2	2.5	TM241PG	43.40
16 1/2	419	3 3/4	4	2 3/4	1.0	TM182PG	41.00
22 1/2	572	3 7/16	6	3 3/4	1.7	TM242PG	43.40

Combine modules to fit entire length of shelves:

LENGTH	TM18	TM24	LENGTH	TM18	TM24
36"	2	0	54"	3	0
42"	1	1	60"	2	1
48"	0	2	72"	0	3





EZ TRACK HIGH DENSITY STORAGE SYSTEM

When you've run out of traditional storage space, what do you do? The answer is to analyze the space that is being presently used for aisles, and attempt to put it to use for additional storage. The way to capture this aisle space for additional storage is to plan a system with mobile shelving units side-by-side, and to allow only one 30" (762 mm) to 36" (914 mm) "live aisle" between the units. When access is required for a shelving unit, simply roll the units aside until the "live aisle" provides access to the desired shelving unit.

EZ TRACK GUIDELINES



Single Aisle System



Double Aisle System

Order shelves and posts separately with the following recommendations:

- Select the size and finish appropriate for the environment. (The guidebar is Type 304 Stainless Steel).
- The end uses should be equal to or greater in width than the mobile units. We do not recommend 14" wide shelving.
- An intermediate stationary unit is recommended for track lengths

- greater than 16 feet. (Remember to include aisle space on both sides of the intermediate stationary unit.)
- For maximum space utilization, an offset rigid caster (CM6PEZ) is recommended. Caster channels are included with these casters.
- A 30" to 36" aisle space is recommended.
- 81" posts are recommended for stationary units and 74" posts for mobile units.

CAT. NO.	PRICE
EZE (fixed unit)	\$179.00
EZM18 (18" wide mobile unit)	118.00
EZM21 (21" wide mobile unit)	118.00
EZM24 (24" wide mobile unit)	118.00
EZT (track tube)	21.50 per foot
EZJ (joining kit)	126.00
CM6PEZ (caster)	38.10 each

HOW TO ORDER

- Order shelves and posts separately.
- Order one EZE for each stationary unit.
- Order one EZM for each mobile unit. Designate width of shelving by ordering EZM18, EZM21 or EZM24.)
- Order four CM6PEZ casters for each mobile unit.
- Order EZT track equal to the total length of the system in even feet. (EZT includes a pair of track).
- Order one joining kit EZJ track lengths over 20 feet. (Includes joining mechanism for both sections of track.)

SHELF GARD™ POLYETHYLENE SHELF COVERS

DIMENSIONS		WEIGHT		OPAQUE		CLEAR		BLACK	
W	L (in.)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE
14	x 36	1 1/2	0.7	1436PSG	\$24.00	1436CPSG	\$26.00	-	-
14	x 48	2	0.9	1448PSG	28.00	1448CPSG	31.00	-	-
14	x 60	2 1/2	1.1	1460PSG	34.00	1460CPSG	36.00	-	-
18	x 24	1 1/2	0.7	1824PSG	\$22.00	1824CPSG	\$31.00	BIL1824BK	\$15.00
18	x 36	2	0.9	1836PSG	24.00	1836CPSG	36.00	BIL1836BK	19.00
18	x 48	2 1/2	1.1	1848PSG	28.00	1848CPSG	43.00	BIL1848BK	22.00
18	x 60	3	1.4	1860PSG	34.00	1860CPSG	48.00	-	-
18	x 72	3 1/2	1.6	1872PSG	46.00	1872CPSG	54.00	-	-
21	x 24	1 3/4	0.8	2124PSG	\$24.00	2124CPSG	\$31.00	-	-
21	x 36	2 1/4	1.0	2136PSG	26.00	2136CPSG	34.00	-	-
21	x 48	2 3/4	1.2	2148PSG	31.00	2148CPSG	36.00	-	-
21	x 60	3 1/2	1.6	2160PSG	36.00	2160CPSG	43.00	-	-
21	x 72	4	1.8	2172PSG	48.00	2172CPSG	54.00	-	-
24	x 24	2	0.9	2424PSG	\$24.00	2424CPSG	\$31.00	BIL2424BK	\$37.00
24	x 36	2 1/2	1.1	2436PSG	26.00	2436CPSG	34.00	BIL2436BK	45.00
24	x 48	3 1/4	1.5	2448PSG	31.00	2448CPSG	36.00	BIL2448BK	45.00
24	x 60	4	1.8	2460PSG	36.00	2460CPSG	43.00	-	-
24	x 72	4 1/2	2.0	2472PSG	48.00	2472CPSG	54.00	-	-



Clear Shelf Gard™



Opaque Shelf Gard™



Black Shelf Gard™

EMBOSSED POLYETHYLENE SHELF COVERS

DIMENSIONS		WEIGHT		EMBOSSED			
W	L (in.)	W	L (mm)	LBS.	KGS.	CAT. NO.	PRICE
18	x 24	457	x 610	1	0.5	AM1824P	\$27.50
18	x 30	457	x 762	1 1/4	0.6	AM1830P	28.70
18	x 36	457	x 914	1 1/2	0.7	AM1836P	31.20
18	x 42	457	x 1067	1 3/4	0.8	AM1842P	32.40
18	x 48	457	x 1219	2	0.9	AM1848P	41.40
18	x 60	457	x 1524	2 1/2	1.1	AM1860P	43.80
18	x 72	457	x 1829	3	1.4	AM1872P	46.10
24	x 24	610	x 610	1 1/2	0.7	AM2424P	\$28.70
24	x 30	610	x 762	1 3/4	0.8	AM2430P	31.20
24	x 36	610	x 914	2	0.9	AM2436P	32.40
24	x 42	610	x 1067	2 1/4	1.0	AM2442P	34.70
24	x 48	610	x 1219	2 3/4	1.2	AM2448P	43.80
24	x 60	610	x 1524	3 1/2	1.6	AM2460P	47.40
24	x 72	610	x 1829	4	1.8	AM2472P	52.20

Note: Because of their size, 24" x 72" shelf covers are not acceptable by UPS.

STAINLESS STEEL SHELF COVERS

DIMENSIONS		WEIGHT		STAINLESS STEEL			
W	L (in.)	W	L (mm)	LBS.	KGS.	CAT. NO.	PRICE
18	x 36	457	x 914	15	6.8	1836SCT	\$285.00
18	x 48	457	x 1219	20	9.0	1848SCT	348.00
18	x 60	457	x 1524	24	10.9	1860SCT	409.00
24	x 36	610	x 914	18	8.1	2436SCT	\$338.00
24	x 48	610	x 1219	24	10.9	2448SCT	397.00
24	x 60	610	x 1524	28	12.7	2460SCT	458.00
30	x 36	762	x 914	20	9.0	3036SCT	\$384.00
30	x 48	762	x 1219	23	10.4	3048SCT	446.00
30	x 60	762	x 1524	30	13.6	3060SCT	508.00

Covers fit on top of wire shelves. Order wire shelves separately. Covers are 18 gauge stainless steel.



Embossed Shelf Covers



Stainless Steel Shelf Covers

PLATE CASTERS, DOLLIES AND DOLLY TRUCKS

Heavyweight mobile storage demands require the extra strength provided by steel dollies. The frames not only provide added cart reinforcement, but allow the addition of optional wraparound rubber bumpers to protect walls from impact damage. Choose from the wide selection of plate casters available with and without brakes.



PLATE CASTERS FOR DOLLY FRAMES

WHEEL DIA. IN.	MM	FACE		LOAD RATING		TREAD TYPE	WEIGHT		SWIVEL		RIGID		SWIVEL/BRAKE	
		IN.	MM	LBS.	KGS.		LBS.	KGS.	CAT.NO.	PRICE	CAT.NO.	PRICE	CAT.NO.	PRICE
5	127	1 1/4	32	200	91	Resilient	2 3/4	1.25	CP5M	\$22.80	CP5MR	\$23.90	CP5MB	\$28.40
5	127	1 1/4	32	300	136	Polyurethane	3	1.36	CP5P	41.80	CP5PR	43.10	CP5PB	45.90
6	152	2	51	800	362	Polyurethane	9	4.08	CP6P	124.30	CP6PR	126.60	CP6PB	129.10
6	152	2	51	800	362	Polyurethane	9	4.08		Brake/Swivel/Lock =		CP6PBL	133.20	
8	203	2	51	900	454	Polyurethane	10 1/2	4.76	CP8P	141.90	CP8PR	155.60	CP8PB	162.90
8	203	2	51	900	454	Resilient	10 1/2	4.76		Brake/Swivel/Lock =		CP8PBL	179.80	

Dolly Frames & Trucks



To design a heavyweight truck, select shelves and posts of the sizes desired. Choose plate casters from above. Shelving easily assembles to the dolly.



DOLLY FRAMES WITHOUT CASTERS

DIMENSIONS			PLATING PLUS™		STAINLESS STEEL		WRAPAROUND BUMPER			
W	x	L (in.)	W	x	L (mm)	CAT. NO.		PRICE		
18	x	36	457	x	914	D336Z	\$257.00	D336S	\$401.00	\$74.00
18	x	48	457	x	1219	D348Z	272.00	D348S	461.00	84.00
18	x	60	457	x	1524	D360Z	295.00	D360S	481.00	89.00
21	x	36	533	x	914	D436Z	\$261.00	D436S	\$445.00	\$76.00
21	x	48	533	x	1219	D448Z	280.00	D448S	467.00	86.00
21	x	60	533	x	1524	D460Z	300.00	D460S	488.00	91.00
24	x	36	610	x	914	D536Z	\$263.00	D536S	\$448.00	\$78.00
24	x	48	610	x	1219	D548Z	281.00	D548S	470.00	90.00
24	x	60	610	x	1524	D560Z	301.00	D560S	496.00	94.00

Dolly casters are factory installed. Specify casters to be installed when ordering dolly frames. If a full wraparound bumper is desired, use "WAB" followed by the dolly catalog number. Example: WABD336Z.

COMPLETE DOLLY TRUCKS

DIMENSIONS			WEIGHT	 GOLD BOND® PLATING PLUS™						
W	x	L (in.)	W	x	L (mm)	LBS.	KGS.	5" RESILIENT CASTERS		5" POLY CASTERS		5" RESILIENT CASTERS		5" POLY CASTERS	
								CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE
18	x	36	457	x	914	71 1/2	32.4	N336EY	\$766.20	N336GY	\$842.20	N336EZ	\$721.00	N336GZ	\$797.00
18	x	48	457	x	1219	84	38.2	N348EY	831.20	N348GY	907.20	N348EZ	786.00	N348GZ	862.00
21	x	48	553	x	1219	96 1/2	43.8	N448EY	\$873.20	N448GY	\$949.20	N448EZ	\$820.00	N448GZ	\$896.00
21	x	60	533	x	1524	102	46.4	N460EY	958.20	N460GY	1034.20	N460EZ	909.00	N460GZ	985.00
24	x	36	610	x	914	85	38.6	N536EY	\$828.20	N536GY	\$904.20	N536EZ	\$771.00	N536GZ	\$847.00
24	x	48	610	x	1219	102	46.4	N548EY	922.20	N548GY	998.20	N548EZ	853.00	N548GZ	929.00
24	x	60	610	x	1524	120	54.5	N560EY	1014.20	N560GY	1090.20	N560EZ	953.00	N560GZ	1029.00

Dolly trucks are standard with 4 ea. shelves, 4 ea. 62" posts, dolly frame with wrap around bumpers, 2 swivel casters and 2 swivel brake casters.

UTILITY CARTS

Utility carts are the true workhorses of any material handling chore. Small enough to maneuver through narrow aisles, yet strong enough to handle the heaviest load, they can be configured to the exact specifications of the products being moved.

Some of the advantages of ISS utility carts are their strength to support up to 900 lbs. per cart, and their versatility to assemble and change shelf levels without the need for tools. Below are the most popular sizes. Order individual components for other cart sizes.

2 SHELF UTILITY CARTS - 38" High

DIMENSIONS			WEIGHT		PLATING PLUS™				
W	x	L (in.)	W	x	L (mm)	LBS.	KGS.	CAT. NO.	PRICE
18	x	36	457	x	914	37	16.8	R2336C	\$311.10
18	x	42	457	x	1067	39	17.7	R2342C	321.00
21	x	36	533	x	914	40 1/2	18.4	R2436C	313.00
21	x	42	533	x	1067	43 1/2	19.7	R2442C	334.80
24	x	36	610	x	914	42	19.1	R2536C	334.80
24	x	42	610	x	1067	45	20.4	R2542C	352.60

Carts include 2 ea. swivel 5" dia. resilient casters, and 2 ea. swivel/brake, 4 ea. DB4 bumpers.



3 SHELF UTILITY CARTS - 38" High

DIMENSIONS			WEIGHT		PLATING PLUS™				
W	x	L (in.)	W	x	L (mm)	LBS.	KGS.	CAT. NO.	PRICE
18	x	36	457	x	914	46	20.8	R3336C	\$366.50
18	x	42	457	x	1067	49	22.2	R3342C	381.30
21	x	36	533	x	914	51 1/4	23.2	R3436C	368.50
21	x	42	533	x	1067	55 3/4	25.3	R3442C	401.10
24	x	36	610	x	914	53 1/2	24.3	R3536C	400.20
24	x	42	610	x	1067	58	26.3	R3542C	426.90

Carts include 2 ea. swivel 5" dia. resilient casters, and 2 ea. swivel/brake, 4 ea. DB4 bumpers.



UTILITY CART HANDLES


IN.	WIDTH	PLATING PLUS™	
		CAT. NO.	PRICE EA.
14	356	UH14C	\$29.00
18	457	UH18C	30.00
21	533	UH21C	31.00
24	610	UH24C	32.00

Nominal height: 38" (97 mm)



WALLS OFFER ADDITIONAL STORAGE SPACE

Take advantage of the additional storage space walls have to offer. Install shelving above sinks, worktables, counters, desks and everywhere else goods need to be readily available. Choose shelf sizes and finishes from the wide ISS array available.



Wall Storage

POST MOUNTED WALL SYSTEM

Our most popular wall shelving system. Just follow these easy steps:

Step 1

Measure the wall where the shelving is to be installed. Plan shelves 1, 2, 3 or more shelves high. Wall shelf lengths should not exceed 60" (1524mm). Select shelves in sizes and finishes desired. Strength rated to 250 lbs. of evenly distributed weight per shelf.

POST-MOUNT CANTILEVER SHELF SUPPORTS



HEIGHT		DESCRIPTION	PLATING PLUS™		GOLD BOND*	
IN.	MM		CAT. NO.	PRICE EA.	CAT. NO.	PRICE EA.
14	356	For one tier	PWMT14Z	\$17.00	PWMT14Y	\$18.00
34	864	For two tier	PWMT34Z	24.00	PWMT34Y	28.00
54	1372	For three or more	PWMT54Z	25.00	PWMT54Y	29.00
62	1589	For three or more	PWMT62Z	30.00	PWMT62Y	32.00

Includes one post and two end mounting brackets. An additional center mounting bracket is included for the 54" and 62" length post.

Step 2

Order posts and mounting brackets. Shelves may share a middle post.

Step 3

Order one shelf bracket for each end of each shelf. Where shelves share a middle post, go to Step 4.




SINGLE POST MOUNTED SHELF BRACKETS

SHELF WIDTH		WEIGHT		PLATING PLUS™		GOLD BOND*	
IN.	MM	LBS.	KGS.	CAT. NO.	PRICE EA.	CAT. NO.	PRICE EA.
14	356	1 1/2	0.7	PWS14Z1	\$34.00	PWS14Y1	\$37.00
18	457	2	0.9	PWS18Z1	35.00	PWS18Y1	39.00
24	610	2 1/2	1.1	PWS24Z1	37.00	PWS24Y1	41.00

Step 4

Order one double shelf bracket where each pair of shelves share a middle post.



DOUBLE POST MOUNTED SHELF BRACKETS

SHELF WIDTH		WEIGHT		PLATING PLUS™		GOLD BOND*	
IN.	MM	LBS.	KGS.	CAT. NO.	PRICE EA.	CAT. NO.	PRICE EA.
14	356	3	1.4	PWS14Z2	\$52.00	PWS14Y2	\$55.00
18	457	3 1/2	1.6	PWS18Z2	54.00	PWS18Y2	57.00
24	610	4	1.8	PWS24Z2	57.00	PWS24Y2	63.00

DIRECT-TO-THE-WALL BRACKETS


SINGLE WALL MOUNT BRACKET *Order shelves separately*

SHELF WIDTH		WEIGHT		PLATING PLUS™		GOLD BOND*	
IN.	MM	LBS.	KGS.	CAT. NO.	PRICE EA.	CAT. NO.	PRICE EA.
14	356	1 1/2	0.7	WS14Z1	\$34.00	WS14Y1	37.00
18	457	2	0.9	WS18Z1	35.00	WS18Y1	38.00

DOUBLE WALL MOUNT BRACKET

14	356	3	1.4	WS14Z2	\$51.00	WS14Y2	\$55.00
18	457	3	1.4	WS18Z2	53.00	WS18Y2	58.00

Price includes one wall mount bracket and two corner caps. Use single wall mount bracket at shelf end and double wall mount bracket for adjoining shelves. Hardware for mounting to the wall is not included.



DIRECT-MOUNT CANTILEVER SHELF SUPPORTS

HEIGHT		PLATING PLUS™		GOLD BOND*	
IN.	MM	CAT. NO.	PRICE	CAT. NO.	PRICE
14	356	WMT14Z	\$54.00	WMT14Y	\$58.00
34	876	WMT34Z	61.00	WMT34Y	64.00

Price includes two posts and four brackets. Order shelves separately. Shelves 14" and 18" wide are recommended in lengths no longer than 48". Strength rated to 60 lbs. of evenly distributed weight per shelf. Hardware for mounting to the wall is not included.



DIRECT WALL MOUNT GRID *Use accessories on pages 24-26*

DIMENSIONS		WEIGHT		PLATING PLUS™		GOLD BOND*		GREY BOND™	
H x W (in.)	H x W (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE
24 x 24	610 x 610	6 1/2	2.9	GR2424Z	\$84.00	GR2424Y	\$98.00	GR2424E	\$98.00
24 x 36	610 x 914	9 1/2	4.3	GR2436Z	97.00	GR2436Y	112.50	GR2436E	112.50
24 x 48	610 x 1219	12 1/2	5.7	GR2448Z	108.00	GR2448Y	125.00	GR2448E	125.00
36 x 36	914 x 914	14 1/2	6.6	GR3636Z	\$97.00	GR3636Y	\$112.50	GR3636E	\$112.50
36 x 48	914 x 1219	19	8.6	GR3648Z	112.00	GR3648Y	129.50	GR3648E	129.50
36 x 60	914 x 1524	24	10.9	GR3660Z	148.00	GR3660Y	171.50	GR3660E	171.50
48 x 48	1219 x 1219	25 1/2	11.6	GR4848Z	153.00	GR4848Y	177.50	GR4848E	177.50

Wall Brackets for Grid


WGBRZ	\$4.00	WGBRY	\$5.50	WGBRES	\$5.50
-------	--------	-------	--------	--------	--------

WALL TRAX™... A TOTAL SYSTEM TO BOOST EFFICIENCY

Wall mounting specially engineered aluminum channel provides the place to easily attached a vast array of storage accessories without the need for tools or hardware. Chose of finishes: Plating Plus™, Gold Bond® and Grey Bond™.



Wall Storage



WALL TRAX™ CHANNELS

DIMENSIONS			WEIGHT		ALUMINUM	
H x L (in.)	H x L (mm)	LBS.	KGS.	CAT. NO.	PRICE	
4 x 48	30 x 1219	7	3.2	TRAX4A	\$89.00	
4 x 96	30 x 2438	14	6.4	TRAX8A	164.00	

Toggle Fasteners

TRAXTOG	\$1.50 ea.
---------	------------

Order 2 Toggle Fasteners per foot of channel ordered.

FLAT SHELVES



DIMENSIONS		WEIGHT		PLATING PLUS™		GOLD BOND®		GREY BOND®	
W x L (in.)	W x L (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE
14 x 24	356 x 610	4 3/4	2.2	GS1424Z	\$63.00	GS1424Y	\$73.00	GS1424E	\$73.00
14 x 36	356 x 914	7 3/4	3.5	GS1436Z	72.00	GS1436Y	84.00	GS1436E	84.00
14 x 48	356 x 1219	10 3/4	4.8	GS1448Z	85.00	GS1448Y	99.00	GS1448E	99.00
18 x 24	457 x 610	5 3/4	2.6	GS1824Z	\$69.00	GS1824Y	\$76.00	GS1824E	\$76.00
18 x 36	457 x 914	9 1/4	4.2	GS1836Z	79.00	GS1836Y	91.50	GS1836E	91.50
18 x 48	457 x 1219	12 3/4	5.8	GS1848Z	92.00	GS1848Y	107.00	GS1848E	107.00

FLAT SHELVES WITH LIP



DIMENSIONS		WEIGHT		PLATING PLUS™		GOLD BOND®		GREY BOND®	
W x L (in.)	W x L (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE
14 x 24	356 x 610	4 3/4	2.2	GSL1424Z	\$63.00	GSL1424Y	\$73.00	GSL1424E	\$73.00
14 x 36	356 x 914	7 3/4	3.5	GSL1436Z	72.00	GSL1436Y	84.00	GSL1436E	84.00
14 x 48	356 x 1219	10 3/4	4.8	GSL1448Z	85.00	GSL1448Y	99.00	GSL1448E	99.00
18 x 24	457 x 610	5 3/4	2.6	GSL1824Z	\$69.00	GSL1824Y	\$76.00	GSL1824E	\$76.00
18 x 36	457 x 914	9 1/4	4.2	GSL1836Z	79.00	GSL1836Y	91.50	GSL1836E	91.50
18 x 48	457 x 1219	12 3/4	5.8	GSL1848Z	92.00	GSL1848Y	107.00	GSL1848E	107.00

SLANTED SHELVES



DIMENSIONS		WEIGHT		PLATING PLUS™		GOLD BOND®		GREY BOND®	
W x L (in.)	W x L (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE
14 x 24	356 x 610	4 3/4	2.2	GSS1424Z	\$63.00	GSS1424Y	\$73.00	GSS1424E	\$73.00
14 x 36	356 x 914	7 3/4	3.5	GSS1436Z	72.00	GSS1436Y	84.00	GSS1436E	84.00
14 x 48	356 x 1219	10 3/4	4.8	GSS1448Z	85.00	GSS1448Y	99.00	GSS1448E	99.00
18 x 24	457 x 610	5 3/4	2.6	GSS1824Z	\$69.00	GSS1824Y	\$76.00	GSS1824E	\$76.00
18 x 36	457 x 914	9 1/4	4.2	GSS1836Z	79.00	GSS1836Y	91.50	GSS1836E	91.50
18 x 48	457 x 1219	12 3/4	5.8	GSS1848Z	92.00	GSS1848Y	107.00	GSS1848E	107.00

GRID BASKETS

DIMENSIONS			WEIGHT		PLATING PLUS™		GOLD BOND*		GREY BOND*	
W x L (in.)	W x L (mm)		LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE
12 x 24 x 6	305 x 610 x 150		3 3/4	1.7	GB12246Z	\$61.00	GB12246Y	\$71.50	GB12246E	\$71.50
12 x 18 x 6	305 x 457 x 150		3	1.4	GB12186Z	60.00	GB12186Y	70.00	GB12186E	70.00
18 x 14 x 3	457 x 355 x 76		3	1.4	GB18143Z	49.50	GB18143Y	56.00	GB18143E	56.00
5 x 12 x 4	126 x 305 x 102		1	0.5	GBSPRNKZ	39.50	GBSPRNKY	47.00	GBSPRNKE	47.00
5 x 12 x 4	126 x 305 x 102		1	0.5	GB4512Z	39.50	GB4512Y	47.00	GB4512E	47.00
4 x 4 x 18	102 x 102 x 457		1 1/2	0.7	GB4418R1Z	48.00	GB4418R1Y	54.00	GB4418R1E	54.00
12 x 10 x 6	305 x 254 x 150		2 1/2	1.1	GB12106Z	48.00	GB12106Y	54.00	GB12106E	54.00

Grid Basket with Eyelets - attaches directly to wall

4 x 5 x 12	102 x 127 x 305	1	0.5	GB4512WZ	\$48.00	GB4512WY	\$54.00	GB4512WE	\$54.00
------------	-----------------	---	-----	----------	---------	----------	---------	----------	---------



Grid Basket 18"W x 14" L x 3" H



Grid Basket 12"W x 24" L x 6" H



24" Hook



Grid Bottle Holder




Spoodle Holder

HOOKS

DIMENSIONS			WEIGHT		PLATING PLUS™		GOLD BOND*		GREY BOND*	
W x L x D (in.)	W x L x D (mm)		LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE
24" Hook										
6 x 24	150 x 610		1 3/4	0.8	HOOK24Z	\$23.50	HOOK24Y	\$27.50	HOOK24E	\$27.50
24" Hook with Eyelets-attaches directly to wall										
24 x 6 x 4	610 x 152 x 102		1 3/4	0.8	HOOK246R2Z	32.00	HOOK246R2Y	35.00	HOOK246R2E	35.00
Hook with 3" Prong										
24 x 3 x 4	610 x 76 x 102		1 3/4	0.8	HOOK243R1Z	32.00	HOOK243R1Y	35.00	HOOK243R1E	35.00
Adjustable Wall Hook										
20 x 3 x 4	508 x 76 x 102		1 3/4	0.8	HOOK20ADJZ	32.00	HOOK20ADJY	35.00	HOOK20ADJE	35.00
Pot Hook										
					PHKZ	2.50	PHKY	3.00	PHKE	3.00

HOLDERS

DIMENSIONS			WEIGHT		PLATING PLUS™		GOLD BOND*		GREY BOND*	
W x L x D (in.)	W x L x D (mm)		LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE
Grid Bottle Holder										
21 x 4 x 13	533 x 102 x 330		2	0.1	GRBTLHDZ	\$55.00	GRBTLHDY	\$64.00	GRBTLHDE	\$64.00
Wall Pot & Lid Holder										
9 x 4 x 10	229 x 102 x 254		1 1/2	0.7	BRCHILIZ	70.00	BRCHILY	77.00	BRCHILIE	77.00
Spoodle Holder										
3 x 10	76 x 254		1	0.5	GRSPOODZ	35.50	GRSPOODY	41.00	GRSPOODE	41.00
Scoop Holder										
5 x 10	127 x 254		1 1/4	0.6	GRSCOOPZ	33.00	GRSCOOPY	39.00	GRSCOPE	39.00



Monkey Dish Holder





Plate Rack



Offset Grid


WALL TRAX™ DISH HOLDERS

DIMENSIONS		WEIGHT		PLATING PLUS™		GOLD BOND®		GREY BOND™									
W	L	x	D(in.)	W	L	x	D(mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE		
Monkey Dish Holder																	
4	x	21	x	17	102	x	533	x	432	24	10.9	DISHHOLDZ	\$72.00	DISHHOLDY	\$81.00	DISHHOLDE	\$81.00
Plate Rack																	
8 1/4	x	8 1/4	x	10	216	x	216	x	254	1 1/2	0.7	PLATERKZ	64.00	PLATERKY	70.00	PLATERKE	70.00

WALL TRAX™ OFFSET GRIDS

DIMENSIONS		WEIGHT		PLATING PLUS™		GOLD BOND®		GREY BOND™					
W	L (in.)	W	L (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE	CAT. NO.	PRICE		
24	x	36	610	x	914	9 1/2	4.3	GRO2436Z	\$89.00	GRO2436Y	\$103.00	GRO2436E	\$103.00
20	x	36	508	x	914	7 1/2	3.4	GRO2036Z	87.00	GRO2036Y	101.00	GRO2036E	101.00

WALL TRAX™ PREPACK KITS




Pre-Pack 1 - Above Work Area 28" H x 48" L

Kit includes:

2 ea.	TRAX4A	48" L Aluminum Channel	Plated	WT1Z	\$429.00
1 ea.	GR02036*	Offset Grid			
1 ea.	GSS1436*	14" x 36" Slant Shelves	Gold Bond®	WT1Y	499.00
1 ea.	GB*	12" x 24" x 6" Basket			
1 ea.	HOOK24*	24" Hook	Grey Bond™	WT1E	499.00
16 ea.	TRAXTOG	Channel Toggle Fasteners			

* Indicates finish selected.




Pre-Pack 2 - Above Sink Area 28" H x 96" L

Kit includes:

2 ea.	TRAX8A	96" L Aluminum Channel	Plated	WT2Z	\$824.00
2 ea.	GR02036*	Offset Grid			
2 ea.	GS1424*	14" x 24" Flat Shelves	Gold Bond®	WT2Y	959.00
1 ea.	GSL1836*	18" x 36" Flat Shelf with Lip			
1 ea.	GB*	12" x 24" x 6" Basket	Grey Bond™	WT2E	959.00
1 ea.	HOOK24*	24" Hook			
32 ea.	TRAXTOG	Channel Toggle Fasteners			

* Indicates finish selected.



Pre-Pack 3 - Above Counter 36" H x 48" L

Kit includes:

1 ea.	GR3648*	36" H x 48" L Grid	Plated	WT3Z	\$374.00
1 ea.	GB*	12" x 24" x 6" Basket	Gold Bond®	WT3Y	449.00
2 ea.	GS1448*	14" x 48" Flat Shelves			
1 ea.	HOOK 24*	24" Hook	Grey Bond™	WT3E	449.00

* Indicates finish selected.




WINE STORAGE IDEAS

WINE RACK MODULES

Modules can stand alone or be installed onto shelves (see below)

DIMENSIONS				BOTTLE CAPACITY	WEIGHT		CAT. NO.	PRICE
D x W x H (in.)	D x W x H (mm)	BOTTLE CAPACITY	LBS.		KGS.			
8 x 10 3/4 x 10 3/4	203 x 273 x 273	6	3	1.4	706	\$24.00		
8 x 10 3/4 x 10 3/4	203 x 273 x 273	6	3	1.4	706BK	30.00		
8 x 16 x 21 1/2	203 x 406 x 546	21	7	3.2	710	56.00		
8 x 16 x 21 1/2	203 x 406 x 546	21	7	3.2	710BK	72.00		
8 x 26 1/2 x 21 1/2	203 x 673 x 673	45	12	5.4	711	116.00		
8 x 26 1/2 x 21 1/2	203 x 673 x 673	45	12	5.4	711BK	139.00		

Compartment size: 3 1/2" square. All models except those with BK suffix are Plating Plus™. Models indicated with BK are black epoxy coated.



710

COMPLETE WINE RACKS

DIMENSIONS				BOTTLE CAPACITY	WEIGHT		BLACK EPOXY	
D x W x H (in.)	D x W x H (mm)	BOTTLE CAPACITY	LBS.		KGS.	CAT. NO.	PRICE	
14 x 24 x 74	356 x 610 x 1880	78	67	30.4	WR3142474	\$496.00		
14 x 30 x 62	356 x 762 x 1575	82	64	29.0	WR4143062	487.00		
14 x 48 x 74	356 x 1219 x 1880	166	112	50.7	WR3144874	830.00		

†For use in dry environments.



5 SHELF WINE RACKS

DIMENSIONS				BOTTLE CAPACITY	WEIGHT		PLATING PLUS™	
D x W x H (in.)	D x W x H (mm)	BOTTLE CAPACITY	LBS.		KGS.	CAT. NO.	PRICE	
14 x 36 x 34	356 x 914 x 864	45	35	15.9	34333	\$188.00		
14 x 36 x 54	356 x 914 x 1372	45	46	20.8	39436	210.00		

Model 34333 includes 5 ea. wine shelves and 4 ea. 34" posts. Model 39436 includes 5 ea. wine shelves and 1 ea. standard wire shelf and 4 ea. 54" posts. For use in dry environments.



WINE SHELVES ONLY

DIMENSIONS			BOTTLE CAPACITY	WEIGHT		PLATING PLUS™	
D x W (in.)	D x W (mm)	BOTTLE CAPACITY		LBS.	KGS.	CAT. NO.	PRICE
14 x 36	356 x 914	9	7	3.2	MW1436C	32.50	
14 x 48	356 x 1219	12	8	3.6	MW1448C	34.75	

The above wine shelves are sold in master packs of 4 ea. only.

STOP THEFT LOSSES WITH SECURITY SHELVING



Standard Security Truck with two intermediate shelves



Security Module

SECURITY TRUCKS

DIMENSIONS				WEIGHT		DESCRIPTION	PLATING PLUS™		GOLD BOND®					
W	x	L	x H (in.)	W	x		L	x H (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
24	x	36	x 68	610	x	914	x 1742	140	63	Standard	SS536C	\$1,093.00	SS536Y	\$1,195.00
24	x	36	x 68	610	x	914	x 1742	171	77	Heavy Duty	SH536C	1361.00	SH536Y	1542.00
24	x	48	x 68	610	x	1219	x 1742	165	75	Standard	SS548C	1300.00	SS548Y	1415.00
24	x	48	x 68	610	x	1219	x 1742	198	90	Heavy Duty	SH548C	1613.00	SH548Y	1736.00
24	x	60	x 68	610	x	1524	x 1742	188	86	Standard	SS560C	1414.00	SS560Y	1642.00
24	x	60	x 68	610	x	1524	x 1742	225	102	Heavy Duty	SH560C	1733.00	SH560Y	1836.00

Standard Security Trucks include 4 ea. posts, top and bottom shelves, 2 ea. side panels, 2 ea. back panels, 2 ea. front doors, 4 ea. 5" resilient stem swivel casters, 4 ea. bumpers, 4 ea. fender washers, and 4 ea. one-way screws. Order intermediate shelves separately.

Heavy Duty Security Trucks include a dolly frame with wraparound bumpers and 5" resilient plate casters. Double doors for both front and back of the trucks are available on special order. For stainless steel trucks, contact the factory.

STATIONARY SECURITY UNITS

DIMENSIONS				WEIGHT		DESCRIPTION	PLATING PLUS™		GOLD BOND®					
W	x	L	x H (in.)	W	x		L	x H (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
24	x	36	x 62	610	x	914	x 1589	131	60	Standard	SR536C	\$938.00	SR536Y	\$1,045.00
24	x	48	x 62	610	x	1219	x 1589	150	68	Standard	SR548C	1136.00	SR548Y	1254.00
24	x	60	x 62	610	x	1524	x 1589	177	79	Standard	SR560C	1225.00	SR560Y	1344.00

INTERMEDIATE SHELVES FOR SECURITY UNITS

DIMENSIONS			WEIGHT		FITS UNITS	PLATING PLUS™		GOLD BOND®				
W	x	L (in.)	W	x		L (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
24	x	36	610	x	914	12 1/2	5.0	SS536C, SH536C, SR536C	2436C	\$65.00	2436Y	\$77.00
24	x	48	610	x	1219	16	7.3	SS548C, SH548C, SR548C	2448C	78.00	2448Y	93.00
24	x	60	610	x	1524	20	9.0	SS560C, SH560C, SR560C	2460C	97.00	2460Y	110.00

SECURITY MODULES

Convert a 24" wide shelf into a secured storage area. The Security Module Kit includes 2 ea. end panels, 1 ea. back panel, and 1 ea. lockable front panel. The kit may be used on any standard ISS unit 30", 48" and 60" long.

DIMENSIONS				WEIGHT		PLATING PLUS™		GOLD BOND®					
W	x	L	x H (in.)	W	x	L	x H (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
24	x	30	x 20	610	x	760	x 510	29 1/4	14.0	SECM530Z	\$311.00	SECM530Y	\$327.00
24	x	48	x 20	610	x	1219	x 510	35	15.9	SECM548Z	359.00	SECM548Y	376.00
24	x	60	x 20	610	x	1524	x 510	39	18.0	SECM560Z	388.00	SECM560Y	408.00

Order shelves and posts separately.

Security Shelving

LINEN TRUCKS



DIMENSIONS				WEIGHT		NO. SHELVES	GOLD BOND		PLATING PLUS™							
W	x	L	x	H (in.)	W		x	L	x	H (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
18	x	36	x	62	457	x	914	x	1575	87	39	4	LA3366Y	\$775.90	LA3366Z	\$707.60
18	x	48	x	62	457	x	1219	x	1575	107	49	4	LA3486Y	\$878.00	LA3486Z	\$804.60
18	x	48	x	62	457	x	1219	x	1575	118	54	5	LA4566Y	952.40	LA4566Z	869.90
24	x	48	x	62	610	x	1219	x	1575	120	54	4	LA4486Y	\$974.80	LA4486Z	\$875.70
24	x	48	x	62	610	x	1219	x	1575	135	61	5	LA4856Y	1067.80	LA4856Z	953.90
24	x	60	x	62	610	x	1524	x	1575	131	59	4	LA4606Y	\$1062.70	LA4606Z	971.40
24	x	60	x	62	610	x	1524	x	1575	149	68	5	LA4656Y	1172.60	LA4656Z	1068.40

Linen trucks are complete with 4 shelves of the indicated size, 4 ea. 62" posts, 4 ea. 5" diameter resilient casters (2 with brake), 4 ea. donut bumpers, 1 ea. extended handle, and enclosure panels.

SLANT SHELF LINEN TRUCKS

Include two intermediate shelves slanted 15° toward the back of the unit to reduce the risk of spillage during transport. Available standard duty with stem casters or heavy duty with dolly frames.

DIMENSIONS				WEIGHT		NO. SHELVES	TYPE	PLATING PLUS™							
W	x	L	x	H (in.)	W			x	L	x	H (mm)	LBS.	KGS.	CAT. NO.	PRICE
24	x	36	x	62	610	x	914	x	1589	92	42	4	Standard Duty	TS536Z	\$999.80
24	x	60	x	62	610	x	1524	x	1589	126	57	4	Standard Duty	TS560Z	1071.80
24	x	36	x	62	610	x	914	x	1589	115	52	4	Heavy Duty	TH536Z	1222.20
24	x	48	x	62	610	x	1219	x	1589	140	63	4	Heavy Duty	TH548Z	1368.70
24	x	60	x	62	610	x	1524	x	1589	164	74	4	Heavy Duty	TH560Z	1468.40

Standard unit consists of 2 ea. slanted shelves, 2 ea. standard shelves, 4 ea. 62" posts, 1 ea. extended handle, 4 ea. CM5P casters, 4 ea. donut bumpers, and 1 set of enclosure panels. Heavy duty unit is equipped with a dolly frame with wraparound bumper, 2 ea. CP5P and 2 ea. CP5PB casters.

ADDITIONAL SLANT SHELVES

DIMENSIONS			WEIGHT		PLATING PLUS™				
W	x	L (in.)	W	x	L (mm)	LBS.	KGS.	CAT. NO.	PRICE
24	x	36	610	x	914	11 1/2	5	536SZ	\$105.00
24	x	48	610	x	1219	14 1/2	6	548SZ	122.00
24	x	60	610	x	1524	17 3/4	8	560SZ	131.00

MOBILE DISPLAY CART 18" Wide (457 mm)

DIMENSIONS			WEIGHT		NO. OF SHELVES	PLATING PLUS™		GOLD BOND*				
L	x	H (in.)	L	x		H (mm)	LBS.	KGS.	CAT. NO.	PRICE		
36	x	62	914	x	1589	73	33	1 regular top shelf 4 slanted shelves	MM3361Z	\$725.30	MM3361Y	\$786.20
36	x	74	914	x	1895	75	34	5 slanted shelves	MM3362Z	848.50	MM3362Y	905.80
48	x	62	1219	x	1589	81	37	1 regular top shelf 4 slanted shelves	MM3481Z	784.20	MM3481Y	836.10
48	x	74	1219	x	1895	84	38	5 slanted shelves	MM3482Z	912.40	MM3482Y	973.50

Complete with the specified number of shelves, 4 posts, 1 ea. 3-sided frame if unit has all slanted shelves, 4 ea. resilient swivel casters, 2 ea. dividers per display shelf.

STATIONARY DISPLAY UNIT 18" Wide (457 mm)

DIMENSIONS			WEIGHT		NO. OF SHELVES	PLATING PLUS™		GOLD BOND*				
L	x	H (in.)	L	x		H (mm)	LBS.	KGS.	CAT. NO.	PRICE		
36	x	62	914	x	1589	73	33	1 regular top shelf 4 slanted shelves	M3361Z	\$594.90	M3361Y	\$656.00
36	x	74	914	x	1895	75	34	5 slanted shelves	M3362Z	718.10	M3362Y	775.50
48	x	62	1219	x	1589	81	37	1 regular top shelf 4 slanted shelves	M3481Z	653.90	M3481Y	705.90
48	x	74	1219	x	1895	84	38	5 slanted shelves	M3482Z	782.10	M3482Y	843.10

Complete with the specified number of shelves, 4 posts, 1 ea. 3-sided frame if unit has all slanted shelves, 2 ea. dividers per display shelf.

ADDITIONAL DISPLAY SHELVES

DIMENSIONS			PLATING PLUS™		GOLD BOND*				
L	x	H (in.)	L	x	H (mm)	CAT. NO.	PRICE	CAT. NO.	PRICE
18	x	36	457	x	914	S336DZ	\$92.00	S336DY	\$99.00
18	x	48	457	x	1219	S348DZ	105.00	S348DY	112.00

DISPLAY SHELF DIVIDER

FINISH	CAT. NO.	PRICE
PLATING PLUS™	CD18DC	\$11.00
GOLD BOND*	CD18DY	12.00

4" x 17 1/2" (102mm x 445mm)



Enclosure panels not illustrated



Special Storage Needs

EXCHANGE CARTS

DIMENSIONS			WEIGHT		PLATING PLUS™				
W	x L	x H (in.)	W	x L	x H (mm)	LBS.	KGS.	CAT. NO.	PRICE
21	x 48	x 62	533	x 1219	x 1589	130	59	EC44HZ	\$2352.80
21	x 60	x 62	533	x 1524	x 1589	138	63	EC46HZ	2497.80
24	x 48	x 62	610	x 1219	x 1589	158	72	EC54HZ	2425.70
24	x 60	x 62	610	x 1524	x 1589	162	73	EC56HZ	2564.00

Complete with 5 ea. shelves of the indicated size, 4 ea. 62" posts, 1 ea. dolly frame with wraparound bumper, 4 ea. 8" dia. polyurethane casters (2 ea. with brake), 2 ea. one-piece slides, 4 drawers with dividers, 6 ea. shelf dividers, 12 ea. bin markers, and enclosure panels on three sides.

TOTE BOX UNIT & DRAWERS

DIMENSIONS			WEIGHT		PLATING PLUS™				
W	x L	x H (in.)	W	x L	x H (mm)	LBS.	KGS.	CAT. NO.	PRICE
21	x 24	x 54	533	x 610	x 1385	66	30	TB4GZ	\$391.00
21	x 24	x 54	533	x 610	x 1385	66	30	TB4KZ	458.00

Complete with 2 ea. shelves, 4 ea. 54" posts, 8 ea. single tote slides, (includes 2 ea. Speed-Lok corner inserts per slide) 4 ea. 4" bumpers. Model TB4GZ includes 4 ea. 5" resilient casters. Model TB4KZ includes 4 ea. 5" polyurethane casters.

TOTE BOXES

DIMENSIONS					PLASTIC		
W	x L	x H (in.)	W	x L	x H (mm)	CAT. NO.	PRICE
3	x 22 1/2	x 17 1/2	76	x 558	x 457	DO223	\$41.20
6	x 22 1/2	x 17 1/2	152	x 558	x 457	DO226	45.30
9	x 22 1/2	x 17 1/2	228	x 558	x 457	DO229	66.60

See page 39 for dividers.

BAG IN THE BOX STORAGE UNIT

DIMENSIONS			WEIGHT		PLATING PLUS™		GOLD BOND®				
W	x L	x H (in.)	W	x L	x H (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
18	x 36	x 62	457	x 914	x 1589	65	29	BB336Z	\$369.90	BB336Y	\$413.20
18	x 48	x 62	457	x 1219	x 1589	82 1/2	37	BB348Z	445.10	BB348Y	488.50

KEG RACKS

DIMENSIONS			WEIGHT		1/2 BARREL	PLATING PLUS™		GOLD BOND®				
W	x L	x H (in.)	W	x L	x H (mm)	LBS.	KGS.	CAPACITY	CAT. NO.	PRICE	CAT. NO.	PRICE

STYLE A

18	x 48	x 54 3/4	457	x 1219	x 1391	90	41.0	4	B348AZ	\$592.00	B348AY	\$649.00
18	x 60	x 54 3/4	457	x 1524	x 1391	124	56.0	6	B360AZ	685.00	B360AY	756.00

Complete with 2 ea. dunnage shelves with Gold Bond® wire grids, 2 ea. 3-sided frames, four 54" posts, 4 ea. foot plates, 2 ea. retainer chains.

STYLE A-1

18	x 48	x 54 3/4	457	x 1219	x 1391	58	26.0	4	B348A1Z	\$427.00	B348A1Y	\$465.00
18	x 60	x 54 3/4	457	x 1524	x 1391	74	33.5	6	B360A1Z	491.00	B360A1Y	541.00

Kege are floor stacked on lower level. Unit complete with 1 ea. dunnage shelf with Gold Bond® wire grid, 2 ea. 3-sided frames, four 54" posts, 4 ea. foot plates, 2 ea. retainer chains.

CYLINDER RETAINER CHAIN


LENGTH		WEIGHT			
IN.	MM	LBS.	KGS.	CAT. NO.	PRICE
30	762	1/2	0.20	CR30	\$14.30
48	1219	3/4	0.30	CR48	17.60
60	1524	6	0.45	CR60	19.70



Bag In The Box Unit




Keg Rack Style A



NO. 10 CAN STORAGE RACKS

SM-10



DIMENSIONS				WEIGHT		PLATING PLUS™							
W	x	L	x	H (in.)	W	x	L	x	H (mm)	LBS.	KGS.	CAT. NO.	PRICE
No. 10 Can Storage Rack Mobile - 30 Can Capacity													
21	x	40	x	18 1/4	533	x	1016	x	464	35	15.9	SM10	\$253.00
No. 10 Can Storage Rack Mobile - 60 Can Capacity													
21	x	42	x	51	533	x	1067	x	1295	127	57.3	SM2MB	939.00
No. 10 Can Storage Rack Stationary - 90 Can Capacity													
21	x	42	x	64	533	x	1067	x	1625	150	68.0	SM3B	998.00



SM2MB



SM3B

COMPLETE STACKING BASKET UNITS

DIMENSIONS				WEIGHT		GREY BOND™							
W	x	L	x	H (in.)	W	x	L	x	H (mm)	LBS.	KGS.	CAT. NO.	PRICE
20 1/4	x	24 1/4	x	41	514	x	616	x	1041	37	16.8	SB5	\$514.00
20 1/4	x	48 1/2	x	41	514	x	1232	x	1041	61	27.6	SB6	733.00
20 1/4	x	24 1/4	x	41	514	x	616	x	1041	36	16.3	SB7	499.00
20 1/4	x	48 1/2	x	41	514	x	1232	x	1041	60	27.2	SB8	711.00

Models SB5 and SB6 consist of 3 ea. 18" baskets, 1 ea. 20" basket, and a dolly. Each 48" basket includes 1 ea. divider. Models SB7 and SB8 consist of 2 ea. 16" baskets, 1 ea. 18" basket, 1 ea. 20" basket, and a dolly. Each 48" basket includes 1 ea. divider.

STACKING BASKETS ONLY

DIMENSIONS				WEIGHT		GREYBOND™							
W	x	L	x	H (in.)	W	x	L	x	H (mm)	LBS.	KGS.	CAT. NO.	PRICE
16	x	24	x	9 1/4	406	x	610	x	235	7	3.2	ASB1624GR	\$89.00
18	x	24	x	9 1/4	457	x	610	x	235	7	3.2	ASB1824GR	96.00
20	x	24	x	9 1/4	508	x	610	x	235	7	3.2	ASB2024GR	102.00
16	x	48	x	9 1/4	406	x	1219	x	235	10	4.5	ASB1648GR	102.00
18	x	48	x	9 1/4	457	x	1219	x	235	10	4.5	ASB1848GR	108.00
20	x	48	x	9 1/4	508	x	1219	x	235	11	5.0	ASB2048GR	116.00

STACKING BASKET DOLLIES

DIMENSIONS				WEIGHT		PLATING PLUS™							
W	x	L	x	H (in.)	W	x	L	x	H (mm)	LBS.	KGS.	CAT. NO.	PRICE
20 1/4	x	24 1/4	x	5	514	x	616	x	127	10	4.5	SBD2024ZP	\$124.00
20 1/4	x	48 1/2	x	5	514	x	1232	x	127	20	9.1	SBD2048ZP	191.00

Dollies equipped with 4" dia. hard rubber swivel casters. Caster capacity 125 lbs. ea.

STACKING BASKET DIVIDERS

LENGTH		WEIGHT		GREY BOND™	
IN.	MM	LBS.	KGS.	CAT. NO.	PRICE
16	406	1	0.5	ASBD16	\$21.50
18	457	1	0.5	ASBD18	26.90
20	508	1	0.5	ASBD20	28.20

Dividers are 8 3/4" high.

DAIRY & CATERING DOLLIES

Designed for milk crates or transporting plates stored in plastic crates. Smaller unit holds 2 cases side-by-side; 10 crate capacity stacked 5 high. Larger unit designed for 4 cases per tier; 20 crate capacity stacked 5 high.

DIMENSIONS				WEIGHT		ALUMINUM							
W	x	L	x	H (in.)	W	x	L	x	H (mm)	LBS.	KGS.	CAT. NO.	PRICE
28	x	14	x	6 1/3	686	x	356	x	161	15.5	7.0	TR2714A	\$260.00
28	x	28	x	6 1/3	686	x	686	x	161	18.5	8.4	TR2727A	288.00

Units include 4 ea. 3 1/2" swivel hard rubber casters.



SB7



ASB2024GR



TR2714A

TR2727A

Special Storage Needs



WORK CENTER I



WORK CENTER II



WORK CENTER III



OFFICE WORK CENTER



COMPUTER WORK CENTER

CONFIGURE WORK CENTERS TO YOUR EXACT NEEDS

Work Centers are increasing efficiencies in industries as diversified as food service, material handling, healthcare, office, manufacturing and a host of others. The following centers are just a few of the most popular configurations. Order individual parts to design one that meets your own unique needs.

WORK CENTERS

DIMENSIONS				WEIGHT		GOLD BOND*					
W	x	L	x H (in.)	W	x L	x H (mm)	LBS.	KGS.	CAT. NO.	PRICE	
WORK CENTER I											
24	x	36	x 74	610	x	914	x 1895	78	35.0	WKI536Y	\$758.90
24	x	48	x 74	610	x	1219	x 1895	96	43.4	WKI548Y	870.80
24	x	60	x 74	610	x	1524	x 1895	110	50.0	WKI560Y	981.70
30	x	36	x 74	762	x	914	x 1895	85	38.6	WKI636Y	879.70
30	x	48	x 74	762	x	1219	x 1895	104	47.2	WKI648Y	995.50
30	x	60	x 74	762	x	1524	x 1895	127	57.7	WKI660Y	1074.70

Includes 1 ea. stainless steel shelf cover, 2 ea. 24" or 30" wire shelves for the base of the unit, 2 ea. 34" posts, 2 ea. 40" posts, 2 ea. 74" posts, 2 ea. 14" or 18" deep shelves for above the work surface, and 4 ea. footplates.

WORK CENTER II

24	x	36	x 74	610	x	914	x 1895	81	36.8	WKII536Y	\$838.70
24	x	48	x 74	610	x	1219	x 1895	99	45.0	WKII548Y	955.30
24	x	60	x 74	610	x	1524	x 1895	116	52.7	WKII560Y	1068.00
30	x	36	x 74	762	x	914	x 1895	89	40.4	WKII636Y	968.00
30	x	48	x 74	762	x	1219	x 1895	108	49.0	WKII648Y	1088.50
30	x	60	x 74	762	x	1524	x 1895	131	59.5	WKII660Y	1169.60

Includes 1 ea. stainless steel shelf cover, 2 ea. 24" or 30" wire shelves for the base of the unit, 2 ea. 34" posts, 2 ea. 31" posts, 2 ea. 74" posts, 2 ea. 14" or 18" deep shelves for above the work surface, 3 ea. dividers, 2 ea. end ledges, 1 ea. back ledge for the top shelf, and 4 ea. footplates.

WORK CENTER III

24	x	36	x 74	610	x	914	x 1895	118	53.6	WKIII536Y	\$1249.90
24	x	48	x 74	610	x	1219	x 1895	136	61.8	WKIII548Y	1385.20
24	x	60	x 74	610	x	1524	x 1895	153	69.5	WKIII560Y	1522.70
30	x	36	x 74	762	x	914	x 1895	127	57.7	WKIII636Y	1379.20
30	x	48	x 74	762	x	1219	x 1895	140	63.3	WKIII648Y	1518.50
30	x	60	x 74	762	x	1524	x 1895	145	65.9	WKIII660Y	1624.30

Includes 1 ea. stainless steel shelf cover, 2 ea. 24" or 30" wire shelves for the base of the unit, 2 ea. 34" posts, 2 ea. 31" posts, 2 ea. 74" posts, 2 ea. 14" or 18" deep shelves for above the work surface, 3 ea. dividers, 2 ea. end ledges, 1 ea. back ledge for the top shelf, 1 ea. end grid, 1 ea. back grid, 8 ea. S-hooks, 5 ea. pot hooks, 1 ea. scoop holder, 2 ea. large grid baskets, 1 ea. small grid basket, and 4 ea. footplates.

DIMENSIONS				WEIGHT		PLATING PLUS™				
W	x	L	x H (in.)	W	x L	x H (mm)	LBS.	KGS.	CAT. NO.	PRICE

OFFICE WORK CENTER

24	x	36	x 74	610	x	914	x 1895	78	35.0	WKOF536Z	\$871.80
24	x	48	x 74	610	x	1219	x 1895	95	43.4	WKOF548Z	965.00
24	x	60	x 74	610	x	1524	x 1895	110	50.0	WKOF560Z	1083.30
30	x	36	x 74	762	x	914	x 1895	85	38.6	WKOF636Z	943.80
30	x	48	x 74	762	x	1219	x 1895	104	47.2	WKOF648Z	1041.30
30	x	60	x 74	762	x	1524	x 1895	127	57.7	WKOF660Z	1163.20

Includes 1 ea. stainless steel shelf cover, 1 ea. standard wire shelf for under the cover, 1 ea. three-sided frame, 2 ea. 34" posts, 2 ea. 74" posts, 2 ea. 31" posts, 2 ea. 14" wide shelves for above the work surface, 5 ea. shelf dividers, 1 pr. of adjustable slides, 1 ea. drawer, 4 ea. footplates, and 1 ea. keyboard holder.

COMPUTER WORK CENTER

4	x	24	x 38	610	x	762	x 965	37	16.8	WKCP524Z	\$300.40
---	---	----	------	-----	---	-----	-------	----	------	----------	----------

Includes 2 ea. 14" x 24" shelves, 1 ea. 24" x 24" shelf, 1 ea. three-sided frame, 2 ea. 34" posts, 2 ea. 28" posts and 4 ea. 3" swivel casters.



Prep Work Station



3 Compartment Sink Station



Drive Thru Station



Dough Cart

WORK CENTERS

DIMENSIONS		WEIGHT		GOLD BOND*									
W	x	L	x	H (in.)	W	x	L	x	H (mm)	LBS.	KGS.	CAT. NO.	PRICE
PREP WORK STATION													
30	x	60	x	86	762	x	1524	x	2184	162	73.4	PREP3060Y	\$1,478.00
3 COMPARTMENT SINK STATION													
<i>OVER SINK</i>													
96	x	36	x	34	2438	x	914	x	864	90	40.8	3COMPSKY	607.00
<i>UNDER DRAINBOARD</i>													
18	x	24	x	24	457	x	610	x	610	18	8.2	WING1824Y	171.00
DRIVE THRU STATION													
<i>BASE UNIT</i>													
24	x	54	x	49	610	x	1372	x	1245	176	79.7	DRTHRU554Y	1,144.00
<i>WALL UNIT</i>													
14	x	30	x	34	356	x	762	x	864	21	9.5	DRTHRUWALLY	208.00
DOUGH CART													
24	x	30	x	60	610	x	762	x	1524	52	23.6	2430DOUGHY	722.00



Can Rack Prep Station



Mixing Station




Home Delivery



Warming Station

WORK CENTERS

DIMENSIONS		WEIGHT		GOLD BOND*									
W	x	L	x	H (in.)	W	x	L	x	H (mm)	LBS.	KGS.	CAT. NO.	PRICE
CAN RACK PREP STATION													
24	x	48	x	86	610	x	1219	x	2184	152	68.9	PREPCANRKY	\$2,152.00
MIXING STATION													
18	x	24	x	86	457	x	610	x	2184	82	37.1	MIXSTA324Y	791.00
HOME DELIVERY													
24	x	48	x	74	610	x	1219	x	1880	180	81.5	HOMEDEL48Y	1,241.00
24	x	60	x	74	610	x	1524	x	1880	199	90.1	HOMEDEL60Y	1,395.00
WARMING STATION													
24	x	48	x	81	610	x	1219	x	2057	125	56.6	WMSTA548Y	1058.00
PIZZA BOX TOWER/PASS THRU TABLE													
48	x	72	x	82	1219	x	1829	x	2083	207	93.8	PIZTOWCUT72Y	1,503.00



Pizza Box Tower / Pass Thru Table

Work Centers



SPEED OF SERVICE IDEAS

Faster service...improved order accuracy...reduced staffing requirements... customer satisfaction and greater profitability. You'll find it all with this group of ideas to boost drive-thru and take out speed of service.

Recent industry studies show that a ten-second improvement in speed of service results in a revenue increase by 1%. Here are products to make that goal attainable:

CONDIMENT TOWERS

A proven system to speed customers through at the counter and at the drive-thru window. Gravity feed bins keep condiments organized and deliver first-in, first-out inventory control. Order stagers with dividers minimize errors, keep everything close at hand and reduce employee steps. ABS plastic.



DIMENSIONS				WEIGHT		PLASTIC										
W	x	L	x	H (in.)	W	x	L	x	H (mm)	LBS.	KGS.	CAT. NO.	PRICE			
CONDIMENT TOWER 18" L/R																
24	1/2	x	18	1/2	x	30	1/2	622	x	470	x	775	27	12.2	CONDTOW18L	\$674.00
24	1/2	x	18	1/2	x	30	1/2	622	x	470	x	775	27	12.2	CONDTOW18R	674.00

Condiment Stand with 4 bins and Straw Holder. Note: Order Stager cannot be used with 18 1/2" Tower.

CONDIMENT TOWER 24" L/R

24	1/2	x	24	1/2	x	30	1/2	622	x	622	x	775	31	14.0	CONDTOW24L	\$766.00
24	1/2	x	24	1/2	x	30	1/2	622	x	622	x	775	31	14.0	CONDTOW24R	766.00

Condiment Stand with 5 bins and Straw Holder.



MOBILE CONDIMENT CART

When space is limited, select this mobile cart. Roll it to the drive-thru window during peak serving times. Also use it under front counters. Save steps by rolling it to the storage area to refill condiments. Gravity feed, first-in, first-out inventory control assures product freshness.

DIMENSIONS				WEIGHT		PLASTIC							
W	x	L	x	H (in.)	W	x	L	x	H (mm)	LBS.	KGS.	CAT. NO.	PRICE
24	x	18	x	25	610	x	457	x	635	29	13.1	CONDDPSS	\$301.00

ORDER STAGER

End the problem of orders being mixed up with this practical order stager. Dividers keep orders in their proper sequence and minimize the chance of error. Includes 3 Divider Bars.



DIMENSIONS				WEIGHT		PLASTIC								
W	x	L	x	H (in.)	W	x	L	x	H (mm)	LBS.	KGS.	CAT. NO.	PRICE	
21	1/4	x	30	x	6	540	x	762	x	152	5 3/4	2.6	ORDSTAGL	\$214.00
21	1/4	x	30	x	6	540	x	762	x	152	5 3/4	2.6	ORDSTAGR	214.00

CONDIMENT BINS

Install on shelving units, walls or onto other equipment. Enjoy first-in, first-out inventory control, ease of serving, fingertip accessibility, and reduced errors. ABS plastic. Order bins individually.


DIMENSIONS				WEIGHT		CAT. NO.	PRICE		
W	x	L	x H (in.)	W	x L x H (mm)			LBS.	KGS.
SINGLE CONDIMENT BIN									
15	x	4 3/4	x 14 1/2	381	x 121 x 368	2 1/4	1.0	DT3BINE	\$69.00

CONDIMENT BIN FRAME - Holds 2 Bins

15	x	10	x 14 1/2	381	x 254 x 368	6	2.7	CBF2E	52.00
----	---	----	----------	-----	-------------	---	-----	-------	-------

CONDIMENT BIN FRAME - Holds 3 Bins

15	x	14	x 14 1/2	381	x 356 x 368	8	3.6	CBF3E	63.40
----	---	----	----------	-----	-------------	---	-----	-------	-------



DRINK STAGER & DRINK CARRIER HOLDER

DIMENSIONS				WEIGHT		CAT. NO.	PRICE		
W	x	L	x H (in.)	W	x L x H (mm)			LBS.	KGS.
DRINK STAGER									
5 3/4	x	22 1/2	x 5 3/4	146	x 572 x 146	5 1/2	2.5	DSTAGE	\$245.90

Includes straw holder, stager frame, plastic tray, drink dividers, drink carrier holder.

DRINK CARRIER HOLDER

7	x	9 1/2	x 11 1/4	178	x 241 x 286	3/4	0.3	DCHSE	39.90
---	---	-------	----------	-----	-------------	-----	-----	-------	-------



Drink Stager Frame, Plastic Tray, and Drink Dividers



drink Carrier Holder

STRAW & DIVIDER BAR HOLDER

DIMENSIONS				WEIGHT		CAT. NO.	PRICE		
W	x	L	x H (in.)	W	x L x H (mm)			LBS.	KGS.
STRAW HOLDER - POST MOUNT									
2 1/4	x	11 3/4	x 5	57	x 299 x 127	1/4	0.3	SHPMESE	\$52.00

STRAW HOLDER - WALL MOUNT

2 1/4	x	11 3/4	x 5	57	x 299 x 127	1/4	0.3	SHWMESE	52.00
-------	---	--------	-----	----	-------------	-----	-----	---------	-------

DIVIDER BAR

3/4	x	11 3/4	x 3/4	19	x 299 x 19	1/2	0.2	OD9Y	13.30
-----	---	--------	-------	----	------------	-----	-----	------	-------

DIVIDER BAR HOLDER

2 1/4	x	1 3/4	x 3	57	x 260 x 76	3/4	0.3	ODHESE	36.90
-------	---	-------	-----	----	------------	-----	-----	--------	-------



Straw Holder



Divider Bar and Divider Bar Holder



Undershelf Slides

UNIVERSAL RACK

Accommodates full and half size sheet pans, and 17 1/2" drawers

DIMENSIONS				FITS SHELF		PLATING PLUS™		GREY BOND™		
W	x	D	x H (in.)	W	x D x H (mm)	IN.	CAT. NO.	PRICE	CAT. NO.	PRICE
18 1/2	x	22		508	x 465 x 558	24	UNIV5TRZ3	\$98.00	UNIV5TRY3	\$102.00
18 1/2	x	15		508	x 465 x 380	24	UNIV5TRZ2	95.00	UNIV5TRY2	99.00
20	x	15		508	x 508 x 380	24	UNIV6TRZ2	114.00	UNIV6TRY2	120.00
20	x	15		508	x 508 x 380	24	UNIV7TRZ2	132.00	UNIV7TRY2	144.00

UNIV5TR_3 accommodates 3 drawers, 6 pans or combination.

UNIV5TR_2 accommodates 2 drawers, 4 pans or combination.



Adjustable Slides

ONE PIECE UNDERSHELF DRAWER SLIDES

DIMENSIONS				FITS SHELF		PLATING PLUS™		GOLD BOND®			
W	x	D	x H (in.)	W	x D x H (mm)	IN.	MM	CAT. NO.	PRICE	CAT. NO.	PRICE
22	x	18	x 11	558	x 457 x 279	21	533	USS4Z	96.00	USS4Y	\$100.00
22	x	21	x 11	558	x 533 x 279	24	610	USS5Z	97.00	USS5Y	102.00

Accommodates 17 1/2" drawers.



Two Piece Tray Slides

TWO PIECE TRAY SLIDES

Priced and sold in pairs

DIMENSIONS			SLIDE SPACING		FITS SHELF		PLATING PLUS™		GOLD BOND®			
W	x	L (in.)	W	x L (mm)	IN.	MM	CAT. NO.	PRICE	CAT. NO.	PRICE		
14 1/2	x	22.75	371	x 577	1 1/2	0.7	18	457	TR3Z	\$71.00	TR3Y	\$73.00
20	x	22.75	508	x 577	1 1/2	0.7	24	610	TR5Z	79.00	TR5Y	85.00



One Piece Undershelf Rack

ONE PIECE UNDERSHELF RACKS

For half size pans


DIMENSIONS				FITS SHELF		PLATING PLUS™		GOLD BOND®		
W	x	D	x H (in.)	W	x D x H (mm)	IN.	CAT. NO.	PRICE	CAT. NO.	PRICE
16	x	20	x 22	410	x 470 x 558	24	USS5TRZ3	\$96.00	USS5TRY3	\$102.00

Accommodates half size pans.

ADJUSTABLE SLIDES

Priced and sold in pairs

DIMENSIONS		PLATING PLUS™	
IN.	MM	CAT. NO.	PRICE/PR.
18	457	ADS18ZKIT	\$41.10
21	533	ADS21ZKIT	44.00
24	610	ADS24ZKIT	47.00



Keyboard Holder

KEYBOARD HOLDER

DIMENSIONS			WEIGHT		PLATING PLUS™			
W	x	L (in.)	LBS.	KGS.	CAT. NO.	PRICE		
11	x	20	305	x 510	1 3/4	38	KBHOLD	\$31.10

DRAWERS

DIMENSIONS		CAT. NO.		PRICE			
H	D	W (in.)	H	D	W (mm)		
3	x 22 1/2	x 17 1/2	76	x 558	x 457	DO223	\$41.20
6	x 22 1/2	x 17 1/2	152	x 558	x 457	DO226	45.40
9	x 22 1/2	x 17 1/2	228	x 558	x 457	DO229	66.60

DRAWER DIVIDERS


Long Drawer Dividers for 3" Drawers	DDL223	\$4.70
Long Drawer Dividers for 6" Drawers	DDL226	4.70
Long Drawer Dividers for 9" Drawers	DDL229	5.00
Short Drawer Dividers for 3" Drawers	DDL173	4.10
Short Drawer Dividers for 6" Drawers	DDL176	4.10
Short Drawer Dividers for 9" Drawers	DDL179	4.40
Drawer Stops (Fits All Adjustable Slides)	DS1	5.30

CARD HOLDERS - snap to front of drawer


6 1/4 x 1 1/2	152 x 25	BMTB1	\$4.10
7 1/2 x 3 1/2	184 x 79	BMTB2	4.10

HANGER BAR/BIN HOLDER

DIMENSIONS		WEIGHT		PLATING PLUS™		GOLD BOND®	
INCHES	MILLIMETERS	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
1 1/2 x 24 x 3 1/2	38 x 610 x 89	1/2	0.2	BH24Z	\$27.00	BH24Y	\$30.00
1 1/2 x 30 x 3 1/2	38 x 762 x 89	1/2	0.2	BH30Z	32.40	BH30Y	35.90
1 1/2 x 36 x 3 1/2	38 x 914 x 89	1	0.3	BH36Z	37.80	BH36Y	42.00
1 1/2 x 42 x 3 1/2	38 x 1067 x 89	1	0.3	BH42Z	43.20	BH42Y	47.90
1 1/2 x 48 x 3 1/2	38 x 1219 x 89	1	0.3	BH48Z	48.60	BH48Y	54.00
1 1/2 x 60 x 3 1/2	38 x 1524 x 89	1	0.5	BH60Z	51.80	BH60Y	57.50
1 1/2 x 72 x 3 1/2	38 x 1829 x 89	1 1/2	0.6	BH72Z	54.00	BH72Y	59.90



Drawers




Special Storage Tools

BINS

DIMENSIONS		COLOR		PRICE	
INCHES	MILLIMETERS			CAT. NO.	PRICE
11 x 5 x 5	279 x 140 x 127	Blue		ISS30230B	\$10.60
11 x 11 x 5	279 x 280 x 127	Blue		ISS30235B	14.90
14 3/4 x 8 1/4 x 7	375 x 210 x 178	Blue		ISS30240B	20.20
14 3/4 x 16 1/2 x 7	375 x 420 x 178	Blue		ISS30250B	28.50

BIN DIVIDERS

CAT. NO.	FITS BINS	PRICE
ISS40120	ISS30230B ISS30235B	\$1.00
ISS40245	ISS30240B ISS30250B	4.40



EXTENDED HANDLE

WIDTH		PLATING PLUS™	
IN.	MM	CAT. NO.	PRICE
14	356	EH14C	\$24.20
18	457	EH18C	31.20
21	533	EH21C	32.40
24	610	EH24C	33.60





Extra-Shelf-Between

TAKE ADVANTAGE OF STORAGE SPACE BETWEEN AND ABOVE SHELVING UNITS


Space Between Shelves

Often there is available space above goods regularly stored that can be used for additional storage. We have developed a unique kit consisting of four 10" (254 mm) posts with special suspension hooks that allow a shelf to be hung from an upper shelf. Order a shelf with the kit that is at least 6" (152 mm) shorter and at least 3" (76 mm) narrower. Order the shelf separately, but indicate the shelf being ordered, and we'll pack the shelf and special posts and hooks in the same carton. For example, if ordering an 18" x 42" Gold Bond® shelf with a kit, use kit catalog number **ADD1842Y**. Add the price of shelf to the price of the kit.

Extra-Shelf-Between Kit

PLATING PLUS™		GOLD BOND®	
CAT. NO.	PRICE	CAT. NO.	PRICE
ADD****C	\$45.20	ADD****Y	\$55.50

(****Add shelf catalog number)



Extra-Shelf-Above

Space Above Shelving Units

Add a shelf above present units without the need for tools. Here is kit that fits all brands of shelving that use 1" (25 mm) round posts. Each kit contains four 14" (254 mm) posts and special post connectors. Order the same size shelf as the shelving unit it is being added to. Order the shelf separately, but indicate the shelf being ordered, and we'll pack the shelf, special posts and post connectors in the same carton. For example, if ordering an 18" x 48" Gold Bond® shelf with a kit, use kit catalog number **X-1842Y**. Add the price of shelf to the price of the kit.

Extra-Shelf-Above Kit

PLATING PLUS™		GOLD BOND®	
CAT. NO.	PRICE	CAT. NO.	PRICE
X****C	\$45.20	X****Y	\$55.50

(****Add shelf catalog number)

ENCLOSURE PANELS

DIMENSIONS				WEIGHT		PLATED		GOLD BOND®							
W	x	L	x	H (in.)	W	x	L	x	H (mm)	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
12	x	49	x	54	304	x	1244	x	1385	5 3/4	2.6	EP151Z	\$53.00	EP151Y	\$60.10
12	x	57	x	62	304	x	1447	x	1589	6 1/2	2.9	EP159Z	57.40	EP159Y	62.70
12	x	69	x	74	304	x	1752	x	1879	7 1/2	3.3	EP171Z	63.30	EP171Y	67.90
15	x	49	x	54	381	x	1244	x	1385	6 1/4	2.8	EP254Z	\$57.40	EP254Y	\$62.70
15	x	57	x	62	381	x	1447	x	1589	7	3.2	EP255Z	60.10	EP255Y	66.60
15	x	69	x	74	381	x	1752	x	1879	8 1/4	3.7	EP271Z	\$63.30	EP351Y	\$69.50
18	x	57	x	62	457	x	1447	x	1589	9 1/2	4.1	EP359Z	66.00	EP359Y	72.20
18	x	69	x	74	457	x	1752	x	1879	10 1/2	4.7	EP371Z	71.90	EP371Y	78.70

ENCLOSURE PANEL ORDER GUIDE


WIDTH - ONE PANEL REQUIRED FOR EACH END

POST HEIGHT IN.	MM	SHELF WIDTH		
		18"	21"	24"
54	1385	EP151	EP254	EP351
62	1589	EP159	EP255	EP359
74	1879	EP171	EP271	EP371

LENGTH

POST HEIGHT IN.	MM.	LENGTH						
		24" LENGTH	30" LENGTH	36" LENGTH	42" LENGTH	48" LENGTH	60" LENGTH	72" LENGTH
54	1385	(1)EP351	(2)EP151	(2)EP254	(3)EP151	(2)EP254	(3)EP351	(2)EP351
62	1589	(1)EP359	(2)EP159	(2)EP255	(3)EP159	(2)EP255	(3)EP359	(2)EP359
						(1)EP159		(2)EP255
74	1895	(1)EP371	(2)EP171	(2)EP271	(3)EP171	(2)EP271	(3)EP371	(2)EP371
						(1)EP171		(2)EP271

Designate finish by adding a C(plated) or Y (Gold Bond®) at the end of the part number: i.e. EP151Y.



SHELF DIVIDERS 8" High

DIMENSIONS		WEIGHT		PLATING PLUS™		GOLD BOND®	
IN.	MM	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
14	356	3/4	0.3	SD14Z	\$14.30	SD14Y	\$13.30
18	457	1	0.4	SD18Z	16.40	SD18Y	15.40
21	533	1	0.4	SD21Z	19.50	SD21Y	18.60
24	610	1 1/4	0.5	SD24Z	22.70	SD24Y	20.20



Shelf Dividers

1" SIDE AND BACK LEDGES Shelf Mounted


DIMENSIONS		WEIGHT		PLATING PLUS™		GOLD BOND®	
IN.	MM	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
14	356	1/2	0.2	L141Z	\$8.60	L141Y	\$7.80
18	457	3/4	0.3	L181Z	9.40	L181Y	8.00
21	533	3/4	0.3	L211Z	10.60	L211Y	9.60
24	610	1	0.4	L241Z	11.10	L241Y	10.60
30	762	2	0.9	L301Z	12.80	L301Y	11.60



Side & Back Ledges, Shelf Mounted

4" SIDE AND BACK LEDGES Shelf Mounted

14	356	1/2	0.2	L144Z	\$11.60	L144Y	\$9.90
18	457	3/4	0.3	L184Z	12.40	L184Y	10.90
21	533	1	0.4	L214Z	13.10	L214Y	11.80
24	610	1	0.4	L244Z	15.20	L244Y	13.70
30	762	1 1/4	0.6	L304Z	18.00	L304Y	16.40
36	914	1 1/2	0.7	L364Z	20.50	L364Y	20.20
42	1067	1 3/4	0.8	L424Z	21.70	L424Y	20.70
48	1219	2	0.9	L484Z	26.00	L484Y	24.80
60	1524	2 1/2	1.1	L604Z	27.50	L604Y	26.70
72	1829	3	1.4	L724Z	32.30	L724Y	31.30



Side & Back Ledges, Post Mounted

POST MOUNTED SIDE & BACK LEDGES

FOR SHELVES		WEIGHT		GREY BOND™	
IN.	MM	LBS.	KGS.	CAT. NO.	PRICE
SIDE LEDGES					
18	457	1/2	0.2	SL18GR	\$26.50
21	533	3/4	0.3	SL21GR	26.50
24	610	3/4	0.3	SL24GR	27.50
BACK LEDGES					
24	610	1	0.5	BL24GR	\$33.60
30	762	1 1/2	0.7	BL30GR	40.70
36	914	1 1/2	0.7	BL36GR	44.40
42	1067	2	0.9	BL42GR	44.40
48	1219	2	0.9	BL48GR	44.40
54	1372	2 1/4	1.0	BL54GR	49.10
60	1524	2 1/2	1.1	BL60GR	52.70
72	1829	3	1.4	BL72GR	57.50

Height: 4 1/2". Ledges can be stacked atop each other for added height.

PERIMETER ROD KIT

Use to enclose a side of a unit or as dividers within a shelving unit. Rods are secured in place with Perimeter Rod Tabs.

HEIGHT		WEIGHT		PLATING PLUS™		GOLD BOND®	
IN.	MM	LBS.	KGS.	CAT. NO.	PRICE	CAT. NO.	PRICE
52	1321	1	0.4	PR52Z	\$8.30	PR52Y	\$10.20
60	1524	1	0.4	PR60Z	8.60	PR60Y	11.10
72	1829	1	0.4	PR72Z	9.10	PR72Y	11.80
84	2134	1	0.4	PR84Z	9.40	PR84Y	11.60

Perimeter Rod Kits include one perimeter rod and 4 tabs.




Perimeter Rod Kit



Perimeter Rod Tab

PERIMETER ROD TAB	EPC1Z	\$1.00	EPC1Y	\$1.00
-------------------	-------	--------	-------	--------



SURE LOCK™ COUPLERS

DESCRIPTION	CAT. NO.	PRICE	
Regular Coupler	PCS3	\$1.00	Order in multiples of 4
Conductive Coupler	PCS2	3.40	Packed 2 per bag


Conductive coupler used for grounding units in electronic applications. All aluminum Sure Lock™ Coupler available as catalog number PCSA. Contact the factory for pricing and availability.



POST EXTENDER & CONNECTOR

DESCRIPTION	CAT. NO.	PRICE	
Post Extender	PE2	\$4.40	
Post Connector	PC	1.20	

Joins two post together for greater heights.




CLAMPS, CLIPS & FOOT PLATES

DESCRIPTION	CAT. NO.	PRICE	
Post Clamps	PC2	\$4.70	Joins 2 posts side-by-side
Square Foot Plate	FP1	8.00	
Modified Foot Plate	MFP1Y	8.00	May be bolted to floor
Foot Glide	FG4	3.20/bag	4 to bag
Wall Clip	WC1	3.60	Secures shelf to wall (Not illustrated.)




CORNER CAP / ANTI-STATIC CHAIN

DESCRIPTION	CAT. NO.	PRICE	
Corner Cap Chrome	CHP1C	\$2.00	
Corner Cap, Gold Bond®	CHP1Y	2.00	
Use to cover shelf corners when using add-on units or for wall shelving.			
Anti-Static Chain, 18"	AS18	\$13.10	
Use for grounding units in electronic applications.			



BIN MARKERS

FITS SHELF	FLAT BLUE MARKERS	SLOTTED BLACK MARKER		
All	PFBM3	\$2.40	BM1	\$2.40
24"	PFBM24	5.00	BM24	5.00
30"	PFBM30	6.30	BM30	6.20
36"	PFBM36	7.50	BM36	7.40
42"	PFBM42	8.70	BM42	8.60
48"	PFBM48	10.00	BM48	9.90
60"	PFBM60	12.50	BM60	12.40
72"	PFBM72	15.00	BM72	14.90



IDENTIFICATION TUBE

DESCRIPTION	CAT. NO.	PRICE
Red, 12" Long	TUBRED	\$8.70
White, 12" Long	TUBWHI	8.70
Blue, 12" Long	TUBBLU	8.70

Plastic tubes fit over posts for color-coded identification. 12 pieces per carton.



COAT HANGER TUBE & BRACKETS

FITS SHELF	PLATING PLUS™		GOLD BOND®	
	CAT. NO.	PRICE	CAT. NO.	PRICE
24"	CH24	\$27.00	CH24Y	\$29.50
30"	CH30	28.20	CH30Y	31.10
36"	CH36	29.80	CH36Y	32.30
42"	CH42	31.00	CH42Y	33.80
48"	CH48	32.30	CH48Y	35.40
60"	CH60	40.40	CH60Y	44.00
72"	CH72	43.20	CH72Y	46.80

Attach below wire shelf to create a hanging garment rack.

HANGER RAILS

LENGTH	PLATING PLUS™		GOLD BOND®	
	CAT. NO.	PRICE	CAT. NO.	PRICE
14"	HR14Z	\$11.90	HR14Y	\$12.10
18"	HR18Z	12.90	HR18Y	13.10
21"	HR21Z	13.20	HR21Y	13.30
24"	HR24Z	13.40	HR24Y	14.60
30"	HR30Z	14.70	HR30Y	14.90
36"	HR36Z	16.90	HR36Y	17.00
48"	HR48Z	19.70	HR48Y	19.90
60"	HR60Z	20.70	HR60Y	21.10

Attach between posts in width or length. Convenient for hanging utensils