



PRODUCT INFORMATION


Jaken boltless shelving

2946 Larimer St. Denver, CO 80205
303-295-1100 / 800-373-7693
FAX 303-295-2464
Email info@snyderequipment.com
www.snyderequipment.com

Boltless Shelving Component Listing

Upright Post


- 14 Gauge Construction
- 1 1/2" x 1 1/2" Regular Duty Post
- 1 7/8" x 1 7/8" Heavy Duty Post



Part #	Height	Weight (lbs.)
Regular Duty		
200-P2.5	2.5'	1.5
200-P3	3.0'	1.8
200-P4	4.0'	2.4
200-P5	5.0'	3.0
200-P6	6.0'	3.6
200-P7	7.0'	4.2
200-P8	8.0'	4.8
200-P9	9.0'	5.3
200-P10	10.0'	6.1
200-P12	12.0'	7.2
Heavy Duty		
200-PH7	7'	5.7
200-PH8	8'	6.5
200-PH10	10'	8.1
200-PH12	12'	10.0
(8 pcs per bundle / 200 pcs per master bundle)		

Single Rivet Beam


- Regular Duty - 14 Gauge
- Heavy Duty - 11 Gauge
- 1" Height
- Use as a left to right or front to back



Part #	Length	Weight (lbs.)
Regular Duty		
200-SR12	12"	0.5
200-SR18	18"	0.7
200-SR24	24"	0.9
200-SR30	30"	1.2
200-SR36	36"	1.4
200-SR42	42"	1.6
200-SR48	48"	1.8
Heavy Duty		
200-SRH36	36"	2.4
200-SRH48	48"	3.2
200-SRH60	60"	4.0
(20 pcs per bundle / 500 pcs per master bundle)		


Tie Plate

- Use to connect units side by side in rows



Footplates


- Use to anchor units to the ground



Part #	Wt. (lbs.)	Part#	Wt. (lbs.)
200-TP	0.2	200-FPD (Double)	0.4
		200-FPR (Right)	0.2
		200-FPL (Left)	0.2

Double Rivet Beam


- 16 Gauge Construction
- 2 3/4" Height
- Use as a left to right or front to back



Part #	Length	Weight (lbs.)
200-DR12	12"	0.7
200-DR15	15"	0.8
200-DR18	18"	1.0
200-DR24	24"	1.3
200-DR30	30"	1.7
200-DR36	36"	2.0
200-DR42	42"	2.3
200-DR48	48"	2.7
200-DR60*	60"	4.3
200-DR69*	69"	4.9
200-DR72*	72"	5.1
200-DR84*	84"	6.0
200-DR96*	96"	6.8
*14 Gauge Construction (10 pcs per bundle / 250 pcs per master bundle)		

Double Rivet Channel Beam


- Regular Duty - 14 Gauge
- Heavy Duty - 11 Gauge
- 2 3/4" Height
- Use as a left to right for greater shelf capacity



Part #	Length	Weight (lbs.)
Regular Duty		
200-DC72	72"	6.1
200-DC96	96"	8.1
Heavy Duty		
200-DCH72	72"	9.6
200-DCH96	96"	12.8
(10 pcs per bundle / 250 pcs per master bundle)		

Shelf Deck Support

- 16 Gauge Construction
- 2 1/2" Height
- Adds capacity to shelf when bolted between Double Rivet Beams or Double Rivet Channel Beams



Part #	Length	Weight (lbs.)
200-SDS12	12"	0.7
200-SDS15	15"	0.8
200-SDS18	18"	0.9
200-SDS24	24"	1.2
200-SDS30	30"	1.5
200-SDS36	36"	1.8
200-SDS48	48"	2.5
(10 pcs per bundle / 200 pcs per master bundle)		

Shelving Label Holders


- Durable clear plastic will not crack, peel, fade or fall off
- Insert paper may be reversed, remarked and re-inserted when changes are required
- Laser / Jet Inkjet paper inserts included



Part Number	Description	Qty Per Pack
200-L231	3/4" x 6", Self -Adhesive	12
200-L211	1" x 6", Self -Adhesive	12
200-L251	2" x 6", Self -Adhesive	12
200-M211	1" x 6", Magnetic	12
200-M261	2 1/2" x 6", Magnetic	12

Mobile Shelf Cart Bases


Constructed from heavy duty steel, these highly functional Mobile Shelf Cart Bases are available in a variety of sizes to fit your every need. These cart bases include heavy duty 5" bolted casters (2 rigid and 2 swivel). Capacity: 700 lbs. per base. Color: Gray.



Part #	Description	Weight (lbs.)
MC3624	Mobile Cart Base 36" x 24"	21.5
MC4812	Mobile Cart Base 48" x 12"	20.0
MC4818	Mobile Cart Base 48" x 18"	21.5
MC4824	Mobile Cart Base 48" x 24"	23.0
MC4836	Mobile Cart Base 48" x 36"	27.0
MC6018	Mobile Cart Base 60" x 18"	22.0
MC6024	Mobile Cart Base 60" x 24"	24.5
MC6030	Mobile Cart Base 60" x 30"	26.0
MC6036	Mobile Cart Base 60" x 36"	27.5

Wall Tie

- To secure boltless shelving units to wall
- Provides 9" of space between wall and units



Part #	Length	Weight (lbs.)
200-WT09	9 1/4"	7.7

Particle Board Decking

Particle Board Decking provides strong and durable shelf surface. 1/2" thick particle board decking is recommended for standard to light duty applications. 3/4" thick particle board decking is ideal for heavy duty applications.




- 1/2" Available for Light Duty Applications
- 3/4" Available for Heavy Duty Applications

	1/2" Particle Board	3/4" Particle Board
Size W x D	Model Number	Model Number
36" x 12"	240-013612	240-023612
36" x 18"	240-013618	240-023618
36" x 24"	240-013624	240-023624
36" x 36"	240-013636	240-023636
42" x 15"	240-014215	240-024215
42" x 30"	240-014230	240-024230
48" x 12"	240-014812	240-024812
48" x 18"	240-014818	240-024818
48" x 24"	240-014824	240-024824
48" x 30"	240-014830	240-024830
48" x 36"	240-014836	240-024836
48" x 42"	240-014842	240-024842
48" x 48"	240-014848	240-024848
60" x 12"	240-016012	240-026012
60" x 18"	240-016018	240-026018
60" x 24"	240-016024	240-026024
60" x 30"	240-016030	240-026030
60" x 36"	240-016036	240-026036
60" x 42"	240-016042	240-026042
60" x 48"	240-016048	240-026048
69" x 15"	240-016915	240-026915
69" x 30"	240-016930	240-026930
72" x 12"	240-017212	240-027212
72" x 18"	240-017218	240-027218
72" x 24"	240-017224	240-027224
72" x 30"	240-017230	240-027230
72" x 36"	240-017236	240-027236
72" x 42"	240-017242	240-027242
72" x 48"	240-017248	240-027248
84" x 12"	240-018412	240-028412
84" x 18"	240-018418	240-028418
84" x 24"	240-018424	240-028424
84" x 30"	240-018430	240-028430
84" x 36"	240-018436	240-028436
84" x 42"	240-018442	240-028442
84" x 48"	240-018448	240-028448
96" x 12"	240-019612	240-029612
96" x 18"	240-019618	240-029618
96" x 24"	240-019624	240-029624
96" x 30"	240-019630	240-029630
96" x 36"	240-019636	240-029636
96" x 42"	240-019642	240-029642
96" x 48"	240-019648	240-029648

Series 200B


BULK STORAGE SHELVING

Medium to Heavy Loads




Boltless Design


Model Number Code:




Series 200B Shelf Illustration



Top Shelf



Middle Shelf / Shelves













Bottom Shelf

- No Nuts, Bolts or Shelf Clips
- 14 Gauge Post
- Accessible from all four sides
- Shelves are adjustable every 1 1/2"
- Available with or without Particle Board Decking

Series 200B

This high capacity shelving utilizes Double Rivet Beams to increase capacities and allow for wide span applications. These units are manufactured from heavy duty steel and feature the Series 200 boltless design which provides for easy installation without nuts, bolts or shelf clips. Shelves are accessible from all four sides and can be adjusted every 1 1/2". These units are available with or without particle board decking. Units priced at 7' tall. Other heights available for immediate shipment. Units come standard with 3 adjustable shelves. Extra shelves available separately. Finish

With Particle Board Shelves	Model Number	Extra Shelf	Dimensions W x D x H	Shelf Cap.	Without Particle Board Shelves	Model Number	Extra Shelf
 4 Ft. Width	B3-4818-84W	BX1-4818-W	48 x 18 x 84	1000	 4 Ft. Width	B3-4818-84	BX1-4818
	B3-4824-84W	BX1-4824-W	48 x 24 x 84	1000		B3-4824-84	BX1-4824
	B3-4830-84W	BX1-4830-W	48 x 30 x 84	1000		B3-4830-84	BX1-4830
	B3-4836-84WH	BX1-4836-WH	48 x 36 x 84	1000		B3-4836-84H	BX1-4836-H
	B3-4848-84WH	BX1-4848-WH	48 x 48 x 84	1000		B3-4848-84H	BX1-4848-H
 5 Ft. Width	B3-6018-84W	BX1-6018-W	60 x 18 x 84	750	 5 Ft. Width	B3-6018-84	BX1-6018
	B3-6018-84WH	BX1-6018-WH	60 x 18 x 84	1200		B3-6018-84H	BX1-6018-H
	B3-6024-84W	BX1-6024-W	60 x 24 x 84	750		B3-6024-84	BX1-6024
	B3-6024-84WH	BX1-6024-WH	60 x 24 x 84	1200		B3-6024-84H	BX1-6024-H
	B3-6030-84W	BX1-6030-W	60 x 30 x 84	750		B3-6030-84	BX1-6030
	B3-6030-84WH	BX1-6030-WH	60 x 30 x 84	1200		B3-6030-84H	BX1-6030-H
	B3-6036-84W	BX1-6036-W	60 x 36 x 84	750		B3-6036-84	BX1-6036
	B3-6036-84WH	BX1-6036-WH	60 x 36 x 84	1200		B3-6036-84H	BX1-6036-H
	B3-6048-84W	BX1-6048-W	60 x 48 x 84	750		B3-6048-84	BX1-6048
	B3-6048-84WH	BX1-6048-WH	60 x 48 x 84	1200		B3-6048-84H	BX1-6048-H
 6 Ft. Width	B3-7218-84W	BX1-7218-W	72 x 18 x 84	600	 6 Ft. Width	B3-7218-84	BX1-7218
	B3-7218-84WH	BX1-7218-WH	72 x 18 x 84	1000		B3-7218-84H	BX1-7218-H
	B3-7218-84WHC	BX1-7218-WHC	72 x 18 x 84	1500		B3-7218-84HC	BX1-7218-HC
	B3-7218-84WHR	BX1-7218-WHR	72 x 18 x 84	2000		B3-7218-84HR	BX1-7218-HR
	B3-7224-84W	BX1-7224-W	72 x 24 x 84	600		B3-7224-84	BX1-7224
	B3-7224-84WH	BX1-7224-WH	72 x 24 x 84	1000		B3-7224-84H	BX1-7224-H
	B3-7224-84WHC	BX1-7224-WHC	72 x 24 x 84	1500		B3-7224-84HC	BX1-7224-HC
	B3-7224-84WHR	BX1-7224-WHR	72 x 24 x 84	2000		B3-7224-84HR	BX1-7224-HR
	B3-7230-84W	BX1-7230-W	72 x 30 x 84	600		B3-7230-84	BX1-7230
	B3-7230-84WH	BX1-7230-WH	72 x 30 x 84	1000		B3-7230-84H	BX1-7230-H
	B3-7230-84WHC	BX1-7230-WHC	72 x 30 x 84	1500		B3-7230-84HC	BX1-7230-HC
	B3-7230-84WHR	BX1-7230-WHR	72 x 30 x 84	2000		B3-7230-84HR	BX1-7230-HR
	B3-7236-84W	BX1-7236-W	72 x 36 x 84	600		B3-7236-84	BX1-7236
	B3-7236-84WH	BX1-7236-WH	72 x 36 x 84	1000		B3-7236-84H	BX1-7236-H
	B3-7236-84WHC	BX1-7236-WHC	72 x 36 x 84	1500		B3-7236-84HC	BX1-7236-HC
	B3-7236-84WHR	BX1-7236-WHR	72 x 36 x 84	2000		B3-7236-84HR	BX1-7236-HR
	B3-7248-84W	BX1-7248-W	72 x 48 x 84	600		B3-7248-84	BX1-7248
	B3-7248-84WH	BX1-7248-WH	72 x 48 x 84	1000		B3-7248-84H	BX1-7248-H
	B3-7248-84WHC	BX1-7248-WHC	72 x 48 x 84	1500		B3-7248-84HC	BX1-7248-HC
	B3-7248-84WHR	BX1-7248-WHR	72 x 48 x 84	2000		B3-7248-84HR	BX1-7248-HR
 7 Ft. Width	B3-8418-84WH	BX1-8418-WH	84 x 18 x 84	600	 7 Ft. Width	B3-8418-84H	BX1-8418-H
	B3-8424-84WH	BX1-8424-WH	84 x 24 x 84	600		B3-8424-84H	BX1-8424-H
	B3-8430-84WH	BX1-8430-WH	84 x 30 x 84	600		B3-8430-84H	BX1-8430-H
	B3-8436-84WH	BX1-8436-WH	84 x 36 x 84	600		B3-8436-84H	BX1-8436-H
 8 Ft. Width	B3-8448-84WH	BX1-8448-WH	84 x 48 x 84	600	 8 Ft. Width	B3-8448-84H	BX1-8448-H
	B3-9618-84WH	BX1-9618-WH	96 x 18 x 84	600		B3-9618-84H	BX1-9618-H
	B3-9618-84WHC	BX1-9618-WHC	96 x 18 x 84	1000		B3-9618-84HC	BX1-9618-HC
	B3-9618-84WHR	BX1-9618-WHR	96 x 18 x 84	1500		B3-9618-84HR	BX1-9618-HR
	B3-9624-84WH	BX1-9624-WH	96 x 24 x 84	600		B3-9624-84H	BX1-9624-H
	B3-9624-84WHC	BX1-9624-WHC	96 x 24 x 84	1000		B3-9624-84HC	BX1-9624-HC
	B3-9624-84WHR	BX1-9624-WHR	96 x 24 x 84	1500		B3-9624-84HR	BX1-9624-HR
	B3-9630-84WH	BX1-9630-WH	96 x 30 x 84	600		B3-9630-84H	BX1-9630-H
	B3-9630-84WHC	BX1-9630-WHC	96 x 30 x 84	1000		B3-9630-84HC	BX1-9630-HC
	B3-9630-84WHR	BX1-9630-WHR	96 x 30 x 84	1500		B3-9630-84HR	BX1-9630-HR
	B3-9636-84WH	BX1-9636-WH	96 x 36 x 84	600		B3-9636-84H	BX1-9636-H
	B3-9636-84WHC	BX1-9636-WHC	96 x 36 x 84	1000		B3-9636-84HC	BX1-9636-HC
	B3-9636-84WHR	BX1-9636-WHR	96 x 36 x 84	1500		B3-9636-84HR	BX1-9636-HR
	B3-9648-84WH	BX1-9648-WH	96 x 48 x 84	600		B3-9648-84H	BX1-9648-H
	B3-9648-84WHC	BX1-9648-WHC	96 x 48 x 84	1000		B3-9648-84HC	BX1-9648-HC
	B3-9648-84WHR	BX1-9648-WHR	96 x 48 x 84	1500		B3-9648-84HR	BX1-9648-HR


Series 200A

Low Profile Shelving

Light to Medium Loads



Additional Heights Available!




Boltless Design


Model Number Code:

Series 200A _____ AH7-4824-84W
Heavy Duty Shelving _____
Number of Shelves _____
Shelf Width in Inches _____
Shelf Depth in Inches _____
Unit Height in Inches _____
Particle Board Decking Included _____

Series 200A Shelf Illustration




Top Shelf



* (SR) side supports included with heavy duty units

Middle Shelves






Bottom Shelf

- No Nuts, Bolts or Shelf Clips
- 14 Gauge Post
- Accessible from all four sides
- Shelves are adjustable every 1 1/2"
- Available with or without Particle Board Decking

Series 200A

This durable shelving utilizes low profile Single Rivet Beams to maximize available storage space. Manufactured from heavy duty steel, these units feature the Series 200 boltless design which provides for easy installation without nuts, bolts or shelf clips. Shelves can be adjusted every 1 1/2" and are accessible from all four sides. Standard height 7'. Other heights available. Standard duty shelving utilizes 1/2" Industrial Grade particle board decking. Heavy duty shelving utilizes 3/4" particle board decking. Available with or without particle board decking. Finish color: Gray.

	Standard Duty Shelving			Dimensions W x D x H	Heavy Duty Shelving		
	Model No. With Board	Model No. Without Board	Shelf Cap.		Model No. With Board	Model No. Without Board	Shelf Cap.
 4 Shelves	A4-3612-84W	A4-3612-84	300	36 x 12 x 84	AH4-3612-84W	AH4-3612-84	500
	A4-3618-84W	A4-3612-84	300	36 x 18 x 84	AH4-3618-84W	AH4-3618-84	500
	A4-3624-84W	A4-3612-84	300	36 x 24 x 84	AH4-3624-84W	AH4-3624-84	500
	A4-4812-84W	A4-4812-84	225	48 x 12 x 84	AH4-4812-84W	AH4-4812-84	375
	A4-4818-84W	A4-4812-84	225	48 x 18 x 84	AH4-4818-84W	AH4-4818-84	375
	A4-4824-84W	A4-4812-84	225	48 x 24 x 84	AH4-4824-84W	AH4-4824-84	375
	A4-4836-84W	A4-4836-84	225	48 x 36 x 84	AH4-4836-84W	AH4-4836-84	375
	A4-6012-84W	A4-6012-84	150	60 x 12 x 84	AH4-6012-84W	AH4-6012-84	250
	A4-6018-84W	A4-6018-84	150	60 x 18 x 84	AH4-6018-84W	AH4-6018-84	250
	A4-6024-84W	A4-6024-84	150	60 x 24 x 84	AH4-6024-84W	AH4-6024-84	250
 5 Shelves	A5-3612-84W	A5-3612-84	300	36 x 12 x 84	AH5-3612-84W	AH5-3612-84	500
	A5-3618-84W	A5-3618-84	300	36 x 18 x 84	AH5-3618-84W	AH5-3618-84	500
	A5-3624-84W	A5-3624-84	300	36 x 24 x 84	AH5-3624-84W	AH5-3624-84	500
	A5-4812-84W	A5-4812-84	225	48 x 12 x 84	AH5-4812-84W	AH5-4812-84	375
	A5-4818-84W	A5-4818-84	225	48 x 18 x 84	AH5-4818-84W	AH5-4818-84	375
	A5-4824-84W	A5-4824-84	225	48 x 24 x 84	AH5-4824-84W	AH5-4824-84	375
	A5-4836-84W	A5-4836-84	225	48 x 36 x 84	AH5-4836-84W	AH5-4836-84	375
	A5-6012-84W	A5-6012-84	150	60 x 12 x 84	AH5-6012-84W	AH5-6012-84	250
	A5-6018-84W	A5-6018-84	150	60 x 18 x 84	AH5-6018-84W	AH5-6018-84	250
	A5-6024-84W	A5-6024-84	150	60 x 24 x 84	AH5-6024-84W	AH5-6024-84	250
 6 Shelves	A6-3612-84W	A6-3612-84	300	36 x 12 x 84	AH6-3612-84W	AH6-3612-84	500
	A6-3618-84W	A6-3618-84	300	36 x 18 x 84	AH6-3618-84W	AH6-3618-84	500
	A6-3624-84W	A6-3624-84	300	36 x 24 x 84	AH6-3624-84W	AH6-3624-84	500
	A6-4812-84W	A6-4812-84	225	48 x 12 x 84	AH6-4812-84W	AH6-4812-84	375
	A6-4818-84W	A6-4818-84	225	48 x 18 x 84	AH6-4818-84W	AH6-4818-84	375
	A6-4824-84W	A6-4824-84	225	48 x 24 x 84	AH6-4824-84W	AH6-4824-84	375
	A6-4836-84W	A6-4836-84	225	48 x 36 x 84	AH6-4836-84W	AH6-4836-84	375
	A6-6012-84W	A6-6012-84	150	60 x 12 x 84	AH6-6012-84W	AH6-6012-84	250
	A6-6018-84W	A6-6018-84	150	60 x 18 x 84	AH6-6018-84W	AH6-6018-84	250
	A6-6024-84W	A6-6024-84	150	60 x 24 x 84	AH6-6024-84W	AH6-6024-84	250
 EXTRA SHELVES	AX1-3612-W	AX1-3612	300	36 x 12	AHX1-3612-W	AHX1-3612	500
	AX1-3618-W	AX1-3618	300	36 x 18	AHX1-3618-W	AHX1-3618	500
	AX1-3624-W	AX1-3624	300	36 x 24	AHX1-3624-W	AHX1-3624	500
	AX1-4812-W	AX1-4812	225	48 x 12	AHX1-4812-W	AHX1-4812	375
	AX1-4818-W	AX1-4818	225	48 x 18	AHX1-4818-W	AHX1-4818	375
	AX1-4824-W	AX1-4824	225	48 x 24	AHX1-4824-W	AHX1-4824	375
	AX1-4836-W	AX1-4836	225	48 x 36	AHX1-4836-W	AHX1-4836	375
	AX1-6012-W	AX1-6012	150	60 x 12	AHX1-6012-W	AHX1-6012	250
	AX1-6018-W	AX1-6018	150	60 x 18	AHX1-6018-W	AHX1-6018	250
	AX1-6024-W	AX1-6024	150	60 x 24	AHX1-6024-W	AHX1-6024	250
	AX1-6036-W	AX1-6036	150	60 x 36	AHX1-6036-W	AHX1-6036	250

SERIES 200A


ASSEMBLY INSTRUCTIONS

Tel: (800) 289-7225
Fax: (800) 265-7225

SAMPLE MODEL NUMBER CODE

Series 200A _____ **AH7-4824-84W**
Heavy Duty Shelving (11 Gauge) _____
Number of Shelves _____
Shelf Width in Inches _____
Shelf Depth in Inches _____
Unit Height in Inches _____
Particle Board Decking Included _____


COMPONENT DESCRIPTIONS



STEP 1: Assemble Bottom Shelf

- Components: 4 Posts (P)
2 Double Rivet Beams (DR)
These are the steel beams that support the front and back of the shelf.
2 Double Rivet Beams (DR)
These are the steel beams that support the sides of the shelf.
- Assemble the bottom shelf by inserting the Double Rivet Beams (flange up, see drawing top right) into the bottom two keyholes of each post. Tap beams securely into keyholes of posts with a rubber mallet. See Figure 1.

FIG. 1



STEP 2: Assemble Top Shelf

- Components: 2 Double Rivet Beams (DR)
These are the steel beams that support the front and back of the shelf.
2 Double Rivet Beams (DR)
These are the steel beams that support the sides of the shelf.
- Build the top shelf by inserting the Double Rivet Beams (flange up) into the top two keyholes of each post. See Figure 2.




FIG. 2

STEP 3: Middle Shelves (Standard Capacity)

- Components: 2 Single Rivet Beams
These are front & back Supports, 2 per shelf.
- Determine the shelf spacing. Insert each Single Rivet Beam into keyhole (flange up). *Please note SR side beams are not included with a Single Rivet unit.


(CON'T)

OR

STEP 3B: Middle Shelves (Heavy Duty Capacity)

- Components: 2 Single Rivet Beams (DR)
These are front & back supports
2 Single Rivet Beams (SR)
These are side supports, 2 per shelf.
- Determine the shelf spacing. Insert each Single Rivet Beam, Front & Back Supports into the keyhole (flange up). Insert each Single Rivet Beam, Side Supports, into the keyhole (flange up). See Figure 3.

FIG. 3



Single Rivet Side Support for Heavy Duty Unit Only.

STEP 4: Particle Board Decking

- Place one particle board decking on each shelf. See Figure 4.




FIG. 4

Special Notes:

- It is recommended that a rubber mallet be used to hammer the beam securely into place.
- Cardboard or carpet can be used to protect flooring.

1-800-BUY-RACKShelving • Rack • Workbenches
Carts • Bins & Boxes

SERIES 200B

ASSEMBLY INSTRUCTIONS

Tel: (800) 289-7225

Fax: (800) 265-7225

SAMPLE MODEL NUMBER CODE

BH3-9624-84WHCR

Series 200B _____

Heavy Duty Shelving (11 Gauge) _____

Number of Shelves _____

Shelf Width in Inches _____

Shelf Depth in Inches _____

Unit Height in Inches _____


Particle Board Decking Included _____

Shelf Deck Support (1 per shelf) _____

Channel Beam _____

Heavy Duty Channel Beam _____

COMPONENT DESCRIPTIONS




Double Rivet Beam




Shelf Deck Support

Double Rivet Channel Beam
OR
Heavy Duty Double Rivet Channel Beam



Flange Up



STEP 1: Bottom Shelf

- Components: 4 Posts (P)
2 Double Rivet Beams (DR)
These are the steel beams that support the front and back of the shelf.
2 Double Rivet Beams (DR)
These are the steel beams that support the sides of the shelf.
1 Shelf Deck Support (SDS), if applicable.
These are the steel supports that support the center of the decking. Units with deck supports are standard 1 per shelf.
- Build the bottom shelf by inserting the Double Rivet Beams (flange up, see drawing top right) into the bottom two keyholes of each post. Bolt the Shelf Deck Support from front to back in center of shelf.




FIG. 1

STEP 2: Top Shelf

- Components: 2 Double Rivet Beams (DR)
These are steel beams that support the front & back of the shelf.
2 Double Rivet Beams (DR)
These are the steel beams that support the sides of the shelf.
- Build the top shelf by inserting the Double Rivet Beams (flange up) into the top two keyholes of each post. Bolt the Shelf Deck Support from front to back in center of shelf (if applicable).




FIG. 2

STEP 3A: Middle Shelves (Standard Capacity)

- Components: 2 Double Rivet Beams (DR)
These are steel beams that support the front and back of the shelf.
2 Double Rivet Beams (DR)
These are the steel beams that support the sides of the shelf.
1 Shelf Deck Support (SDS)
These are the steel supports that support the center of the decking.
- Determine the shelf spacing. Insert each Double Rivet Beam into keyhole (flange up) for both front/back and side supports. Bolt 1 Shelf Deck Support from front to back in the center of unit (if applicable). See Figure 3.

OR

STEP 3B: Middle Shelves (Heavy Duty Capacity)

- Components: 2 Double Rivet Channel Beams (DC)
These are the steel beams that support the front and back of the shelf.
2 Double Rivet Heavy Duty Channel Beams (DCH)
These are the steel beams that support the front and back of the shelf.
- Determine the spacing. Insert each Double Rivet Channel or Heavy Duty Channel Beam, Front & Back Supports, into keyholes. Insert each Double Rivet Beam side supports into keyholes (flange up). Bolt 1 Shelf Deck Support from front to back in center of unit. See figure 3.




FIG. 3




FIG. 4

STEP 4: Particle Board Decking

- Place one particle board decking on each shelf.

Special Notes:

- It is recommended that a rubber mallet be used to hammer the beam securely into place.
- Cardboard or carpet can be used to protect flooring.