



SNYDER



Equipment, Inc.

Storing, Rolling, Lifting since 1947

PRODUCT INFORMATION

LYON ERGONOMIC SEATING

2946 Larimer St. Denver, CO 80205

303-295-1100 / 800-373-7693

FAX 303-295-2464

Email info@snyderequipment.com

www.snyderequipment.com

Performance Plus Industrial Chairs




- PLATINUM PLUS
- PLATINUM
- GOLD
- SILVER



Loop Armrests



23" Base with 1 top footrest and 2 intermediate footrests



23" Base with 2 intermediate footrests shown with optional casters



Designed for Maximum Comfort & Support

Lyon's new generously-sized self-skinning polyurethane seats and seat backs are ergonomically contoured. A waterfall high support and ventilation ridges in the seats provide maximum comfort and support for any body size or type—from AAA to XXX.



"Take a good look at these pictures. I'm 6' 2", 250 lbs. If I can sit comfortably in this Performance Plus chair, your people can, too."



Platinum Plus Industrial Chair

- 26" base with 1 top footrest and 2 intermediate footrests
- 22" wide seat *
- 18" wide back
- Independent control deluxe seat mechanism with free-float seat and back tilt
- 2" back height adjustment

No. 10-3264

* 22" seats not recommended for utility seating



Platinum Industrial Chair (Shown)

- 26" base with 1 top footrest and 2 intermediate footrests
- 20" wide seat
- 18" wide back
- Independent control deluxe seat mechanism with free-float seat and back tilt
- 2" back height adjustment

No. 10-3263

Platinum Utility Chair

- 23" base with 1 top footrest and 2 intermediate footrests
- 20" wide seat
- 18" wide back
- Independent control deluxe seat mechanism with free-float seat and back tilt
- 2" back height adjustment

No. 10-3233



Gold Industrial Chair (Shown)

- 26" base with 2 intermediate footrests
- 20" wide seat
- 18" wide back
- Back tilt adjustment
- 3" back depth adjustment
- 2" back height adjustment

No. 10-3262

Gold Utility Chair

- 23" base with 2 intermediate footrests
- 20" wide seat
- 18" wide back
- Back tilt adjustment
- 3" back depth adjustment
- 2" back height adjustment

No. 10-3232



Silver Industrial Chair (Shown)

- 26" base with 1 intermediate footrest
- 18" wide seat
- 16" wide back
- Seat plate with 3" back height adjustment and back tilt
- 2" back depth adjustment

No. 10-3261

Silver Utility Chair

- 23" base with 1 intermediate footrest
- 18" wide seat
- 16" wide back
- Seat plate with 3" back height adjustment and back tilt
- 2" back depth adjustment

No. 10-3231



Performance Plus seating from Lyon is designed to survive in tough environments. Each Industrial and Utility Performance Plus chair—**Silver, Gold, Platinum** and **Platinum Plus**—incorporates premium components in its cutting-edge design for maximum durability, while providing a maximum amount of comfort for users. And they're all affordable enough to accommodate the constraints of tight budgets.



Clutch Control



Adjustable Collar



Seat Back

Height Range 19" -36"



Rugged Footrest

Independent clutch controls allow infinitely variable tilt adjustments to both seats and backs. The pneumatic lift allows an automatic 8" adjustment while you're seated. If you need more height, the manually adjustable collar gives you up to 10 additional inches.

Seat backs with ventilation ridges are designed to promote good posture and lumbar support. Softer durameter of polyurethane seats and backs provide exceptional durability and long term support. New seats and backs are 40% thicker for greater comfort.

Rugged footrests constructed from polyurethane molded-over-steel provide an extra measure of safety. They're securely mounted to heavy 14 gauge 1 1/4" tubular steel bases. Five high impact, non marking glides are standard. Casters are available as an option.

Twin Wheel Hard Floor Casters
No. 10-2064

Arm Rest Loop Assembly
No. 10-2068

T Pad Armrest Assembly
No. 10-2076

Intermediate Footrest for 23" Industrial Base
No. 10-251423

Intermediate Footrest for 26" Industrial Base
No. 10-251426

Top Footrest for 23" Industrial Base
No. 10-251623

Top Footrest for 26" Industrial Base
No. 10-251626

Ten Criteria Defining Ergonomic Seating

The following criteria offer a useful check list for defining ergonomic seating. It is the total mix of these design features and characteristics that make it possible to improve workers' comfort, while reducing fatigue, physical stress and the potential for musculoskeletal disorders.

LYON **FYI**
For Your Information

1 *Pneumatic Adjustability.*

Allows quick, easy changes in seat height.

2 *Seat Tilt.*

Affords posture balance during prolonged tasks that require workers to bend forward.

3 *Durable Seat Construction.*

Microcellular, self-skinning polyurethane or high density foam construction assures durability and long lasting support to maintain worker comfort.

4 *Ergonomic Seat Design.*

Waterfall fronts ease pressure behind knees. Saddle shape contour supports weight evenly.

5 *Seat Height Adjustment.*

A wide seat height adjustment allows workers, whether tall, short or in-between, to adjust their chairs for maximum comfort. This is critical in multi-shift operations where the same chair may be used by two or even three different workers.

6 *Contoured Seat Backs.*

Tilt to maintain lumbar support. Adjust vertically, forward and backward to fit different workers.

7 *Foot Supports.*

Reduce fatigue, alleviate muscle strain, promote better circulation. Multi-level industrial footrests. Adjustable operational footring.

8 *Upholstery.*

Self-skinning, microcellular polyurethane resists tears, punctures and spills in shop floor applications. Abrasion resistant fabric (1,000,000 double rubs) offers durability, breathability.

9 *Five Leg Base.*

Maximize stability with footprints of 26", 25", 23" or 19" diameter, determined by chair style.

10 *Warranty.*

A strong warranty is your assurance that the ergonomic seating you select is built to last.



LYON
LIMITED
10-YEAR
WARRANTY

Under normal conditions, Lyon ergonomic chairs are warranted against manufacturers defects for a period of 10 years when cared for properly. This warranty applies to a 40-hour work week by persons weighing no more than 250 pounds. For other applications, please refer to Lyon Ergonomic Seating owner's manual.

Ergonomically Designed Sit-Stand Stools

Relief For Workers Who Can't Sit Down On The Job!

Now Lyon has a way for you to increase the productivity of workers who are on their feet all day. It's the Sit-Stand Stool...an ergonomically designed support device that allows the user to work in an upright, standing position while most of his or her weight rests on the padded seat, taking the load off the worker's legs and feet. It's the ideal way to improve conditions for assembly line workers, checkout clerks and other workers who can't sit down on the job.

Technical/Ergonomic Features

- Base design allows positioning up close to work station or production lines.
- Extremely stable, but not at all bulky.
- Four strong nylon anti-slip glides provide stability on most flooring.
- Ergonomically formed, padded polyurethane seat swivels 16° in either direction, returns to center automatically.
- Seat tilts forward up to 15°, swivels 16°.
- Seat height adjustable from 23½" to 33½" for workers of almost any size.



2092

LYON
LIMITED
5-YEAR
WARRANTY



2092S

Industrial Sit Stand Stool

- Ideal for use in front of machinery or workstations, behind counters or on assembly lines, the uses are virtually endless!
- Matte black tubular steel base.

No. 2092

Stainless Steel Sit Stand Stool

- Same features as basic Industrial Sit-Stand, but with stainless steel base, all non-corrosive fasteners and self-draining base.
- Ideal for facilities that are required to wash down floors and equipment.

No. 2092S



ESD Sit-Stand Stool

- Control the generation of static electricity to protect sensitive electronic equipment and data.
- Copper fibers woven into seat cover and conductive floor glides on base provides an integrated circuit to facilitate discharge of static electricity into a grounded floor surface.
- Ergonomic sit stand design dramatically reduces fatigue, allowing workers to remain in an upright position with upper body support on the padded seat.
- Triangular base design allows close proximity to work.
- Seats swivel 16°, tilt forward 15° and offer height adjustment of 23½" to 33½" to accommodate various users.
- Matte black finish.

No. 2092ESD

Related Products


- Other types of ergonomic seating on pages 6-7, 10-16.
- See ESD Assembly Work Stations and Accessories on Pages 46-47.

Ergonomic**Industrial Seating — with 25" Footprint ...****Exclusive Knurled Column!**

Lyon industrial chairs are engineered to maximize comfort and increase productivity in heavy industrial, institutional and commercial use. On Allmatik-controlled models, the seat height, back depth, lumbar angle and seat pan tilt can all be adjusted by the operator while seated to meet individual requirements. Convenient adjustability is especially appropriate for work stations that are used for multiple tasks or by different size employees.

Technical/Ergonomic Features

- Total seat height adjustment range is 17" to 35" - widest range in the industry, achieved with Lyon's exclusive knurled lift system.
- Pneumatic lift allows for automatic 8" adjustment while seated. Knurled lift positioning provides an additional 10" adjustment.
- Microcellular, self-skinning polyurethane foam on backrest and seat provides exceptional durability and long-term support.
- Fabric upholstered seats and backs are abrasion resistant, tested to resist 1,000,000 double rubs.
- Seat and back are ergonomically designed to promote good posture. Waterfall front eases pressure behind knees. Contoured back tilt with lumbar support.
- Rugged footrests are made of polyurethane molded over steel.
- Five leg 26" diameter base of heavy gauge steel ensures stability even at high heights. Black baked powder epoxy finish.
- High impact, oil-resistant glides for rough environments.

**Industrial Stool**

- Padded 14" diameter seat.
- 17" to 35" seat height adjustment.

No. 2022 – Black**Basic Industrial Chair (A)**

- Padded self-skinning foam seat 15¼" w x 14¼" d.
- Backrest 14½" w x 8¼" h.
- Backrest depth adjusts 3".
- Single level footrest.

No. 2023 – Polyurethane Seat**Standard Industrial Chair (B)**

- Large padded self-skinning foam seat 16¾" w x 15½" d.
- Backrest 14½" w x 8¼" h.
- Backrest depth and height adjust 3".
- Two level footrest accommodates different height adjustments.

No. 2024 – Polyurethane Seat**Ergonomic****Utility Seating — with 23" Footprint ...**

Lyon Utility and Utility-Plus desk-to-workbench height chairs are designed with state-of-the-art, high quality, durable and ergonomic features. This series features a smaller base that is ideal for production lines and workstations where space is limited.

Technical/Ergonomic Features

- Utility chairs feature Lyon's pneumatic lift system which offers 21" to 29" seat height range. Also, an 8" automatic adjustment while seated.
- Microcellular, self-skinning polyurethane in backrest and seat provides exceptional durability and long-term support. Industrial strength vinyl or abrasion resistant fabric on seats and backs also available.
- Seat and back are ergonomically designed to promote good posture. Waterfall front to ease pressure behind the knees. Contoured back with tilt for lumbar support.
- Rugged footrest is made of steel, with grated pattern for extra safety.
- Five leg 23" diameter base of heavy gauge steel, finished with black baked powder epoxy ensures stability.
- High impact, oil-resistant glides for rough environments.

**Desk-To-Bench Height Stool (C)**

- Seat height adjusts 15" to 26".
- Padded 14" diameter seat, with 20" diameter pentagon footrest.

No. 2032X – Black**Utility Stool (D)**

- Seat height adjusts 21" to 29".
- Padded 14" diameter seat with 20" diameter pentagon footing.

No. 2032 – Black**Standard Utility Chair (E)**

- Large padded self-skinning foam seat 16¾" w x 15½" d.
- Backrest 14½" w x 8¼" h.
- Backrest depth and height adjust 3".
- Single level footrest.

No. 2034X – Seat Height 15"-26"**No. 2034** – Seat Height 21"-29"**Accessories and Related Products**

- Ergonomic Seating Accessories, such as armrests, casters, etc. See page 16.

Featuring Widest Height Range 17" to 35"



Larger Seat!

LYON FYI
For Your Information

Deluxe Allmatik-Control is Lyon's exclusive independent control that adjusts seat tilt 8° and backrest angle 20° all with one lever, independently! Backrest height also adjusts 4" up or down with secure positive-stop latch.



Over-Size Seat!

Standard Upholstered Chair

- Abrasive resistant fabric, 2½" thick.
- Molded foam seat 18"w x 18"d.
- Backrest 15"w x 11"h.
- Backrest depth and height adjusts 3".
- Two level footrest accommodates different height adjustments.

No. 2024FG - Grey Fabric
No. 2024FB - Blue Fabric

Contoured Industrial Chair

- Large, contoured seat 17½"w x 16½"d of self-skinning foam.
- Large padded backrest 15½"w x 12½"h.
- Backrest angle adjusts 20° and height 5" with convenient lock-down knobs.
- Three level footrest.

No. 2025 - Polyurethane Seat

Allmatik-Control Industrial Chair With Extra Large Contoured Seat

- New 28% larger, 20"w x 18½"d self-skinning foam seat.
- Large padded backrest 15½"w x 12½"h.
- Three level footrest.

No. 2026 - Polyurethane Seat

Allmatik-Control Upholstered Industrial Chair

- Extremely durable, abrasion resistant fabric.
- Extra large 3" thick molded foam seat 20"w x 18"d.
- Extra large backrest 16"w x 15"h.
- Three level footrest.

No. 2026FG - Grey Fabric
No. 2026FB - Blue Fabric



Featuring Compact Base Design



Larger Seat!

Basic Utility Chair

- Padded self-skinning foam seat 15¾"w x 14¾"d.
- Backrest 14½"w x 8¾"h.
- Backrest depth adjusts 3".
- Single level footrest.

No. 2033X - Seat Height: 15" - 26"
No. 2033 - Seat Height: 21" - 29"

Contoured Utility Chair

- Large, contoured seat 20"w x 18"d of self-skinning foam.
- Large padded backrest 15½"w x 12½"h.
- Backrest angle adjusts 20° and height 5" with convenient lock-down knobs.
- 3" molded foam seat.
- Two level footrest.

No. 2035X - Seat Height: 15" - 26"
No. 2035 - Seat Height: 21" - 29"

Contoured Upholstered Utility Chair

- Extremely durable, abrasion resistant fabric.
- Extra large 3" thick molded foam seat 20"w x 18"d.
- Extra large backrest 16"w x 15"h.
- Backrest angle adjusts 20° and height 5" with convenient lock-down knobs.
- Two level footrest.

No. 2035XFG - Seat Height: 15" - 26"
No. 2035FG - Grey Fabric
No. 2035FB - Blue Fabric
Seat Height: 21" - 29"

Allmatik-Control Utility Chair with Extra Large Contoured Seat

- New 28% larger, 20"w x 18½"d self-skinning foam seat.
- Large padded backrest 15½"w x 12½"h.
- Two level footrest.

No. 2036X - Seat Height: 15" - 26"
No. 2036 - Seat Height: 21" - 29"

Ergonomic Operational Seating — with 26" Footprint ...

Lyon Operational Chairs are designed with state-of-the-art ergonomic features. The Operational series features an adjustable footring which offers great flexibility for positioning the seat. The combination of different height work surfaces, jobs to be performed and body types all influence the need for adjustable chairs in the workplace. Select the amount of adjustment to meet your needs exactly.

Technical/Ergonomic Features

- Total seat height adjustment range is 19" to 27". Pneumatic lift allows for automatic 8" adjustment while seated.
- Telescoping dustcover conceals lift.
- Microcellular, self-skinning polyurethane backrest and seat provides exceptional durability and long-term support.
- Seat and back are ergonomically designed to promote good posture. Waterfall front to ease pressure behind the knees. Contoured back with tilt for lumbar support.
- Adjustable extra large 20" diameter circular footring.
- Five leg 26" diameter base of molded nylon with webbed fiberglass reinforcement.
- Heavy duty glides for rough environments.
- Rich, black seats and backs, unless noted otherwise.



Basic Operational Chair

- Padded self-skinning foam seat 15½"w x 14¼"d.
- Backrest 14½"w x 8¾"h.
- Back rest depth adjustment 3".
- Adjustable extra large 20" diameter circular footring.

No. 2043 – Black Polyurethane



Standard Operational Chair With Large Seat

- Large padded self-skinning foam seat 16¾"w x 15½"d.
- Backrest 14½"w x 8¾"h.
- Backrest depth and height adjust 3".
- Adjustable extra large 20" diameter circular footring.

No. 2044 – Black Polyurethane



Ergonomic High Rise Seating

Great for Shop, Assembly and Lab Work!

Lyon High-Rise Chairs are designed with state-of-the-art ergonomic features. The High-Rise series features extra high height adjustment range with a convenient teardrop footrest that moves with the seat, no separate adjustment needed. Especially handy for high desks at the dock or in the engineering department.

Technical/Ergonomic Features

- Total seat height adjustment range is 22" to 32". Extra high pneumatic lift allows for automatic 10" adjustment while seated.
- Coiled dustcover conceals lift.
- Chrome teardrop footring.
- Microcellular, self-skinning polyurethane backrest and seat provides exceptional durability and long term support.
- Seat and back are ergonomically designed to promote good posture. Waterfall front to ease pressure behind the knees. Contoured back with tilt for lumbar support.
- Five leg 25" diameter base of molded nylon with webbed fiberglass reinforcement.
- Heavy duty glides for rough environments.



Basic High Rise Chair

- Padded self-skinning foam seat 15¾"w x 14¾"d.
- Backrest 14½"w x 8¾"h.
- Backrest depth adjusts 3".
- Chrome teardrop footring.

No. 2083 – Black



Contoured High Rise Chair

- Large, contoured seat 17½"w x 16½"d of self-skinning foam.
- Large padded backrest 15½"w x 12½"h.
- Backrest angle adjusts 20° and height 5" with convenient lock-down knobs.
- Chrome teardrop footring.

No. 2085 – Black

Accessories and Related Products

- Ergonomic Seating Accessories, such as armrests, casters, etc. See page 16.

Featuring Adjustable Circular Footrings!



Standard Upholstered Operational Chair

- Abrasion resistant fabric.
- 2½" thick molded foam seat 18" w x 18"d.
- Backrest 15"w x 11"h.
- Backrest depth and height adjust 3".
- Adjustable extra large 20" diameter circular footring.

No. 2044VG – Gray Vinyl



Contoured Operational Chair

- Large, contoured seat 17½"w x 16½"d. self-skinning foam .
- Large padded backrest 15½"w x 12½"h.
- Backrest angle adjusts 20° and height 5" with convenient lock-down knobs.
- Adjustable extra large 20" diameter circular footring.

No. 2045 – Black Polyurethane



Contoured Upholstered Operational Chair

- Extremely durable, abrasion resistant fabric.
- Extra large 3" thick molded foam seat 20"w x 18"d.
- Extra large backrest 16"w x 15"h.
- Backrest angle adjusts 20° and height 5" with convenient lock-down knobs.
- Adjustable extra large 20" diameter circular footring.

No. 2045FG – Gray Fabric

Deluxe Allmatik-Control is Lyon's exclusive independent control that adjusts seat tilt 8° and backrest angle 20° all with one lever, independently! Backrest height also adjusts 4" up or down with secure positive-stop latch.



Larger Seat!

Allmatik-Control Operational Chair With Extra Large Contoured Seat

- New 28% larger, 20"w x 18½"d self-skinning foam seat.
- Large padded backrest 15½"w x 12½"h.
- Adjustable extra large 20" diameter circular footring.

No. 2046 – Black Polyurethane

Adjustable Work Stools and Trolleys

All Built To Be Durable and Attractive!

POLYURETHANE SEATS FOR DURABILITY!



Office Stool

- Height adjustment from 16" to 24".
- Five leg, 19" diameter nylon base.
- Dust cover for pneumatic lift.
- Molded 14" diameter seat, padded for comfort.


No. 2010 – Black finish



Operational Stool

- Padded 14" diameter seat.
- 19" to 27" height adjustment.
- Five leg 21" diameter base of polished aluminum.
- Rubber foot pads.
- Steel dividers.
- 5 casters - 2 locking.
- Round height adjustment allows for easy activation.

No. 2041



New circular adjustment ring!

Tool Trolleys

- Stool with 18" diameter tool tray ends squatting, bending or kneeling in maintenance and service operations.
- Five 3" soft tread casters for hard surfaces.
- Seat capacity: 250 lbs.
- Dust cover included.

No. 2087N–15½" to 20½"

No. 2088N–19½" to 26¼"

Ergonomic Clean Room Seating

Lyon Clean Room Seating has all the features and construction of other ergonomic seating, only it is specifically designed for the demands of a clean room environment. The self-skinning microcellular seats and backs prevent dirt from penetrating into the foam, ideal for controlled environments. Prepared for shipment per Federal Standard 209B specifications. Also meets all Class 10 requirements.

Technical/Ergonomic Features

- Total seat height adjustment 19" to 27". Pneumatic lift allows for automatic 8" adjustment while seated.
- Microcellular, self-skinning polyurethane backrest and seat provides exceptional durability and long-term support.
- Seat and back ergonomically designed to promote good posture. Waterfall front to ease pressure behind the knees. Contoured back with tilt for lumbar support.
- Adjustable extra large 20" diameter circular footring
- Chairs feature a five-leg 25" diameter base of molded nylon with webbed fiberglass reinforcement.
- ESD glides reduce dirt build-up.



Deluxe Allmatik-Control is Lyon's exclusive independent control that adjusts seat tilt 8° and backrest angle 20° all with one lever, independently! Backrest height also adjusts 4" up or down with secure positive-stop latch.



Basic Clean Room Chair

- Padded self-skinning foam seat 15½" w x 14¾" d.
- Backrest 14½" w x 8¾" h.
- Backrest depth adjusts 3".
- Adjustable extra large 20" diameter circular footring.

No. 2043CR - Basic Chair

No. 2071CR - Clean Room Casters



Allmatik-Control Clean Room Chair with Large Contoured Seat

- Large 17½" w x 16½" d self-skinning foam seat.
- Large padded backrest 15½" w x 12½" h.
- Adjustable extra large 20" diameter circular footring.

No. 2046CR - Allmatik Chair

No. 2071CR - Clean Room Casters



Ergonomic ESD Operational Seating

Control the generation of static electricity – help protect electronic equipment and data in sensitive work areas. All components, integrated into one complete circuit, enable static electricity to be discharged through a cable in base of chair. Cable contacts to any grounded surface.

Technical/Ergonomic Features

- Total seat height adjustment 19" to 27". Pneumatic lift allows for automatic 8" adjustment while seated.
- ESD seat and back fabric has copper fibers and special ESD treatment, Scotchguarded and exceptionally durable.
- Standard fabric color is graphite (gray).
- Seat and back ergonomically designed to promote good posture. Waterfall front to ease pressure behind the knees. Contoured back with tilt for lumbar support.
- Conductive glides.
- Each chair tested before shipment.
- Telescoping dust cover conceals lift.



Standard Upholstered ESD Chair

- Abrasion resistant fabric.
- 2½" thick molded foam seat 18" w x 18" d.
- Backrest 15" w x 11" h.
- Backrest depth and height adjusts 3".
- Adjustable extra large 20" diameter circular footring.

No. 2054



Deluxe Allmatik-Control Upholstered ESD Chair

- Extremely durable, abrasion resistant fabric.
- Extra large 3" thick molded foam seat 20" w x 18" d.
- Extra large backrest 16" w x 15" h.
- Adjustable extra large 20" diameter circular footring.

No. 2056

Accessories and Related Products

- Ergonomic Seating Accessories, such as armrests, casters, etc. See page 16.

Desk and Office Seating

Fully Adjustable Ergonomic Seating With Contemporary Styling!

Lyon desk and office chairs are specifically designed for the seat heights typically found when sitting at desks and in offices. Ideal for workers who use computers. Built with durability in mind.



Larger Seat!



Deluxe Allmatik-Control Desk Chair with Extra Large Contoured Seat

- New 28% larger, 20" w x 18 1/2" d self-skinning foam seat.
 - Large padded backrest 15 1/2" w x 12 1/2" h.
- No. 2016** – Black Polyurethane



Deluxe Allmatik-Control is Lyon's exclusive one touch control that adjusts seat tilt 8° and backrest angle 20° with independent levers! Backrest heights also adjust 4" up or down.

Technical/Ergonomic Features

- Total seat height adjustment 16" to 21". Pneumatic lift allows for automatic 5" adjustment while seated.
- Telescoping dustcover conceals lift.
- Seat and back ergonomically designed to promote good posture. Waterfall front to ease pressure behind the knees. Contoured back with tilt for lumbar support.
- Epoxy coated aluminum base has nylon footpad to offer convenient footrest. 2016 has a molded nylon with webbed fiber-glass reinforcement.
- Ideal for computer users.
- Optional casters and armrests available. See page 16.



Deluxe Allmatik-Control Upholstered Office Chair

- Extremely durable, abrasion resistant fabric.
 - Extra large 2 1/2" thick molded foam seat 20" w x 18" d.
 - Extra large backrest 16" w x 15" h.
 - Includes hard floor casters.
- No. 2006** – Gray Fabric

Industrial Footrest

An essential component for truly ergonomic work stations, Lyon footrests provide an elevated platform to alleviate pressure on thighs and improve circulation while accommodating tasks on a high work surface. Relaxes tired feet and helps prevent muscle strain that may contribute to lower back discomfort. Textured rubber matting is slip-resistant. Tubular steel design with matte-black finish.

Industrial Footrest


- Large 18" w x 12" d platform is fixed at a comfortable 10° angle.
- Adjusts vertically from 3" to 16".

No. 2097

Adjusta-Tilt Industrial Footrest

- Provides easy and precise height and tilt for maximum support and comfort.
- Large 18" w x 12" d platform offers infinite tilt adjustment from 10° to 35°.
- Height adjustment from 3" to 16".

No. 2098



2097



2098



Options/Accessories For Ergonomic Chairs

Accessories enable you to customize your chair selection with glides, casters, armrests, footrests and other items to add comfort and convenience. Be sure to note description for compatibility with specific chairs, since accessories are not always interchangeable. Upholstered seat cover materials are special order only.



2066 Glides –
Industrial glide with 2 5/8" diameter. Fits 2020, 2030 series.



2160 Glides –
Large steel glide with 2 1/2" diameter. Fits 2020, 2030 series.



2161 Glides –
Large steel glide with 2 1/2" diameter. Fits 2016, 2040, 2050, 2080 series.



2166 Glides –
Small steel glide fits 2020, 2030 series.



2061 Casters –
Industrial Caster adds 2" height. Fits 2020, 2030 series.



2063 Caster –
Carpet caster adds 1" height. Fits 2004, 2006, 2016, 2040, 2080 series.



2064 Caster –
Hard floor caster adds 1" height. Fits 2016, 2040, 2080 series.



2071 Caster –
Hard floor conductive caster adds 1" height. Fits 2040CR, 2050ESD series.



2162 Caster –
Braking caster brakes when seat is not occupied. Fits 2020, 2030 series.



2163 Caster –
Braking caster brakes when seat is not occupied. Fits 2016, 2040, 2080 series.



2164 Caster –
Reverse braking caster brakes when seat is occupied. Fits 2020, 2030 series.



2165 Caster –
Reverse braking caster brakes when seat is occupied. Fits 2016, 2040, 2080 series.



2067 Armrest –
Loop armrest assembly. Fits 2025, 2035, 2045, 2085 chairs.



2068 Armrest –
Loop armrest assembly. Fits 2006, 2016, 2026, 2036, 2046, chairs.




2076 Armrest – "T" Pad adjustable armrests. Fits 2006, 2016, 2026, 2036, 2046 chairs.



2172 Slip Cover –
Padded foam slip cover. Durable nylon fabric. Fits large Polyurethane backrest only.




2173 Slip Cover –
Padded foam slip cover. Durable nylon fabric. Fits most Polyurethane sets.



2080 Footrest –
High footrest. Fits 2030 series.



2081 Footrest –
Top footrest. Fits 2020 series.



2082 Footrest –
Straight footrest. Fits 2020 series