

# **SNYDER**



**Equipment, Inc.**

*Storing, Rolling, Lifting since 1947*

## **PRODUCT INFORMATION**

# **LYON FLAMMABLE STORAGE CABINETS**

2946 Larimer St. Denver, CO 80205  
303-295-1100 / 800-373-7693  
FAX 303-295-2464  
Email [info@snyderequipment.com](mailto:info@snyderequipment.com)  
[www.snyderequipment.com](http://www.snyderequipment.com)



# Workspace Products Catalog



◀ Previous | Next ▶

[Product Selection Guide](#)

## Safety Storage Cabinets

### Flammable Liquids

- Lyon 1/2" shelf adjustments maximize storage versatility inside cabinets.
- Ribbed, galvanized steel shelves deliver load capacity of 350 lbs. per shelf.
- All-welded, double wall construction (with 1-1/2" of insulating air space to offer fire resistant protection).
- Three-point latching system with key lock delivers secure closure on manual closing, or self-closing doors to protect against fire and theft.
- Self-closing doors have fusible link that melts when ambient temperature reaches 160°, releasing the latch holding the door open.
- Screened flame arrester vents on both sides of cabinets are threaded to accept standard 2" pipe for external exhaust.
- Ground wire connection (wiring not included) deters static build-up.
- Zinc-plated leveling legs included.

### Standard Cabinets



5441N - 5440N  
30-Gallon

5445N - 5444N  
45-Gallon

5461 - 5460  
60-Gallon

Capacity	W x D x H	No. of Shelves	Catalog No.		Catalog No.	
			Manual-Closing	Self-Closing	Extra Shelf	Mounting Brackets
30 gal.	43 x 18 x 44"	one	5440N	5441N	5449	n/a
45 gal.	43 x 18 x 65"	two	5444N	5445N	5449	n/a
60 gal.	32 x 32 x 65"	two	5460	5461	5450	n/a

# Drum Storage Safety Cabinets and Accessories



**Horizontal Drum Storage Cabinet No. 5453** stores a single 55-gallon drum horizontally.

**Mobile Drum Cradle (optional)**

- Constructed with steel channels on 3 1/2" diameter.
- 1 1/4" wide wheels to securely store a drum within the cabinet.

**No. 5454**

**Vertical Drum Storage Cabinet No. 5451** safely houses one 55-gallon drum vertically.

**Drum Ramp (optional)**

- Facilitates the movement of drums in and out of the cabinet.
- Attaches to the cabinet sill to prevent slippage.
- Non-slip finish increases traction.
- 10-gauge steel construction. 24 7/8" w x 24" d x 2 3/4" h

**No. 5457**

**Vertical Drum Storage Cabinet No. 5452**

- Safely houses two 55-gallon drums.
- The fixed half-shelf leaves space for drums equipped with a pump or funnel.
- Will accommodate five 1-gallon cans and smaller containers.



**Drum Rollers (optional)**

- Polished and chrome plated rollers with ball bearing design facilitate movement of heavy drums.
- No. 5458 (single), No. 5459 (pair)**

**IMPORTANT:**

**NFPA Code 30**

limits storage to

**120 gallons per**

cabinet, including

only 60 gallons of

flammable liquids.

**Technical/Ergonomic Features**

- Conforms to NFPA Fire Code No. 30 and OSHA standards
- Horizontal drum cabinet equipped with drum cradle guide rails.
- Ribbed, galvanized steel shelves deliver load capacity of 350 lbs. per shelf.
- Three-point latching system with key lock delivers secure closure to protect against fire and theft.
- Baked on enamel Safety Yellow finish resists chipping, withstands hard knocks.
- Vertical 1- and 2-drum cabinets come with drum supports inside to hold two 55-gallon drums and include a half-width shelf for additional can storage.
- Double wall, 18-gauge welded steel construction with 1 1/2" air space between walls to offer fire proof protection.
- Dual 2" diameter threaded vents with fire baffle and cap provide for external exhaust.
- Ground wire connection (wiring not included) deters static build-up.
- Zinc-plated leveling legs included.

Capacity	W x D x H	No. of Shelves	Cat. No. Manual-Closing	Cat. No. Self-Closing	Cat. No. Shelf Replacement	Cat. No. Mobile Drum Cradle	Cat. No. Drum Ramp	Cat. No. Rollers
<b>Standard – Horizontal Storage</b>								
one 55 gal.	30 x 48 x 50"	one	5453	n/a	n/a	5454	5457	n/a
<b>Standard – Vertical Storage</b>								
one 55 gal.	32 x 32 x 65"	one	5451	n/a	5455	n/a	5457	5458
two 55 gal.	59 x 32 x 65"	one	5452	n/a	5456	n/a	5457	5459

