



PRODUCT INFORMATION

RUBBERMAID CARTS

2946 Larimer St. Denver, CO 80205
303-295-1100 / 800-373-7693
FAX 303-295-2464
Email info@snyderequipment.com
www.snyderequipment.com

Heavy-Duty Utility/Service Carts

Perfect for transporting equipment and supplies with stability.

- Sturdy structural foam construction won't rust, dent, chip or peel.
- Rounded corners protect walls and furniture.
- Lightweight and maneuverable.
- Large, non-marking casters.
- Optional middle shelf available.



4500



4520

No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	**List Price
4500 ^A	Utility Cart	30" l x 16" w x 32 1/2" h	400 lb max cart 200 lb per shelf	30.75 lb	76.2 cm x 40.6 cm x 81.9 cm	181.4 kg max cart 90.7 kg per shelf	13.9 kg	BG, G	1	166.18
4520 ^A	Utility Cart	36" l x 24" w x 32 1/2" h	400 lb max cart 200 lb per shelf	42.75 lb	91.4 cm x 61 cm x 81.9 cm	181.4 kg max cart 90.7 kg per shelf	19.4 kg	BG, G	1	188.42
4597	Shelf for 4500 Utility Cart	30" l x 16" w		10.5 lb	76.2 cm x 40.6 cm		4.8 kg	BG, G	1	51.92
4598	Shelf for 4520 Utility Cart	36" l x 24" w		14.8 lb	91.4 cm x 61 cm		6.7 kg	BG, G	1	61.30

Flat Shelf Carts



Versatile flat shelves designed to transport oversized, bulky items.

- Sturdy structural foam construction won't rust, dent, chip or peel.
- All-plastic design provides easy maintenance and quiet operation.
- Large, non-marking casters reduce touch-up cleaning.
- Optional middle shelf available.

4505



No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	**List Price
4505 ^A	Flat Shelf Utility Cart	37 1/2" l x 19 1/2" w x 33 3/4" h	400 lb max cart 200 lb per shelf	32.922 lb	96.2 cm x 48.7 cm x 84.6 cm	181.4 kg max cart 90.7 kg per shelf	14.9 kg	BG, G	1	168.76
4525 ^A	Flat Shelf Utility Cart	43 1/2" l x 25 1/2" w x 33 3/4" h	400 lb max cart 200 lb per shelf	42.552 lb	111.4 cm x 65.1 cm x 84.6 cm	181.4 kg max cart 90.7 kg per shelf	19.3 kg	BG, G	1	191.34
4594	Shelf for 4505 Utility Cart	37 1/2" l x 19 1/2" w		9.605 lb	96.2 cm x 48.7 cm		4.4 kg	BG, G	1	52.72
4595	Shelf for 4525 Utility Cart	43 1/2" l x 25 1/2" w		14.5 lb	111.4 cm x 65.1 cm		6.6 kg	BG, G	1	62.24
3353-88	Refuse Bin fits 4505, 4525 Carts	22" h x 17" w x 12" d	8 U.S. gal	9 lb	55.9 cm x 43.2 cm x 30.5 cm	30.3 L	4.1 kg	BK	2	54.34
3354-88	Utility Bin fits 4505, 4525 Carts	10 1/2" h x 17" w x 12 1/2" d	4 U.S. gal	5.4 lb	26.7 cm x 43.2 cm x 30.8 cm	15.1 L	2.4 kg	BK	2	25.76

Trades Carts



Moves productivity right to the work site – a total tool storage and mobile workbench system.

- Four compartmentalized boxes store assorted parts and hardware.
- Fully enclosed, lockable storage compartment helps keep tools and materials secure.
- Two storage bins hold essential hand tools and supplies.
- Carts move easily over hard surfaces, through elevators and doorways.
- Flat surface at ergonomic height provides convenient work area.

6180-88/
3354-88



No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	**List Price
6180	Trades Cart with 6" (15.2 cm) Casters, includes 2 parts boxes and 4 parts bins	38" l x 19 1/2" w x 33 3/4" h	180 lb top shelf, 150 lb bottom shelf	50.305 lb	96.5 cm x 48.9 cm x 84.8 cm	81.6 kg top shelf, 68 kg bottom shelf	22.8 kg	G	1	290.58
6180-88	Trades Cart with Locking Cabinet	38" l x 19 1/2" w x 33 3/4" h	180 lb top shelf, 150 lb bottom shelf	68 lb	96.5 cm x 48.9 cm x 84.8 cm	81.6 kg top shelf, 68 kg bottom shelf	30.8 kg	G	1	396.14
3353-88	Refuse Bin fits 6180, 6180-88 Cart	22" h x 17" w x 12" d	8 U.S. gal	9 lb	55.9 cm x 43.2 cm x 30.5 cm	30.3 L	4.1 kg	BK	2	54.34
3354-88	Utility Bin fits 6180, 6180-88 Cart	10 1/2" h x 17" w x 12 1/2" d	4 U.S. gal	5.4 lb	26.7 cm x 43.2 cm x 30.8 cm	15.1 L	2.4 kg	BK	2	25.76

Utility/Service Carts and Accessories

Versatile, functional carts for easy transport.

- Easy-to-clean smooth surfaces.
- Quiet casters and plastic construction help eliminate noise.
- Convenient handle on each end.
- Assists in complying with HACCP guidelines.



3354-88



3457



3424-88

No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	**List Price
3355 ^A	Utility Cart with Enclosed End Panels	31" l x 18" w x 37 1/2" h	300 lb	37.47 lb	78.7 cm x 45.7 cm x 95.3 cm	136.1 kg	17 kg	BK	1	281.36
3421 ^B	Utility Cart with 3" dia (7.6 cm) Swivel Casters and End Panels	33 1/2" l x 18 1/2" w x 36 1/2" h	150 lb	34 lb	85.4 cm x 47.3 cm x 93 cm	68 kg	15.4 kg	BK, PL	1	152.28
3424-88 ^B	Utility Cart with 4" dia (10.2 cm) Swivel Casters, Brushed Aluminum Uprights	33 1/2" l x 18 1/2" w x 37 1/2" h	200 lb	30 lb	85.4 cm x 47.3 cm x 95.9 cm	90.7 kg	13.6 kg	BK, OW, PL	1	179.16
3457 ^C	Utility Cart w/Lockable Doors, Sliding Drawer and 4" dia (10.2 cm) Swivel Casters	33 1/2" l x 18 1/2" w x 37 1/2" h	200 lb	38 lb	85.4 cm x 47.3 cm x 95.9 cm	90.7 kg	17.2 kg	BK	1	277.00
3353-88	Refuse Bin fits 3355, 3421, 3424-88 Utility Carts	22" h x 17" w x 12" d	8 U.S. gal	9 lb	55.9 cm x 43.2 cm x 30.5 cm	30.3 L	4.1 kg	BK	2	54.34
3354-88	Utility Bin fits 3355, 3421, 3424-88 Utility Carts	10 1/2" h x 17" w x 12 1/2" d	4 U.S. gal	5.4 lb	26.7 cm x 43.2 cm x 30.8 cm	15.1 L	2.4 kg	BK	2	25.76
3458	Utility Cart Back Panel and Door Kit, fits 3421, 3457			5 lb			2.3 kg	BK	1	80.47
3459	Utility Cart Sliding Drawer Kit, fits 3421, 3424-88, 3457			3 lb			1.4 kg	BK	1	65.28

Palletote® Boxes

For convenient, versatile storage.

- All plastic construction won't rust, dent, chip, or peel.
- Patented design allows convenient stacking or nesting.
- Rounded corners and smooth surfaces are easy to clean.
- USDA 3A (Dairy) Sanitary Standards and Meat & Poultry Equipment Group Listed.
- Assists in complying with HACCP guidelines.

1721



No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	**List Price
1721	Palletote® Box	19 1/2" l x 15 1/2" w x 10" h	1 cu ft	42.58 lb	49.5 cm x 39.4 cm x 25.4 cm	.04 m3	19.3 kg	LG	10	26.08
1722	Palletote® Box	19 1/2" l x 15 1/2" w x 13" h	1 1/2 cu ft	57.87 lb	49.5 cm x 39.4 cm x 33 cm	.05 m3	26.2 kg	LG	10	32.12
1731	Palletote® Box	23 1/2" l x 19 1/2" w x 10" h	2 cu ft	60.568 lb	59.7 cm x 49.5 cm x 25.4 cm	.06 m3	27.5 kg	LG	10	34.42
1732	Palletote® Box	23 1/2" l x 19 1/2" w x 13" h	2 1/2 cu ft	92.19 lb	59.7 cm x 49.5 cm x 33 cm	.07 m3	41.8 kg	LG	10	42.38
1720	Palletote® Lid for 1721, 1722	19 1/2" l x 15 1/2" w x 1" h		16.1 lb	50.2 cm x 40 cm x 2.5 cm		7.3 kg	LG	10	11.98
1730	Palletote® Lid for 1731, 1732	23 1/2" l x 19 1/2" w x 1" h		22.126 lb	60.3 cm x 50.2 cm x 2.5 cm		10 kg	LG	10	13.58

Big Wheel® Cart

Ideal for construction site or commercial site.

- Sturdy, structural foam construction won't rust, dent, chip or peel.
- All-plastic, seamless pan design resists leaking and cracking.
- USDA Meat & Poultry Equipment Group Listed.

5642



No.	Description	U.S. Dimensions	U.S. Size	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Size	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	**List Price
5642	Big Wheel® Cart	57 1/2" l x 32 1/2" w x 28 1/2" h	7 1/2 cu ft	300 lb	45.1 lb	146.1 cm x 83.2 cm x 71.8 cm	.2 m3	136.1 kg	20.5 kg	G	1	285.64

X-tra™ Carts

X-tra™ Utility Carts:

- Sized to carry large loads.
- Large shelves hold various equipment and supplies.
- 300 lbs. (136.1 kg) total load capacity, 100 lbs. (45.4 kg) per shelf.
- Attractive styling ideal for "front-of-house" use.
- Available with enclosed ends or enclosed on three sides for concealing loads.

X-tra™ Instrument Cart:

- Smooth, easy-to-clean shelves.
- Lockable doors secure contents.
- Sliding top drawer.
- Easy "pound-together" assembly.
- Large, non-marking casters.



4091

4093


4093



4095



4096



No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	**List Price
4091 ^A	X-tra™ Utility Cart, Open Sided	40" l x 20" w x 37 3/8" h	300 lb	43.4 lb	103.2 cm x 50.8 cm x 96 cm	136.1 kg	19.7 kg	BK, G, OW	1	208.76
4092 ^A	X-tra™ Utility Cart, Enclosed on 2 Sides	40" l x 20" w x 37 3/8" h	300 lb	45.774 lb	103.2 cm x 50.8 cm x 96 cm	136.1 kg	20.8 kg	OW	1	294.76
4093 ^A	X-tra™ Utility Cart, Enclosed on 3 Sides	40" l x 20" w x 37 3/8" h	300 lb	51.63 lb	103.2 cm x 50.8 cm x 96 cm	136.1 kg	23.4 kg	BK, OW	1	335.68
4094 ^A	X-tra™ Instrument Cart with Lockable Doors and Sliding Drawers	40" l x 20" w x 37 3/8" h	Max cart: 300 lb	52 lb	103.2 cm x 50.8 cm x 96 cm	Max cart: 136.1 kg	23.6 kg	G	1	335.68
4095 ^A	X-tra™ Equipment Cart	40" l x 20 1/2" w x 37 3/8" h	300 lb	58.45 lb	103.2 cm x 52.7 cm x 96.2 cm	136.1 kg	26.5 kg	BK	1	367.16
4096 ^A	X-tra™ 4 Shelf Cart	40" l x 20" w x 51" h	300 lb	52 lb	103.2 cm x 50.8 cm x 129.5 cm	136.1 kg	23.6 kg	BK, OW	1	272.74
4097	X-tra™ Cart Panel Kit fits 4091, 4092, 4093, 4094, 4095, 4096			4.48 lb			2 kg	BK, G	1	73.44
4098	X-tra™ Cart Door w/Lock fits 4091, 4092, 4093, 4094, 4095, 4096			4.1 lb			1.9 kg	BK, G	1	52.46
3353-88	Refuse Bin fits 4091, 4092, 4093, 4094, 4095, 4096 Utility Carts	22" h x 17" w x 12" d	8 U.S. gal	9 lb	55.9 cm x 43.2 cm x 30.5 cm	30.3 L	4.1 kg	BK	2	54.34
3354-88	Utility Bin fits 4091, 4092, 4093, 4094, 4095, 4096 Utility Carts	10 1/2" h x 17" w x 12 1/2" d	4 U.S. gal	5.4 lb	26.7 cm x 43.2 cm x 30.8 cm	15.1 L	2.4 kg	BK	2	25.76
6199	Utility Drawer w/Lock Fits: 4091, 4092, 4093, 4094, 4095, 4096			4.5 lb			2 kg	BR, LG	1	49.00

Mobile ESD Utility Carts

Durable utility and flat shelf carts with molded-in electrostatic dissipative capability.

- Surface resistance measured within the 10^6 to 10^9 ohms/sq range.
- Standard equipment includes dissipative non-marking casters, drag chain with 10 ohm resistor and common ground point connector.
- Molded with low sloughing materials that will not tribogenerate (build up a static charge).



4520-45



ESD Carts comply with general electrostatic performance recommendations.

No.	Description	U.S. Dimensions	U.S. Capacity	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Capacity	Metric Ship Wt/Ctn	Color	Pack	**List Price
4500-45	Mobile ESD Utility Cart	30" l x 16" w x 32 1/4" h	300 lb max cart 150 lb per shelf	33.95 lb	76.2 cm x 40.6 cm x 81.9 cm	136.1 kg max cart 68 kg per shelf	15.4 kg	BK	1	457.98
4505-45	Mobile ESD Flat Shelf Utility Cart	37 1/2" l x 19 1/2" w x 33 1/2" h	300 lb max cart 150 lb per shelf	36.2 lb	96.2 cm x 48.7 cm x 84.6 cm	136.1 kg max cart 68 kg per shelf	16.4 kg	BK	1	489.98
4520-45	Mobile ESD Utility Cart	36" l x 24" w x 32 1/4" h	300 lb max cart 150 lb per shelf	47.7 lb	91.4 cm x 61 cm x 81.9 cm	136.1 kg max cart 68 kg per shelf	21.6 kg	BK	1	557.98
4525-45	Mobile ESD Flat Shelf Utility Cart	43 1/2" l x 25 1/2" w x 33 1/2" h	300 lb max cart 150 lb per shelf	44.2 lb	111.4 cm x 65.1 cm x 84.6 cm	136.1 kg max cart 68 kg per shelf	20 kg	BK	1	569.98
4594-45	ESD Shelf for 4505-45 Cart	37 1/2" l x 19 1/2" w		9.605 lb	96.2 cm x 48.7 cm		4.4 kg	BK	1	143.98
4595-45	ESD Shelf for 4525-45 Cart	43 1/2" l x 25 1/2" w		14.5 lb	111.4 cm x 65.1 cm		6.6 kg	BK	1	179.98
4597-45	ESD Shelf for 4500-45 Cart	30" l x 16" w		10.5 lb	76.2 cm x 40.6 cm		4.8 kg	BK	1	147.98
4598-45	ESD Shelf for 4520-45 Cart	36" l x 24" w		14.8 lb	91.4 cm x 61 cm		6.7 kg	BK	1	197.98

5-Drawer Mobile Work Center

The heavy-duty work surface supports up to 250 lbs (113.4 kg).

- The built-in cord wrap allows neat and convenient storage of power tools and work lights.
- Casters provide portability and are lockable for safety.
- Locking bar provides security and holds drawers securely in place.



7734-88



No.	Description	U.S. Dimensions	U.S. Ship Wt/Ctn	Metric Dimensions	Metric Ship Wt/Ctn	Color	Pack	**List Price
7734-88	5-Drawer Mobile Work Center	32 1/2" l x 19 1/2" w x 33 1/2" h	69 lb	77.5 cm x 51.4 cm x 85.4 cm	31.3 kg	BK	1	281.46