

# SNYDER



**Equipment, Inc.**

*Storing, Rolling, Lifting since 1947*

## PRODUCT INFORMATION

# Security Mfg. Series 900 mailboxes

2946 Larimer St. Denver, CO 80205  
303-295-1100 / 800-373-7693  
FAX 303-295-2464  
Email [info@snyderequipment.com](mailto:info@snyderequipment.com)  
[www.snyderequipment.com](http://www.snyderequipment.com)

# HORIZONTAL MAILBOXES 900 SERIES

## Recessed Installation



Constructed of all aluminum extrusion and materials. Standard 900 series horizontal mailboxes are available in "A" size compartments, 5" h X 6" w and configured in modules 3, 4 or 5 boxes wide and 5, 6 or 7 boxes high. Each 1/8" extruded aluminum door swings on a continuous hinge and is equipped with a 5 pin cylinder cam lock with 3 keys (1500 changes). Doors include permanent 3/4" high engraved identification for a neat, uncluttered appearance. Larger size boxes can be integrated into all modules for volume incoming mail as well as outgoing mail through a mail slot. Package delivery can be accommodated with the addition of parcel boxes with a dual locking system. All modules have standard 3/4" integral trim for stability, easy installation and a finished appearance when recessed into a wall opening. Consult our knowledgeable sales staff for assistance with customizing units for your specific need.

**FRONT LOADING:** Master door swings on a continuous hinge and features a top to bottom locking bar for security. One compartment is required for postal access and cannot be used for mail delivery but with the addition of a mail slot in the door it becomes an outgoing letter box. Postal access door is prepped to accept postal lock provided and installed by local postal authority.

**REAR LOADING:** All compartments are usable for incoming mail. Lift-off or hinged rear covers are available.

- A- 5 1/16"H x 6"W
- B- 5 1/16"H x 12 1/2"W
- C- 10 3/8"H x 12 1/2"W
- D- 15 3/4"H x 12 1/2"W

### DOOR SIZES



Parcel boxes, Custom size compartments and modules



Front Loading



Rear Loading

### OPTIONS

- Snap-on-trim
- Mail slot
- High security door "A" size only
- High security locking system "A" size only
- Identification - Window/card holders
- Engraved plastic adhesive tabs
- Black filled engraving

### Finishes

- Clear anodized aluminum
- Gold powder coat
- Silver powder coat
- Bronze powder coat

### Private Use Options


Spring latch locks  
Combination spring latch locks. Access doors keyed alike.

# INSTALLATION AND DIMENSIONS FOR Horizontal Apartment Mailboxes 900 Series

10550/SEC  
BuyLine 3545

- Prepare rough opening in wall according to dimensions in chart below.
- Level module. 3/4 in. bracketed plywood shelf is recommended. Shim as necessary to make unit level and square.
- Securely fasten from inside unit to 2 x 4 support studs on either side using pre-drilled holes.

*Complete installation instructions, including all U.S. Postal Service regulations, come with each module.*



All Dimensions in Inches

MODULE CONFIG.	MODEL NUMBER*	FRONT LOADING (FL)		REAR LOADING (RL)			HEIGHT		DEPTH
		WIDTH		WIDTH		OVERALL	ROUGH		
		A	B	A	B			C	
7H x 3W	900 FL-20	23 1/8	21 5/8	900 RL-21	21 9/16	20 1/16	40 7/16	38 15/16	16 1/4
7H x 4W	900 FL-27	29 5/8	28 1/8	900 RL-28	28 1/32	26 9/16	40 7/16	38 15/16	16 1/4
7H x 5W	900 FL-34	36 1/16	34 9/16	900 RL-35	34 9/16	33 1/16	40 7/16	38 15/16	16 1/4
6H x 3W	900 FL-17	23 1/8	21 5/8	900 RL-18	21 9/16	20 1/16	35 1/16	33 9/16	16 1/4
6H x 4W	900 FL-23	29 5/8	28 1/8	900 RL-24	28 1/32	26 9/16	35 1/16	33 9/16	16 1/4
6H x 5W	900 FL-29	36 1/16	34 9/16	900 RL-30	34 9/16	33 1/16	35 1/16	33 9/16	16 1/4
5H x 3W	900 FL-14	23 1/8	21 5/8	900 RL-15	21 9/16	20 1/16	29 11/16	28 3/16	16 1/4
5H x 4W	900 FL-19	29 5/8	28 1/8	900 RL-20	28 1/32	26 9/16	29 11/16	28 3/16	16 1/4
5H x 5W	900 FL-24	36 1/16	34 9/16	900 RL-25	34 9/16	33 1/16	29 11/16	28 3/16	16 1/4

\*Last two digits of model number indicate maximum number of tenant openings. In Front Loading models one opening is reserved for postal carrier access.

## CALCULATING ROUGH OPENINGS

TO CALCULATE THE TOTAL ROUGH OPENING WIDTH FOR SIDE-BY-SIDE INSTALLATIONS SUBTRACT 1 1/2" FROM TOTAL OVERALL WIDTH.

For example the rough opening width for three 7H x 5W (Front Loading) units would be: (36 1/16" x 3) - 1 1/2" = 106 11/16".



# HORIZONTAL MAILBOXES

10550/SEC  
BuyLine 3545

## 901/910 SERIES

Private Use Front and Rear Load  
Recessed Installation

### 901 SERIES

Constructed of all aluminum extrusions and materials. Standard 901 series horizontal mailboxes are available in "A" size compartment, 3" h X 6" w and configured in modules 3, 4 or 5 boxes wide and 12 boxes high. Each 1/8" extruded aluminum door swings on a continuous hinge and is equipped with a 5-pin cylinder cam lock with 3 keys (1500 changes). Doors include permanent 3/4" high engraved identification. All modules have standard 3/4" integral trim. The 3" h compartments are ideal for applications where a large number of boxes is required. Consult our sales staff for assistance with customizing units for your specific need.

### 910 SERIES

Constructed of all aluminum extrusions and materials. Standard 910 series mailboxes are the choice when space is a concern. Modules are manufactured without integral trim and the compartments are 5" h X 4" w. Standard modules are 7, 8, 9 or 10 boxes high and 4 or 5 boxes wide. All doors operate on continuous hinges and are 1/8" extruded aluminum with engraved door identification. Locks are 5 pin cylinder cam type with 3 keys (1500 changes)

**FRONT LOADING:** Master door swings on a continuous hinge. One compartment is required for access and cannot be used for mail delivery. The access door is equipped with a private lock. When multiple modules are used in one location all master doors can be keyed alike for convenience.

**REAR LOADING:** All compartments are usable for incoming mail. Lift-off or hinged rear covers are available.

### OPTIONS

- Snap-on-trim
- Mail slot
- 1/4" High security door "A" size only
- High security locking system "A" size 901 only
- Identification – Window/card holders
- Engraved plastic adhesive tabs
- Black filled engraving
- Spring latch locks
- Combination Spring latch locks
- Access doors keyed alike

### Finishes

- Clear anodized aluminum
- Gold powder coat
- Silver powder coat
- Bronze powder coat



901 Series

CATALOG NUMBER		Number of Boxes FL RL	Box Arrangement	Dimensions (inches)								
Front Load (FL)	Rear Load (RL)			Width (FL)		Width (RL)	Height	Depth				
				Overall / Rough	Overall / Rough	Overall / Rough	Overall / Rough					
901 FL-35	901 RL-36	35	36	12H x 3W	23 <sup>1</sup> / <sub>8</sub>	21 <sup>5</sup> / <sub>8</sub>	21 <sup>9</sup> / <sub>16</sub>	20 <sup>1</sup> / <sub>16</sub>	40 <sup>7</sup> / <sub>16</sub>	38 <sup>15</sup> / <sub>16</sub>	16 <sup>1</sup> / <sub>4</sub>	16
901 FL-47	901 RL-48	47	48	12H x 4W	29 <sup>5</sup> / <sub>8</sub>	28 <sup>1</sup> / <sub>8</sub>	28 <sup>1</sup> / <sub>32</sub>	26 <sup>17</sup> / <sub>32</sub>	40 <sup>7</sup> / <sub>16</sub>	38 <sup>15</sup> / <sub>16</sub>	16 <sup>1</sup> / <sub>4</sub>	16
901 FL-59	901 RL-60	59	60	12H x 5W	36 <sup>1</sup> / <sub>16</sub>	34 <sup>9</sup> / <sub>16</sub>	34 <sup>9</sup> / <sub>16</sub>	33 <sup>1</sup> / <sub>16</sub>	40 <sup>7</sup> / <sub>16</sub>	38 <sup>15</sup> / <sub>16</sub>	16 <sup>1</sup> / <sub>4</sub>	16

All Dimensions in Inches



910 Series

CATALOG NUMBER		Number of Boxes FL RL	Box Arrangement	Dimensions (inches)				
Front Load (FL)	Rear Load (RL)			Width (FL)		Width (RL)	Height	Depth
				Rough	Rough	Rough	Rough	
910 FL-34	910 RL-35	34	35	7H x 5W	20 <sup>7</sup> / <sub>8</sub>	20 <sup>1</sup> / <sub>2</sub>	35 <sup>1</sup> / <sub>2</sub>	16
910 FL-39	910 RL-40	39	40	8H x 5W	20 <sup>7</sup> / <sub>8</sub>	20 <sup>1</sup> / <sub>2</sub>	40 <sup>1</sup> / <sub>2</sub>	16
910 FL-44	910 RL-45	44	45	9H x 5W	20 <sup>7</sup> / <sub>8</sub>	20 <sup>1</sup> / <sub>2</sub>	45 <sup>1</sup> / <sub>2</sub>	16
910 FL-39	910 RL-40	39	40	10H x 4W	17	16 <sup>5</sup> / <sub>8</sub>	50 <sup>1</sup> / <sub>2</sub>	16

All Dimensions in Inches